

Detailed Saleyard Report - Cattle
 Market information provided by MLA's National Livestock Reporting Service

Toowoomba

 Yarding 295
 Change 47

 report date 01/06/2020
 comparison date 25/05/2020

The supply of stock at the Toowoomba sale increased to 295 head. The export buying panel was not as good as the previous week. However the usual feeders were in attendance, and the increased number of restocker buyers included some southern operators. Yearling steers to feed for the domestic market averaged 24c/kg better. Yearling heifers to feed were noticeably dearer. Despite one less exporter in attendance prices for cows improved by a few cents.

A handful of light weight yearling steers returning to the paddock made to 414.2c to average 402c/kg. Medium weight yearling steers to feed made to 419.2c to average 390c/kg. Heavy weight yearling steers to feed made to 376c to average 368c/kg. Medium weight yearling heifers to feed averaged 392c and made to 406c/kg. A handful of heavy weight yearling heifers to feed made to 374c to average 347c/kg.

The occasional single bullock made to 341.2c, and heavy grown heifers made to 338c/kg. Medium weight 2 score cows averaged 237c and made to 258c, and the 3 scores averaged 268c and made to 274.2c/kg. Good heavy cows made to 290.2c to average 283c/kg. Heavy bulls made to 282.2c/kg.

Category	Sale Weight	Muscle Prefix	Fat Score *	Head Score*	Live Weight c/kg				Estimated Carcase Weight c/kg*			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Yearling Steer														
0-200														
	RS	C	2	1	348.0	- 348.0	348.0	N/Q	-	0	644	- 644	644	
	RS	D	2	2	282.0	- 282.0	282.0	N/Q	-	0	522	- 522	522	
200-280														
	PR	D	2	1	270.0	- 270.0	270.0	N/Q	491	- 491	491	729	- 729	729
	RS	C	2	5	386.0	- 414.2	401.7	8	-	0	965	- 1036	1,000	
280-330														
	FD	C	2	8	396.0	- 414.2	409.4	27	-	0	1188	- 1340	1,241	
	FD	D	2	1	330.0	- 330.0	330.0	N/Q	-	0	941	- 941	941	
	RS	C	2	2	326.0	- 326.0	326.0	N/Q	-	0	978	- 978	978	
330-400														
	FD	C	2	42	360.0	- 419.2	389.8	24	-	0	1224	- 1571	1,377	
	PR	D	2	2	208.0	- 208.0	208.0	N/Q	378	- 378	378	801	- 801	801
400+														
	FD	C	2	13	350.0	- 376.0	368.3	21	-	0	1488	- 1721	1,622	
				77	208.0	- 419.2			378	491	522	- 1721	1721	
Yearling Heifer														
0-200														
	RS	C	2	2	338.0	- 338.0	338.0	N/Q	-	0	625	- 625	625	
	RS	D	2	1	316.0	- 316.0	316.0	N/Q	-	0	585	- 585	585	
200-280														
	FD	C	2	7	338.0	- 398.2	389.6	N/Q	-	0	845	- 996	974	
	PR	C	2	2	375.0	- 375.0	375.0	N/Q	694	- 694	694	881	- 881	881
	RS	C	2	5	372.0	- 410.2	396.5	72	-	0	837	- 950	894	
	RS	D	2	1	275.0	- 275.0	275.0	10	-	0	729	- 729	729	
280-330														
	FD	C	2	27	362.0	- 399.2	378.7	43	-	0	1086	- 1230	1,140	
	FD	D	2	1	250.0	- 250.0	250.0	N/Q	-	0	750	- 750	750	

Category Weight	Sale Prefix	Muscle Score *	Fat Score*	Head	Live Weight c/kg				Estimated Carcase Weight c/kg*			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
330-400	PR	D	2	4	250.0	288.0	278.5	N/Q	463	533	516	750	864	836
	RS	C	2	4	386.2	386.2	386.2	N/Q	-	0	0	1182	1182	1,182
	FD	C	2	24	352.0	406.0	392.3	60	-	0	0	1231	1482	1,364
	FD	D	2	2	270.0	286.0	278.0	N/Q	-	0	0	987	1040	1,013
	RS	C	2	2	388.0	388.0	388.0	N/Q	-	0	0	1494	1494	1,494
400+	RS	D	2	1	212.0	212.0	212.0	N/Q	-	0	0	816	816	816
	FD	C	2	8	310.0	374.0	346.8	N/Q	-	0	0	1318	1739	1,563
	PR	C	3	2	346.0	346.0	346.0	N/Q	641	641	641	1609	1609	1,609
	RS	C	2	2	339.0	339.0	339.0	N/Q	-	0	0	1441	1441	1,441
					95	212.0	410.2			463	694	585	1739	
Grown Steer														
0-400														
400-500	FD	D	2	1	240.0	240.0	240.0	N/Q	-	0	0	924	924	924
	FD	C	2	10	320.0	352.0	336.0	25	-	0	0	1360	1707	1,534
	FD	D	2	13	232.0	270.0	235.5	N/Q	-	0	0	1009	1148	1,033
	PR	C	3	4	305.0	305.0	305.0	N/Q	555	555	555	1235	1235	1,235
	PR	E	1	2	194.0	194.0	194.0	N/Q	353	353	353	795	795	795
600-750	PR	C	4	1	341.2	341.2	341.2	4	609	609	609	2167	2167	2,167
				31	194.0	352.0			353	609	795	2167		
Grown Heifer														
0-540														
PR	C	3	9	288.0	306.0	298.0	N/Q	543	577	562	1253	1331	1,296	
PR	C	4	2	323.2	338.0	330.6	N/Q	610	638	624	1745	1808	1,777	
PR	D	2	1	265.0	265.0	265.0	N/Q	552	552	552	1126	1126	1,126	
			12	265.0	338.0			543	638		1126	1808		
Manufacturing Steer														
540+														
PR	C	4	1	277.2	277.2	277.2	-4	504	504	504	1746	1746	1,746	
			1	277.2	277.2			504	504		1746	1746		
Cows														
0-400														
DA	D	1	1	169.0	169.0	169.0	N/Q	-	0	0	676	676	676	
400-520	DA	D	2	1	237.0	237.0	237.0	N/Q	-	0	0	1102	1102	1,102
	PR	D	2	9	226.0	258.0	236.8	-6	491	561	515	983	1183	1,061
	PR	D	3	6	258.0	274.2	268.1	14	527	560	547	1161	1326	1,276
520+	PR	D	1	1	220.0	220.0	220.0	-8	500	500	500	1452	1452	1,452
	PR	D	2	1	257.0	257.0	257.0	14	559	559	559	1606	1606	1,606
	PR	D	3	9	259.0	277.0	268.7	N/C	529	565	548	1450	1759	1,512
	PR	D	4	14	275.0	290.2	283.2	3	539	569	555	1719	2039	1,823

Category Weight	Sale Prefix	Muscle Score	Fat Score*	Head	Live Weight c/kg				Estimated Carcase Weight c/kg*			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
				42	169.0	290.2			491	569		676	2039	
Bulls														
0-450														
	FD	C	2	6	274.0	322.0	290.0	N/Q	-	0	1025	1369	1,187	
	FD	C	3	2	287.0	321.0	304.0	-16	-	0	1220	1445	1,332	
	FD	D	2	8	270.0	290.0	282.5	-4	-	0	870	945	898	
	RS	C	2	8	330.0	362.0	354.0	54	-	0	941	1086	1,050	
	RS	D	2	1	280.0	280.0	280.0	N/Q	-	0	840	840	840	
450-600														
	DA	E	2	1	210.0	210.0	210.0	N/Q	-	0	977	977	977	
600+														
	PR	C	2	3	246.0	249.2	247.4	N/Q	447	453	450	1599	2280	1,828
	PR	C	3	1	282.2	282.2	282.2	-18	504	504	504	3048	3048	3,048
				30	210.0	362.0			447	504		840	3048	

DA - Dairy, FD - Feeder, GF - Grainfed, PR - Processor, LE - Live Export, PC - Pastoral Cattle, PT - PTIC, RS - Restocker

* Fields populated with N/A indicate the unavailability of animal assessment at the time of publishing

Disclaimer:

© MLA 2020. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.

