

Detailed Saleyard Report - Cattle

Market information provided by MLA's National Livestock Reporting Service

Emerald

report date 02/07/2020

Yarding 1780
 Change 501

comparison date 25/06/2020

The yarding at Emerald sale increased by 501 head to 1780 head with cattle being drawn from Bowen, Collinsville and Mount Coolon districts, as well as the local area. It was a mixed offering varying from the very best quality to the very worst. All usual processors were present along with the normal restockers and feeders. There was a general easing across most categories.

Male calves averaged 385c/kg for the few on offer. Yearling steers also sold to 385c, averaging 364c to 383c/kg. Yearling heifers made to 353c to restockers with feeders averaging 334c to 345c/kg. Those to the trade averaged 309c/kg.

Well bred grown steers to feed topped at 368c whilst averaging 320c to 360c/kg. Processors paid to 357c for their best grown heifers, returning quality related averages from 318c to 340c/kg. Heavy cows picked up some of last sale losses to average 283c/kg. A large yarding of bulls saw heavy weights to processors top at 325c, to average 311c/kg. A small offering of cows and calves saw the best make from \$1,050 to \$1,650 per unit.

Category	Sale Weight	Muscle Prefix	Fat Score*	Head	Live Weight c/kg				Estimated Carcase Weight c/kg*			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+														
	RS	C	2	45	385.0	385.0	385.0	N/Q	-	0	674	712	693	
	RS	D	2	22	285.0	381.0	349.7	16	-	0	499	625	580	
				67	285.0	385.0			0	0	499	712		
Yearling Steer														
200-280														
	PR	D	2	2	311.0	311.0	311.0	N/Q	598	598	598	840	840	840
	RS	C	2	23	323.0	355.0	339.7	N/Q	-	0	824	852	838	
	RS	D	2	11	331.0	360.0	353.3	N/Q	-	0	828	990	964	
280-330														
	FD	C	2	5	356.0	356.0	356.0	-5	-	0	1139	1139	1,139	
	RS	C	2	35	363.0	365.0	363.5	N/Q	-	0	1125	1186	1,141	
	RS	D	2	6	330.0	330.0	330.0	N/Q	-	0	1007	1007	1,007	
330-400														
	FD	C	2	18	353.0	379.0	367.2	-3	-	0	1289	1380	1,337	
	FD	D	2	49	344.0	344.0	344.0	N/Q	-	0	1170	1170	1,170	
	RS	C	2	75	355.0	385.0	383.8	N/Q	-	0	1243	1405	1,399	
400+														
	FD	C	3	10	350.0	375.0	352.5	N/Q	-	0	1505	1706	1,525	
	PR	C	3	2	328.0	328.0	328.0	N/Q	619	619	619	1706	1706	1,706
				236	311.0	385.0			598	619	824	1706		
Yearling Heifer														
280-330														
	FD	C	2	35	342.0	349.0	345.6	7	-	0	1129	1152	1,141	
	FD	D	2	14	334.0	334.0	334.0	N/Q	-	0	1102	1102	1,102	
	PR	D	2	34	284.0	343.0	309.3	-5	546	660	595	895	1115	976
	RS	C	2	8	353.0	353.0	353.0	-2	-	0	1112	1112	1,112	
330-400														
	FD	C	2	23	330.0	351.0	340.0	N/Q	-	0	1188	1299	1,241	

Category Weight	Sale Prefix	Muscle Score *	Fat Score*	Head	Live Weight c/kg				Estimated Carcase Weight c/kg*			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
				114	284.0	353.0			546	660		895	1299	
Grown Steer														
0-400														
	FD	C	2	112	356.0	357.0	356.1	9	-	0	1121	1285	1,153	
	FD	D	2	51	285.0	346.0	328.0	-21	-	0	1069	1298	1,173	
	PR	D	2	20	260.0	265.0	263.8	N/Q	500	510	507	806	875	857
	PR	D	3	4	292.0	292.0	292.0	N/Q	573	573	573	1124	1124	1,124
	RS	C	2	13	361.0	361.0	361.0	N/Q	-	0	1318	1318	1,318	
	RS	D	2	7	354.0	354.0	354.0	N/Q	-	0	1345	1345	1,345	
400-500														
	FD	C	2	4	354.0	364.0	360.0	-4	-	0	1486	1602	1,548	
	FD	D	3	9	320.0	320.0	320.0	-25	-	0	1472	1472	1,472	
	PR	C	3	37	357.0	358.0	357.4	12	674	675	674	1593	1731	1,625
	PR	C	4	13	345.0	345.0	345.0	-5	639	639	639	1622	1622	1,622
	PR	D	3	30	285.0	368.0	332.3	6	538	694	627	1322	1766	1,562
500-600														
	FD	C	3	3	341.0	341.0	341.0	N/Q	-	0	1756	1756	1,756	
	PR	C	3	16	320.0	340.0	332.8	-10	604	642	624	1727	1785	1,762
	PR	C	4	49	318.0	350.0	335.9	-5	589	648	622	1685	1909	1,798
	PR	D	3	6	300.0	320.0	316.7	N/Q	566	604	597	1664	1665	1,664
	PR	E	3	3	291.0	291.0	291.0	N/Q	549	549	549	1630	1630	1,630
600-750														
	PR	C	4	7	330.0	330.0	330.0	-9	611	611	611	2079	2079	2,079
				384	260.0	368.0			500	694		806	2079	
Grown Heifer														
0-540														
	FD	C	2	14	330.0	330.0	330.0	N/C	-	0	1139	1139	1,139	
	FD	C	3	1	319.0	319.0	319.0	-29	-	0	1132	1132	1,132	
	FD	D	2	29	290.0	319.0	310.1	N/Q	-	0	970	1138	1,064	
	FD	D	3	29	306.0	327.0	317.8	-16	-	0	1071	1239	1,162	
	PR	C	3	45	297.0	329.0	321.3	7	560	621	606	1247	1483	1,356
	PR	C	4	76	309.0	357.0	340.2	11	572	649	621	1313	1628	1,513
	PR	D	2	26	247.0	296.0	277.7	5	519	569	548	852	1051	980
	PR	D	3	79	265.0	310.0	288.6	-12	500	585	545	945	1560	1,153
	PR	D	4	21	296.0	310.0	303.3	-17	558	574	567	1332	1395	1,365
				320	247.0	357.0			500	649		852	1628	
Manufacturing Steer														
540+														
	PR	D	3	2	290.0	290.0	290.0	N/Q	558	558	558	1668	1668	1,668
				2	290.0	290.0			558	558		1668	1668	
Cows														
0-400														
	PR	D	1	9	135.0	135.0	135.0	N/Q	321	321	321	432	432	432
	PR	D	2	75	200.0	241.0	228.6	-9	455	525	510	690	924	850

Category	Weight	Sale Prefix	Muscle Score	Fat Score*	Head	Live Weight c/kg				Estimated Carcase Weight c/kg*			Estimated \$/Head		
						Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400-520	PR	D	4	7	279.0	- 279.0	279.0	N/Q	537	- 537	537	1018	- 1018	1,018	
	RS	D	1	1	120.0	- 120.0	120.0	N/Q	-	-	0	414	- 414	414	
520+	PR	D	2	79	220.0	- 254.0	241.7	-6	478	- 552	529	914	- 1145	1,024	
	PR	D	3	50	244.0	- 270.0	257.5	N/C	508	- 563	536	1013	- 1312	1,197	
	PR	D	4	85	269.0	- 288.0	276.5	9	538	- 560	551	1260	- 1404	1,302	
	PR	D	2	1	230.0	- 230.0	230.0	N/Q	500	- 500	500	1242	- 1242	1,242	
	PR	D	4	108	265.0	- 291.0	283.1	11	519	- 580	554	1458	- 1706	1,560	
				415	120.0	291.0			321	580		414	1706		
Bulls															
0-450															
	FD	C	3	2	322.0	- 322.0	322.0	N/Q	-	-	0	1352	- 1352	1,352	
	FD	D	2	6	272.0	- 326.0	290.0	N/Q	-	-	0	1142	- 1451	1,245	
	LE	C	2	2	280.0	- 280.0	280.0	N/Q	-	-	0	1078	- 1078	1,078	
	LE	D	2	14	266.0	- 266.0	266.0	-45	-	-	0	798	- 798	798	
	PR	C	2	1	298.0	- 298.0	298.0	-79	562	- 562	562	1267	- 1267	1,267	
	PR	D	2	3	200.0	- 221.0	207.0	N/Q	377	- 425	396	610	- 720	679	
	RS	C	2	1	286.0	- 286.0	286.0	N/Q	-	-	0	944	- 944	944	
450-600															
	FD	C	3	1	336.0	- 336.0	336.0	N/Q	-	-	0	1579	- 1579	1,579	
	FD	D	2	6	283.0	- 283.0	283.0	N/Q	-	-	0	1330	- 1330	1,330	
	PR	C	2	1	287.0	- 287.0	287.0	N/Q	542	- 542	542	1535	- 1535	1,535	
	PR	C	3	1	315.0	- 315.0	315.0	N/Q	573	- 573	573	1701	- 1701	1,701	
	PR	D	3	4	288.0	- 288.0	288.0	N/Q	524	- 524	524	1670	- 1670	1,670	
600+															
	LE	C	2	3	286.0	- 286.0	286.0	32	-	-	0	1773	- 1773	1,773	
	LE	C	3	5	305.0	- 311.0	308.6	-17	-	-	0	1975	- 2333	2,118	
	PR	C	2	3	295.0	- 295.0	295.0	6	557	- 557	557	1962	- 1962	1,962	
	PR	C	3	42	298.0	- 325.0	310.5	-16	542	- 591	565	2182	- 3150	2,543	
	PR	E	2	1	219.0	- 219.0	219.0	N/Q	398	- 398	398	1632	- 1632	1,632	
	PR	E	3	5	237.0	- 243.0	240.4	N/Q	431	- 442	437	1849	- 2124	1,945	
				101	200.0	336.0			377	591		610	3150		

DA - Dairy, FD - Feeder, GF - Grainfed, PR - Processor, LE - Live Export, PC - Pastoral Cattle, PT - PTIC, RS - Restocker

* Fields populated with N/A indicate the unavailability of animal assessment at the time of publishing

Disclaimer:

© MLA 2020. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.

