

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Emerald

report date 16 Jun 2016

Yarding Change 1149
-226

comparison date 09/06/2016

Emerald agents offered a reduced yarding of 1,149 head, which included some cattle that were held up by wet weather in the Jericho/Aramac area last week. The delay paid off in increased competition and prices for the Vendors. The usual field of buyers was present and was supported by a western restocker which improved prices for the lighter lines of suitable cattle as well as the better 4 score cows. The top vealer steers reached a landmark high of 406.2c/kg. Most of the other cattle came from the local areas west to Alpha and north to Clermont.

The few calves penned made to 339c/kg to restockers and vealer steers also to restockers topped at 406.2c, to average 367.5c/kg. Vealer heifers made up to 307c/kg to average 296c/kg for the best, with average quality lots making 260c, to a 274c/kg average. Yearling heifers averaged from 277c to 284c/kg. Very few 4 score bullocks were present making 283c/kg. Grown heifers sold to slaughter to a 284c/kg top and averaged 275c/kg for the best. 4 score cows reached 252c/kg with an average of 249.2c/kg for the heavy cows an 11c/kg improvement on last sale. Bulls also improved 5c to 12c/kg reaching 265.6c/kg average for the best. There were insufficient cows and calves to quote.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+	RS	C	2	28	296.0	- 320.0	307.2	1	-	-	-	533	- 592	543
	RS	D	2	18	259.0	- 339.0	287.7	12	-	-	-	376	- 644	528
				46	259.0	339.0			0	0		376	644	
Vealer Steer														
200-280	RS	C	2	238	320.0	- 406.2	367.5	60	-	-	-	779	- 1049	898
	RS	D	2	62	315.0	- 359.0	330.3	20	-	-	-	724	- 851	802
280-330	RS	C	2	35	321.0	- 389.0	363.6	70	-	-	-	931	- 1167	1056
	RS	D	2	6	308.0	- 316.0	310.7	N/Q	-	-	-	878	- 948	901
				341	308.0	406.2			0	0		724	1167	
Vealer Heifer														
200-280	FD	C	2	2	274.0	- 274.0	274.0	N/Q	-	-	-	712	- 712	712
	RS	C	2	27	276.0	- 307.0	296.3	2	-	-	-	645	- 778	672
	RS	D	2	11	251.0	- 290.0	271.8	-13	-	-	-	581	- 783	659
		D	2	20	259.0	- 277.0	264.4	-1	498	- 533	508	648	- 743	686
280-330		D	2	1	260.0	- 260.0	260.0	N/Q	500	- 500	500	845	- 845	845
	FD	D	2	1	259.0	- 259.0	259.0	N/Q	-	-	-	790	- 790	790
	RS	D	2	2	250.0	- 250.0	250.0	N/Q	-	-	-	763	- 763	763
				64	250.0	307.0			498	533		581	845	
Yearling Steer														
280-330	RS	C	2	7	305.0	- 305.0	305.0	N/Q	-	-	-	1007	- 1007	1007
	RS	D	2	2	268.0	- 314.0	291.0	N/Q	-	-	-	817	- 973	895
	RS	E	2	5	257.0	- 282.0	262.0	N/Q	-	-	-	745	- 846	765
330-400	RS	D	2	5	278.0	- 294.0	290.0	N/Q	-	-	-	931	- 1029	1001
	LE	D	2	1	260.0	- 260.0	260.0	N/Q	500	- 500	500	1001	- 1001	1001
400+	FD	D	2	1	280.0	- 280.0	280.0	N/Q	-	-	-	1134	- 1134	1134
	LE	D	3	8	285.0	- 285.0	285.0	N/Q	538	- 538	538	1240	- 1240	1240
				29	257.0	314.0			500	538		745	1240	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Yearling Heifer														
330-400	FD	D	2	1	265.0	- 265.0	265.0	N/Q	-			1020	- 1020	1020
	FD	D	3	3	266.0	- 266.0	266.0	N/Q	-			944	- 944	944
		D	4	13	277.0	- 277.0	277.0	N/Q	533	- 533	533	1039	- 1039	1039
400+		C	4	23	279.0	- 285.0	282.4	3	517	- 528	523	1425	- 1479	1448
				40	265.0	285.0			517	533		944	1479	
Grown Steer														
0-400	LE	D	2	5	283.0	- 283.0	283.0	N/Q	544	- 544	544	1090	- 1090	1090
	RS	E	2	9	257.0	- 257.0	257.0	N/Q	-			925	- 925	925
	RS	E	3	1	265.0	- 265.0	265.0	N/Q	-			928	- 928	928
400-500	LE	D	3	3	281.0	- 288.0	283.3	5	540	- 554	545	1253	- 1405	1354
500-600	FD	C	3	1	283.0	- 283.0	283.0	N/Q	-			1514	- 1514	1514
	FD	C	4	2	290.0	- 297.0	293.5	N/Q	-			1566	- 1723	1644
		C	4	1	288.0	- 288.0	288.0	N/Q	533	- 533	533	1498	- 1498	1498
	FD	D	2	2	230.0	- 230.0	230.0	N/Q	-			1254	- 1254	1254
	FD	D	3	6	280.0	- 287.0	283.2	-23	-			1456	- 1579	1506
		D	3	13	264.0	- 289.0	277.5	6	489	- 545	519	1505	- 1633	1574
600-750		C	3	2	274.0	- 288.0	281.0	N/Q	507	- 533	520	1858	- 1973	1915
		C	4	10	283.0	- 283.0	283.0	N/Q	524	- 524	524	1811	- 1811	1811
		D	4	1	270.0	- 270.0	270.0	N/Q	500	- 500	500	1701	- 1701	1701
		E	3	1	211.0	- 211.0	211.0	N/Q	391	- 391	391	1287	- 1287	1287
		E	4	1	240.0	- 240.0	240.0	N/Q	453	- 453	453	1632	- 1632	1632
				58	211.0	297.0			391	554		925	1973	
Grown Heifer														
0-540		C	3	1	262.0	- 262.0	262.0	N/Q	504	- 504	504	1402	- 1402	1402
	FD	D	2	11	265.0	- 272.0	270.1	7	-			941	- 1020	998
	FD	D	3	1	284.0	- 284.0	284.0	N/Q	-			1164	- 1164	1164
		D	3	17	240.0	- 260.0	253.1	N/Q	462	- 492	482	863	- 1144	1029
		D	4	15	255.0	- 284.0	274.9	N/Q	490	- 536	527	1033	- 1221	1178
		E	2	1	180.0	- 180.0	180.0	N/Q	360	- 360	360	558	- 558	558
	FD	E	3	3	255.0	- 255.0	255.0	N/Q	-			880	- 880	880
		E	3	5	210.0	- 216.0	214.8	N/Q	404	- 432	426	745	- 746	745
		E	4	7	220.0	- 220.0	220.0	N/Q	423	- 423	423	825	- 825	825
				61	180.0	284.0			360	536		558	1402	
Cows														
0-400	RS	D	2	64	177.0	- 265.0	206.1	-3	-			655	- 954	774
		D	2	18	178.0	- 288.0	194.4	-3	396	- 626	430	637	- 1037	710
		D	3	4	220.0	- 220.0	220.0	10	440	- 440	440	825	- 825	825
400-520		D	2	27	190.0	- 217.0	199.4	-10	424	- 452	433	789	- 944	860
	RS	D	2	56	181.0	- 225.0	216.3	1	-			778	- 1046	977
	RS	D	3	1	212.0	- 212.0	212.0	N/Q	-			890	- 890	890
		D	3	125	209.0	- 245.0	230.9	10	435	- 503	480	895	- 1246	1068
		D	4	84	225.0	- 255.0	238.7	9	466	- 490	478	1035	- 1326	1141
		E	3	16	216.0	- 217.0	216.3	N/Q	450	- 472	457	950	- 966	955
520+		D	3	2	236.0	- 236.0	236.0	N/Q	472	- 472	472	1274	- 1274	1274

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		D	4	30	244.0	- 254.0	249.7	11	469	- 481	478	1314	- 1372	1348
		D	5	1	252.0	- 252.0	252.0	N/Q	504	- 504	504	1814	- 1814	1814
				428	177.0	288.0			396	626		637	1814	
Bulls														
0-450	RS	D	2	12	215.0	- 289.0	269.7	7	-	-	-	646	- 871	699
	LE	D	2	8	232.0	- 235.0	232.4	-37	438	- 443	438	731	- 858	747
450-600	LE	C	3	1	276.0	- 276.0	276.0	N/Q	502	- 502	502	1587	- 1587	1587
		C	3	4	271.0	- 271.0	271.0	N/Q	493	- 493	493	1409	- 1531	1440
	RS	D	2	1	240.0	- 240.0	240.0	N/Q	-	-	-	1260	- 1260	1260
600+		C	2	1	232.0	- 232.0	232.0	N/Q	438	- 438	438	1682	- 1682	1682
		C	3	18	255.0	- 275.0	265.6	12	464	- 500	483	1658	- 2118	1863
	LE	C	3	1	256.0	- 256.0	256.0	N/Q	466	- 466	466	1920	- 1920	1920
		D	2	14	230.0	- 235.0	232.9	5	434	- 443	440	1484	- 1669	1590
	LE	D	2	1	243.0	- 243.0	243.0	N/Q	459	- 459	459	1604	- 1604	1604
	LE	D	3	1	275.0	- 275.0	275.0	N/Q	500	- 500	500	1719	- 1719	1719
				62	215.0	289.0			434	502		646	2118	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2016. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.