

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

CQLX Gracemere

report date 25 Nov 2016

Yarding Change 1900
-300

comparison date 18/11/2016

CQLX agents penned 300 fewer cattle this week with a yarding of 1,900 on offer. Cattle came from the local area mostly, although there were lines from Collinsville, Proserpine, Nebo and Mackay. Quality was very mixed in the cows whilst there was good quality on offer in other sections. The regular buyers were present along with the return of one feeder operator and this helped maintain prices, although there were decreases in some of the lighter cattle particularly heifers.

Calves sold to 389c and averaged 368c/kg for the better types. Vealer steers averaged 387c with the bestselling to 417c/kg. Medium weight vealer heifers sold to restockers at an average of 312c with the tops making to 339c/kg. Yearling steers were very mixed, however most averaged from 323c to 329c/kg. Restockers paid to 358c for the best of the yearling heifers although most averaged 290c to 297c/kg.

Heavy grown steers to feed averaged 322c with the few 4 scores averaging 285c/kg to processors. The 4 score cows sold to 252c to return a 249c/kg average just slightly better than last sale. Heavy bulls to processors reached 243c to average 237c/kg. Useful quality cows and calves sold to \$1,950 to average \$1,500/unit.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+	RS	C	2	24	321.0	- 389.0	368.5	-17	-	-	-	504	- 828	725
	RS	D	2	47	221.0	- 387.0	323.5	-97	-	-	-	316	- 890	637
				71	221.0	389.0			0	0		316	890	
Vealer Steer														
0-200	RS	C	2	11	369.0	- 369.0	369.0	N/Q	-	-	-	701	- 701	701
200-280	RS	C	2	204	296.0	- 417.0	387.1	1	-	-	-	687	- 1130	1005
	RS	C	4	20	401.0	- 401.0	401.0	N/Q	-	-	-	1003	- 1003	1003
	RS	D	2	147	290.0	- 403.0	374.9	-18	-	-	-	653	- 993	847
				382	290.0	417.0			0	0		653	1130	
Vealer Heifer														
0-200	RS	D	2	1	273.0	- 273.0	273.0	N/Q	-	-	-	519	- 519	519
200-280	FD	C	2	52	277.0	- 313.0	295.4	-34	-	-	-	582	- 814	766
	RS	C	2	15	239.0	- 305.0	294.6	-47	-	-	-	621	- 766	703
		C	2	32	250.0	- 320.0	298.4	-30	481	- 615	574	538	- 848	700
	FD	D	2	22	270.0	- 295.0	284.4	-25	-	-	-	608	- 812	661
		D	2	23	270.0	- 307.0	295.2	-18	519	- 590	568	594	- 798	717
	RS	D	2	92	260.0	- 339.0	312.0	-10	-	-	-	533	- 780	721
280-330	RS	C	2	8	287.0	- 307.0	292.0	N/Q	-	-	-	832	- 936	858
	FD	D	2	2	286.0	- 286.0	286.0	N/Q	-	-	-	915	- 915	915
				247	239.0	339.0			481	615		519	936	
Yearling Steer														
200-280	FD	D	2	1	323.0	- 323.0	323.0	N/Q	-	-	-	872	- 872	872
	RS	E	2	3	299.0	- 299.0	299.0	N/Q	-	-	-	807	- 807	807
280-330	RS	D	2	13	265.0	- 322.0	317.6	-29	-	-	-	875	- 1030	1018
	FD	D	2	1	327.0	- 327.0	327.0	N/Q	-	-	-	1030	- 1030	1030
330-400	RS	C	2	1	363.0	- 363.0	363.0	N/Q	-	-	-	1379	- 1379	1379

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
400+	FD	C	2	6	310.0	- 327.0	324.2	1	-				1132	- 1259	1238
	FD	D	2	12	313.0	- 318.0	317.6	-20	-				1145	- 1174	1147
	FD	C	2	56	315.0	- 341.0	327.2	N/Q	-				1331	- 1658	1502
	FD	C	3	6	329.0	- 329.0	329.0	N/Q	-				1711	- 1711	1711
	FD	D	2	34	300.0	- 330.0	325.7	N/Q	-				1318	- 1560	1441
				133	265.0	363.0			0	0		807	1711		
Yearling Heifer															
200-280	RS	C	2	5	305.0	- 305.0	305.0	N/Q	-				778	- 778	778
	FD	C	2	7	270.0	- 303.0	298.3	5	-				716	- 848	829
	RS	D	1	8	230.0	- 253.0	235.8	N/Q	-				529	- 658	561
	RS	D	2	86	243.0	- 299.0	279.6	-5	-				620	- 817	739
	FD	D	2	25	260.0	- 309.0	285.9	N/Q	-				695	- 834	769
	RS	E	1	3	108.0	- 108.0	108.0	N/Q	-				281	- 281	281
	RS	E	2	2	200.0	- 200.0	200.0	N/Q	-				490	- 490	490
280-330	RS	C	2	4	303.0	- 303.0	303.0	N/Q	-				924	- 924	924
	FD	C	2	17	293.0	- 299.0	296.9	-11	-				938	- 972	951
	FD	D	2	13	287.0	- 301.0	296.7	N/C	-				933	- 993	975
	RS	D	2	31	245.0	- 303.0	289.2	-12	-				711	- 993	911
330-400	FD	C	2	37	290.0	- 315.0	304.9	3	-				1015	- 1144	1107
	RS	C	2	9	287.0	- 297.0	290.3	N/Q	-				976	- 1114	1022
	FD	D	2	71	287.0	- 309.0	298.1	6	-				995	- 1083	1041
400+	RS	D	2	32	285.0	- 358.0	325.7	42	-				955	- 1307	1180
	RS	D	2	8	351.0	- 351.0	351.0	58	-				1474	- 1474	1474
				358	108.0	358.0			0	0		281	1474		
Grown Steer															
0-400	RS	C	2	6	342.0	- 342.0	342.0	N/Q	-				1163	- 1163	1163
	RS	D	2	10	281.0	- 311.0	298.6	N/Q	-				1044	- 1166	1112
	FD	D	2	3	309.0	- 313.0	310.3	N/Q	-				1174	- 1205	1195
400-500	FD	D	2	12	313.0	- 313.0	313.0	30	-				1330	- 1330	1330
		D	3	1	248.0	- 248.0	248.0	N/Q	468	- 468	468		1042	- 1042	1042
500-600	FD	C	2	3	288.0	- 288.0	288.0	-21	-				1498	- 1498	1498
	FD	C	3	19	321.0	- 323.0	321.7	N/Q	-				1685	- 1696	1689
		C	4	2	282.0	- 310.0	296.0	N/Q	522	- 596	559		1537	- 1674	1605
		D	2	5	240.0	- 286.0	260.8	N/Q	462	- 550	502		1248	- 1444	1359
600-750		D	3	5	255.0	- 255.0	255.0	N/Q	481	- 481	481		1390	- 1390	1390
		C	4	11	275.0	- 286.0	284.8	5	509	- 530	527		1730	- 2049	1774
		D	4	1	280.0	- 280.0	280.0	N/Q	519	- 519	519		1764	- 1764	1764
				78	240.0	342.0			462	596		1042	2049		
Grown Heifer															
0-540	FD	C	2	12	270.0	- 305.0	287.5	N/Q	-				1161	- 1312	1236
	RS	C	2	3	260.0	- 270.0	266.7	N/Q	-				858	- 945	916
		C	3	1	239.0	- 239.0	239.0	N/Q	460	- 460	460		992	- 992	992
	FD	C	3	3	305.0	- 305.0	305.0	N/Q	-				1144	- 1281	1235
		C	4	1	261.0	- 261.0	261.0	N/Q	502	- 502	502		1096	- 1096	1096
	FD	D	2	2	270.0	- 270.0	270.0	N/Q	-				1026	- 1026	1026

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	RS	D	2	30	191.0	- 311.0	295.7	N/Q	-			611	- 1104	1037
	RS	D	3	1	285.0	- 285.0	285.0	N/Q	-			926	- 926	926
		D	4	15	251.0	- 269.0	263.0	-6	483	- 517	506	1192	- 1278	1249
	RS	E	1	2	231.0	- 231.0	231.0	N/Q	-			566	- 566	566
				70	191.0	311.0			460	517		566	1312	
Manufacturing Steer														
540+		D	4	1	197.0	- 197.0	197.0	N/Q	365	- 365	365	1468	- 1468	1468
				1	197.0	197.0			365	365		1468	1468	
Cows														
0-400		D	1	9	120.0	- 151.0	127.9	-52	273	- 343	291	438	- 551	457
	RS	D	1	2	49.0	- 150.0	99.5	N/Q	-			174	- 518	346
	RS	D	2	9	170.0	- 200.0	189.3	6	-			550	- 718	671
		D	2	7	129.0	- 195.0	147.9	-68	280	- 424	321	477	- 712	544
		D	3	1	221.0	- 221.0	221.0	N/Q	480	- 480	480	829	- 829	829
		E	1	11	73.0	- 73.0	73.0	N/Q	166	- 166	166	212	- 212	212
	RS	E	1	18	30.0	- 100.0	73.3	N/Q	-			83	- 320	230
		E	2	3	170.0	- 209.0	196.0	N/Q	370	- 454	426	587	- 763	704
400-520	RS	D	2	24	173.0	- 204.0	189.1	-3	-			765	- 898	826
		D	2	8	179.0	- 230.0	209.0	-16	389	- 500	454	832	- 997	924
	RS	D	3	14	204.0	- 240.0	217.7	N/Q	-			877	- 984	910
		D	3	39	210.0	- 250.0	235.8	N/C	438	- 526	490	897	- 1232	1123
		D	4	14	232.0	- 251.0	241.0	-5	464	- 502	482	1114	- 1305	1206
520+		D	3	2	224.0	- 224.0	224.0	N/C	448	- 448	448	1187	- 1187	1187
		D	4	47	246.0	- 252.0	248.6	2	475	- 504	496	1302	- 1563	1339
				208	30.0	252.0			166	526		83	1563	
Bulls														
0-450	FD	C	2	19	324.0	- 325.0	324.3	40	-			1349	- 1377	1368
	RS	C	2	2	305.0	- 305.0	305.0	N/Q	-			854	- 854	854
		D	1	4	107.0	- 188.0	147.5	N/Q	233	- 392	312	465	- 818	642
		D	2	7	206.0	- 206.0	206.0	29	396	- 396	396	773	- 773	773
	RS	D	2	10	237.0	- 317.0	283.5	-29	-			745	- 1165	869
	RS	E	1	1	191.0	- 191.0	191.0	N/Q	-			449	- 449	449
450-600	RS	C	2	2	238.0	- 256.0	247.0	N/Q	-			1345	- 1357	1351
		C	2	3	241.0	- 241.0	241.0	N/Q	455	- 455	455	1398	- 1398	1398
		C	3	3	234.0	- 256.0	248.7	N/Q	426	- 466	452	1369	- 1498	1455
	RS	C	3	2	239.0	- 239.0	239.0	N/Q	-			1291	- 1291	1291
		D	1	2	160.0	- 160.0	160.0	N/Q	308	- 308	308	760	- 760	760
		D	2	2	197.0	- 197.0	197.0	N/Q	372	- 372	372	1064	- 1064	1064
600+		C	2	1	212.0	- 212.0	212.0	N/Q	400	- 400	400	1558	- 1558	1558
		C	3	12	224.0	- 243.0	237.3	5	407	- 442	432	1523	- 1845	1736
		D	1	1	186.0	- 186.0	186.0	N/Q	358	- 358	358	1181	- 1181	1181
		D	3	1	231.0	- 231.0	231.0	N/Q	420	- 420	420	1559	- 1559	1559
				72	107.0	325.0			233	466		449	1845	

Abbreviations

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
 FD: Feeder DP: Dorper

Disclaimer:

© MLA 2016. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.