

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### Toowoomba

report date 28 Nov 2016

Yarding Change <sup>1284</sup>/<sub>18</sub>

comparison date 21/11/2016

The isolated falls of rain fail to have an effect on the supply of stock this week, with numbers remaining very close to the previous weeks level. The usual export buyers were in attendance, with not all the usual feeder buyers operating however. The deteriorating seasonal conditions were reflected in the quality of the young lightweight yearling steers and heifers, with average prices easing 8c to 10c/kg. Medium and heavy weight yearling steers and heifers to feed sold to a firm market. The handful of heavy grown steers and bullocks sold to strong demand and cows sold to within 3c to 4c/kg of the previous sale, with very good support from restockers.

Mixed sex calves to restockers averaged 371c and made to 398c/kg. Lightweight yearling steers also returning to the paddock averaged 370c and made to 387c/kg. Medium weight yearling steers to feed made to 359c to average 345c/kg. Heavyweights to feed made to a top of 349c, with most around 335c/kg. Lightweight yearling heifers mostly sold around 330c/kg, with some to 348c/kg. A small selection of medium weights to feed averaged 325c and made to 330c/kg.

The very small selection of heavy grown steers made to 306c and a couple of pens of bullocks made to 304c/kg. Medium weight 2 score cows averaged 227c and good heavy cows mostly sold around 246c, with sales to 253c/kg. Heavy bulls made to 274c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head				
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg		
<b>Calves</b>																
80+	RS	C	2	44	332.2	- 398.2	371.0	-12	-	-	-	430	-	697	583	
				<b>44</b>	<b>332.2</b>	<b>398.2</b>			<b>0</b>	<b>0</b>		<b>430</b>	<b>697</b>			
<b>Yearling Steer</b>																
200-280	FD	C	2	36	336.2	- 354.2	343.2	-17	-	-	-	795	-	939	881	
	RS	C	2	123	348.2	- 387.2	370.0	-10	-	-	-	714	-	970	883	
	RS	D	2	8	288.2	- 300.0	297.1	27	-	-	-	677	-	735	721	
		D	2	14	316.2	- 316.2	316.2	-4	575	-	575	575	791	-	791	791
	FD	D	2	19	302.2	- 330.0	316.9	10	-	-	-	740	-	825	787	
280-330	FD	C	2	28	340.0	- 355.2	348.7	-17	-	-	-	1020	-	1066	1046	
	RS	C	2	19	357.2	- 376.2	371.2	N/Q	-	-	-	1072	-	1072	1072	
	RS	D	2	12	320.0	- 320.0	320.0	N/Q	-	-	-	912	-	912	912	
	FD	D	2	4	330.0	- 330.0	330.0	N/Q	-	-	-	990	-	990	990	
330-400	FD	C	2	129	320.0	- 359.2	345.0	2	-	-	-	1072	-	1375	1233	
	RS	C	2	10	363.2	- 363.2	363.2	N/Q	-	-	-	1253	-	1253	1253	
	FD	C	3	14	345.0	- 350.2	345.7	8	-	-	-	1156	-	1208	1163	
	FD	D	2	15	294.2	- 320.0	304.0	42	-	-	-	1095	-	1232	1136	
	RS	D	2	1	308.2	- 308.2	308.2	N/Q	-	-	-	1156	-	1156	1156	
400+	FD	C	2	63	316.2	- 349.2	335.1	N/Q	-	-	-	1344	-	1526	1467	
	FD	C	3	3	325.0	- 325.0	325.0	-6	-	-	-	1463	-	1463	1463	
		C	3	1	334.2	- 334.2	334.2	N/Q	608	-	608	608	1420	-	1420	1420
	FD	D	2	21	310.0	- 331.2	313.8	N/Q	-	-	-	1318	-	1374	1332	
				<b>520</b>	<b>288.2</b>	<b>387.2</b>			<b>575</b>	<b>608</b>		<b>677</b>	<b>1526</b>			
<b>Yearling Heifer</b>																
200-280		C	2	57	330.2	- 348.2	338.2	-5	612	-	645	626	749	-	833	813
	FD	C	2	173	322.2	- 344.2	334.2	-8	-	-	-	762	-	861	812	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
280-330	FD	D	2	22	270.0	- 318.2	306.2	-7	-			662	- 750	698	
		D	2	6	282.2	- 282.2	282.2	-26	523	- 523	523	691	- 691	691	
	RS	D	2	20	294.2	- 314.2	306.0	30	-			644	- 771	735	
	FD	C	2	4	324.2	- 324.2	324.2	-13	-			924	- 924	924	
	FD	D	2	5	300.0	- 318.2	314.6	4	-			855	- 907	897	
330-400	RS	D	2	2	260.2	- 260.2	260.2	N/Q	-			781	- 781	781	
	FD	C	2	17	310.0	- 330.0	325.3	-2	-			1039	- 1238	1119	
		C	3	4	295.2	- 350.2	321.4	-4	547	- 649	595	1082	- 1226	1131	
	FD	C	3	7	327.2	- 327.2	327.2	5	-			1227	- 1227	1227	
		D	2	1	220.0	- 220.0	220.0	N/Q	407	- 407	407	770	- 770	770	
400+	FD	D	2	46	265.2	- 302.2	278.2	N/Q	-			939	- 1063	1018	
		D	3	12	262.2	- 305.2	284.1	4	486	- 565	526	983	- 1175	1063	
	FD	D	3	6	295.0	- 295.0	295.0	25	-			1106	- 1106	1106	
	FD	C	2	8	283.2	- 283.2	283.2	-28	-			1204	- 1204	1204	
		C	3	6	319.2	- 320.0	319.9	N/Q	591	- 593	592	1357	- 1392	1386	
	FD	C	3	2	312.2	- 312.2	312.2	N/Q	-			1327	- 1327	1327	
	FD	D	2	2	266.2	- 266.2	266.2	N/Q	-			1131	- 1131	1131	
				<b>400</b>	<b>220.0</b>	<b>350.2</b>			<b>407</b>	<b>649</b>		<b>644</b>	<b>1392</b>		
<b>Grown Steer</b>															
400-500	FD	C	3	15	288.2	- 307.2	299.2	7	-			1301	- 1398	1341	
	FD	D	2	9	250.2	- 265.2	258.5	9	-			1063	- 1193	1136	
		D	3	1	261.2	- 261.2	261.2	N/Q	475	- 475	475	1084	- 1084	1084	
500-600		C	3	14	273.2	- 281.2	278.4	-2	497	- 511	506	1598	- 1645	1629	
		C	4	5	306.2	- 306.2	306.2	13	547	- 547	547	1546	- 1546	1546	
		D	3	7	278.2	- 278.2	278.2	13	506	- 506	506	1488	- 1488	1488	
600-750		C	4	12	294.2	- 304.2	302.5	14	525	- 543	540	1868	- 2193	2139	
				<b>63</b>	<b>250.2</b>	<b>307.2</b>			<b>475</b>	<b>547</b>		<b>1063</b>	<b>2193</b>		
<b>Grown Heifer</b>															
0-540		D	2	2	192.2	- 230.0	211.1	N/Q	400	- 479	440	702	- 920	811	
		D	3	2	265.2	- 265.2	265.2	N/Q	500	- 500	500	1233	- 1233	1233	
				<b>4</b>	<b>192.2</b>	<b>265.2</b>			<b>400</b>	<b>500</b>		<b>702</b>	<b>1233</b>		
<b>Cows</b>															
0-400		D	1	3	184.2	- 184.2	184.2	24	419	- 419	419	737	- 737	737	
	DA	D	1	4	170.0	- 170.0	170.0	N/Q	386	- 386	386	638	- 680	669	
		D	2	2	223.2	- 223.2	223.2	N/Q	485	- 485	485	893	- 893	893	
	DA	E	1	4	127.2	- 144.2	140.0	N/Q	289	- 328	318	477	- 577	552	
		E	1	4	158.2	- 158.2	158.2	N/Q	360	- 360	360	577	- 577	577	
	400-520	RS	D	1	19	170.2	- 230.2	212.3	N/Q	-			740	- 1001	977
			D	1	2	169.2	- 245.2	207.2	N/Q	385	- 481	433	736	- 1140	938
		DA	D	1	11	174.2	- 218.2	192.9	N/Q	396	- 496	438	780	- 1080	904
		RS	D	2	15	225.0	- 230.2	227.6	N/Q	-			1036	- 1052	1044
			D	2	10	220.2	- 231.2	227.7	-1	479	- 503	495	958	- 1116	1014
			D	3	6	229.2	- 239.2	232.7	-3	468	- 488	475	1027	- 1136	1074
			D	4	6	238.2	- 238.2	238.2	-3	467	- 467	467	1155	- 1155	1155
	DA	E	2	1	180.0	- 180.0	180.0	N/Q	391	- 391	391	765	- 765	765	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
520+		C	3	2	248.2	- 248.2	248.2	N/Q	496	- 496	496	1452	- 1452	1452
	DA	D	2	1	220.0	- 220.0	220.0	N/Q	478	- 478	478	1177	- 1177	1177
		D	2	1	224.2	- 224.2	224.2	N/Q	487	- 487	487	1267	- 1267	1267
		D	3	17	227.2	- 240.2	234.6	-5	464	- 526	485	1284	- 1440	1330
		D	4	11	242.2	- 253.2	246.4	-4	475	- 497	483	1296	- 1431	1352
		D	5	7	220.2	- 238.2	231.8	16	449	- 486	473	1266	- 1429	1391
				<b>126</b>	<b>127.2</b>	<b>253.2</b>		<b>289</b>	<b>526</b>		<b>477</b>	<b>1452</b>		
<b>Bulls</b>														
0-450		C	2	3	340.0	- 340.0	340.0	N/C	618	- 618	618	1173	- 1173	1173
	FD	C	2	24	227.2	- 314.2	268.2	-21	-	-	-	829	- 878	850
	RS	C	2	2	300.0	- 310.0	305.0	N/Q	-	-	-	735	- 760	747
	FD	C	3	12	244.2	- 290.0	282.4	N/Q	-	-	-	855	- 1233	1112
	RS	D	2	6	283.2	- 283.2	283.2	49	-	-	-	666	- 666	666
	FD	D	2	8	260.0	- 269.2	262.3	N/Q	-	-	-	910	- 1010	935
450-600		C	2	1	274.2	- 274.2	274.2	N/Q	499	- 499	499	1248	- 1248	1248
	FD	C	3	2	254.2	- 254.2	254.2	N/Q	-	-	-	1233	- 1233	1233
		C	3	1	250.2	- 250.2	250.2	N/Q	455	- 455	455	1414	- 1414	1414
		D	2	3	223.2	- 223.2	223.2	36	406	- 406	406	1083	- 1083	1083
	FD	D	2	2	223.0	- 223.0	223.0	N/Q	-	-	-	1082	- 1082	1082
600+		C	3	13	240.2	- 274.2	257.6	14	429	- 490	458	1589	- 3041	2294
				<b>77</b>	<b>223.0</b>	<b>340.0</b>		<b>406</b>	<b>618</b>		<b>666</b>	<b>3041</b>		

#### Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral CATTLE SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross  
FD: Feeder DP: Dorper

#### Disclaimer:

© MLA 2016. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.