

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Roma Store

report date 20 Mar 2018

Yarding Change 9500
4940

comparison date 13/03/2018

There was a yarding double of last week with larger numbers of heavier weight yearlings and grown cattle as 9,500 head were yarded for Roma Store Sale today. All usual buyers were in attendance along with solid feed bidders and several restockers actively operating. Average prices for young cattle eased in places due to the large yarding, however quality lines continued to secure strong prices. Exceptional quality grown heavy steers and bullocks were presented for judging and offered for competition. Cows to slaughter eased over 20c/kg across the board; however store cows were keenly sort after by the restockers.

Drought affected steer calves topped at 418c to average 377c and heifer calves made to 360c to average 348c/kg. Light weight yearling steers to the restockers made from 356c to 386c/kg. Trade weight feeders made to 320c to average 297c/kg. A large sample of heavy weights over 400kg to feed made to 299c to average 295c/kg. Light weight yearling heifers to the restockers made to an isolated 364c, while medium weights to feed made to 294c to average 275c/kg.

Heavy grown steers to export slaughter made to 278c to average 270c and the exceptional bullock portion made to 276c to average 272c/kg. Cows to restockers made to 220c to average 202c and 2 scores to processors made 187c/kg. Good heavy cows made to 221c to average 213c/kg. Heavy bulls made to 258c to average 246c/kg, the lighter of the bulls headed to live export.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+	RS	C	1	12	418.0	- 418.0	418.0	N/Q	-			627	- 627	627
	RS	C	2	77	336.0	- 392.0	377.2	2	-			672	- 745	722
	RS	D	2	220	312.0	- 360.0	348.0	5	-			515	- 675	640
				309	312.0	418.0			0	0		515	745	
Yearling Steer														
0-200	RS	C	1	87	370.0	- 370.0	370.0	N/Q	-			740	- 740	740
	RS	C	2	159	348.0	- 398.0	390.3	18	-			676	- 756	744
	RS	D	2	30	392.0	- 392.0	392.0	38	-			784	- 784	784
200-280	FD	C	2	128	305.0	- 346.0	323.9	-28	-			854	- 934	893
	RS	C	2	552	316.0	- 386.0	356.4	-11	-			770	- 1018	865
	RS	D	1	65	282.0	- 390.0	356.0	N/Q	-			649	- 1092	931
280-330	RS	D	2	73	278.0	- 334.0	314.6	15	-			639	- 780	720
	FD	C	2	115	297.0	- 334.0	318.6	-20	-			950	- 1069	987
	RS	C	2	214	292.0	- 338.0	309.8	-25	-			886	- 1082	951
330-400	FD	C	3	26	296.0	- 296.0	296.0	N/Q	-			947	- 947	947
	RS	D	1	46	240.0	- 366.0	319.4	N/Q	-			720	- 1061	935
	RS	C	2	175	286.0	- 328.0	311.8	-6	-			1040	- 1148	1100
400+	FD	C	2	642	275.0	- 320.0	296.6	-24	-			1008	- 1192	1126
	RS	C	3	72	304.0	- 328.0	320.0	N/Q	-			1064	- 1312	1229
	FD	C	3	129	280.0	- 315.0	298.3	-11	-			1040	- 1178	1120
400+	FD	C	2	112	292.0	- 299.0	296.1	-11	-			1286	- 1396	1361
	RS	C	2	28	298.0	- 298.0	298.0	-8	-			1341	- 1341	1341
	RS	C	3	9	306.0	- 306.0	306.0	8	-			1438	- 1438	1438
	FD	C	3	720	280.0	- 299.0	295.2	-5	-			1238	- 1628	1422

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		C	3	36	210.0	- 288.0	282.3	N/Q	382	- 524	513	945	- 1354	1329
	FD	D	2	5	250.0	- 250.0	250.0	-34		-		1075	- 1075	1075
				3423	210.0	398.0			382	524		639	1628	
Yearling Heifer														
0-200	RS	C	2	40	306.0	- 306.0	306.0	N/Q		-		612	- 612	612
		C	2	7	266.0	- 266.0	266.0	N/Q	512	- 512	512	532	- 532	532
	RS	D	2	34	350.0	- 350.0	350.0	N/Q		-		700	- 700	700
200-280	RS	C	2	228	250.0	- 326.0	304.2	-19		-		600	- 862	756
		C	2	127	220.0	- 306.0	280.9	3	407	- 567	520	616	- 857	744
	FD	C	2	388	276.0	- 308.0	294.1	-7		-		662	- 818	725
		D	2	2	260.0	- 260.0	260.0	N/Q	482	- 482	482	598	- 598	598
	RS	D	2	417	234.0	- 364.0	282.5	12		-		576	- 834	716
280-330	RS	C	2	35	232.0	- 308.0	281.9	-33		-		696	- 986	886
		C	2	48	233.0	- 250.0	245.1	N/Q	432	- 463	454	699	- 800	775
	FD	C	2	109	250.0	- 292.0	284.4	N/Q		-		800	- 883	862
	FD	C	3	141	261.0	- 290.0	274.7	-27		-		835	- 928	879
	RS	C	3	67	276.0	- 279.0	277.1	N/Q		-		883	- 893	887
	RS	D	2	31	272.0	- 272.0	272.0	N/Q		-		816	- 816	816
330-400	RS	C	2	36	226.0	- 278.0	248.0	N/Q		-		791	- 1084	937
	FD	C	2	85	250.0	- 294.0	275.3	-5		-		950	- 1168	1033
		C	2	14	212.0	- 264.0	242.6	N/Q	393	- 489	449	827	- 1003	947
	FD	C	3	396	265.0	- 283.0	275.4	-15		-		918	- 1069	991
		C	3	72	240.0	- 300.0	269.3	N/Q	444	- 556	499	891	- 1200	992
	RS	C	3	36	275.0	- 275.0	275.0	N/Q		-		963	- 963	963
	RS	D	2	189	226.0	- 280.0	254.3	N/Q		-		881	- 1036	944
		D	2	10	232.0	- 232.0	232.0	-22	430	- 430	430	882	- 882	882
		D	3	20	230.0	- 241.0	231.1	-19	426	- 446	428	782	- 819	786
	FD	D	3	27	245.0	- 257.0	251.2	N/Q		-		833	- 1028	934
400+	RS	C	2	18	280.0	- 280.0	280.0	N/Q		-		1316	- 1316	1316
		C	2	2	234.0	- 234.0	234.0	N/Q	433	- 433	433	1053	- 1053	1053
	FD	C	2	53	284.0	- 286.0	284.8	N/Q		-		1335	- 1344	1339
		C	3	26	251.0	- 251.0	251.0	-16	465	- 465	465	1092	- 1092	1092
	FD	C	3	53	266.0	- 272.0	269.2	-13		-		1117	- 1156	1138
				2711	212.0	364.0			393	567		532	1344	
Grown Steer														
0-400	FD	C	2	28	236.0	- 271.0	266.0	N/Q		-		661	- 1030	977
	FD	C	3	39	277.0	- 277.0	277.0	N/Q		-		1108	- 1108	1108
		C	3	4	221.0	- 221.0	221.0	N/Q	402	- 402	402	619	- 619	619
400-500	FD	C	2	23	298.2	- 298.2	298.2	N/Q		-		1342	- 1342	1342
	RS	C	3	8	240.0	- 240.0	240.0	N/Q		-		1080	- 1080	1080
	FD	C	3	39	277.0	- 277.0	277.0	N/Q		-		1247	- 1247	1247
		C	3	8	250.0	- 250.0	250.0	-18	455	- 455	455	1125	- 1125	1125
500-600		C	3	32	260.0	- 276.0	269.0	-1	473	- 502	489	1456	- 1518	1491
		C	4	101	259.0	- 278.0	270.4	-26	471	- 506	492	1425	- 1626	1493
		D	3	4	234.0	- 234.0	234.0	N/Q	426	- 426	426	1310	- 1310	1310

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
600-750		C	4	210	266.0	- 276.0	272.0	-18	484	- 502	495	1711	- 1987	1802
				496	221.0	298.2			402	506		619	1987	
Grown Heifer														
0-540	FD	C	2	5	267.0	- 267.0	267.0	N/Q	-			1068	- 1068	1068
	FD	C	3	18	256.0	- 256.0	256.0	N/Q	-			1254	- 1254	1254
		C	3	37	242.0	- 244.0	243.5	-32	448	- 452	451	903	- 1122	1037
	RS	C	3	18	240.0	- 240.0	240.0	N/Q	-			1128	- 1128	1128
		C	4	48	238.0	- 261.0	249.9	-14	441	- 493	467	1166	- 1357	1262
	FD	C	4	70	256.0	- 276.0	266.0	N/Q	-			1026	- 1352	1206
	RS	D	2	19	220.0	- 262.0	250.9	N/Q	-			825	- 1179	1086
	FD	D	2	17	239.0	- 239.0	239.0	N/Q	-			1099	- 1099	1099
540+		C	4	20	236.0	- 252.0	246.6	-17	444	- 467	459	1298	- 1462	1405
				252	220.0	276.0			441	493		825	1462	
Cows														
0-400	RS	D	1	15	182.0	- 182.0	182.0	22	-			728	- 728	728
400-520	RS	D	1	157	177.0	- 220.0	202.1	-14	-			761	- 960	890
		D	1	20	174.0	- 176.0	175.4	N/Q	396	- 400	399	757	- 766	763
		D	2	144	178.0	- 195.0	187.2	-24	353	- 424	399	765	- 926	882
	RS	D	2	38	145.0	- 200.0	197.1	-20	-			624	- 960	942
	RS	D	3	19	204.0	- 204.0	204.0	1	-			959	- 959	959
		D	3	146	190.0	- 214.0	198.7	-26	388	- 425	402	817	- 1049	925
		D	4	77	208.0	- 215.0	210.3	-24	408	- 422	412	993	- 1075	1022
	RS	E	1	1	146.0	- 146.0	146.0	N/Q	-			635	- 635	635
520+		D	2	10	200.0	- 200.0	200.0	-8	435	- 435	435	1070	- 1070	1070
		D	3	142	193.0	- 218.0	206.9	-21	384	- 445	418	1062	- 1246	1144
	RS	D	3	26	196.0	- 196.0	196.0	N/Q	-			1078	- 1078	1078
		D	4	166	196.0	- 221.0	213.4	-25	384	- 433	420	1078	- 1404	1245
		D	5	11	210.0	- 215.0	214.1	-17	412	- 439	431	1290	- 1398	1323
				972	145.0	221.0			353	445		624	1404	
Bulls														
0-450		C	2	20	250.0	- 250.0	250.0	-72	455	- 455	455	1000	- 1000	1000
	RS	C	2	127	260.0	- 358.0	303.6	-50	-			584	- 954	735
	RS	C	3	58	228.0	- 298.0	248.9	N/Q	-			570	- 1296	719
	FD	C	3	14	240.0	- 294.0	285.9	4	-			1080	- 1221	1189
		C	3	10	280.0	- 290.0	282.0	N/Q	500	- 518	504	1064	- 1305	1112
	FD	D	2	6	252.0	- 252.0	252.0	N/Q	-			668	- 668	668
450-600		C	3	8	245.0	- 264.0	259.3	4	438	- 480	469	1201	- 1452	1389
	FD	C	3	22	230.0	- 230.0	230.0	N/Q	-			1265	- 1265	1265
600+		C	3	15	218.0	- 258.0	246.7	-11	404	- 461	441	1526	- 2117	1939
		D	1	2	182.0	- 188.0	185.0	N/Q	331	- 348	340	1138	- 1175	1156
	LE	D	3	4	197.0	- 197.0	197.0	N/Q	352	- 352	352	1478	- 1478	1478
				286	182.0	358.0			331	518		570	2117	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg

© MLA 2018. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.