

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Warwick

report date 27 Mar 2018

Yarding Change 629
-788

comparison date 20/03/2018

The short working week reduced numbers to less than half of the previous weeks level. A fair panel of buyers were present however one major exporter was not operating. Light weight yearling steers to restockers sold to stronger competition. Medium weight yearling steers to feed were marginally dearer while heavy weight yearling steers to feed averaged 12c/kg better. Light weight yearling heifers were in demand and medium weight yearling heifers to the trade averaged 7c/kg dearer. A small selection of heavy grown steers to export slaughter lifted in price by 12c/kg. Cows were generally 5c to 6c/kg less with plain condition lines the least affected.

Light weight yearling steers returning to the paddock sold at 315c with sales to 334.2c/kg. Yearling steers in the 280-330kg range to feed or background made to 380.2c to average 313c/kg. Medium weight yearling steers to feed averaged 294c and made to 315.2c/kg. Heavy weight yearling steers to feed mostly sold for 290c with some to 299.2c/kg. Light weight yearling heifers to feed or background averaged 289c with a small sample to restockers reaching 306.2c/kg. A small selection of B muscle yearling heifers to the trade made to 331.2c and the plain condition lines to feed averaged 266c and made to 284.2c/kg.

Heavy grown steers to export slaughter averaged 276c and made to 285.2c and a small number of well-presented bullocks reached 295.2c/kg. Plain condition cows sold to restockers at an average of 195c with sales to 207.2c/kg. Medium weight 2 scores to processors averaged 201c and good heavy cows made to 223.2c to average 218c/kg. Heavy bulls made to 247.2c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+	RS	C	2	6	313.2	- 340.0	326.3	N/Q	-			289	- 453	391
				6	313.2	340.0			0	0		289	453	
Vealer Heifer														
200-280	FD	C	2	11	280.0	- 300.2	297.3	1	-			770	- 796	790
		C	3	1	296.2	- 296.2	296.2	N/Q	549	- 549	549	815	- 815	815
		D	2	7	260.0	- 260.0	260.0	N/Q	482	- 482	482	585	- 611	607
	RS	D	2	4	260.2	- 260.2	260.2	N/Q	-			585	- 585	585
280-330		C	3	2	290.0	- 307.2	298.6	N/Q	537	- 569	553	870	- 876	873
	FD	C	3	1	297.2	- 297.2	297.2	N/Q	-			847	- 847	847
				26	260.0	307.2			482	569		585	876	
Yearling Steer														
200-280	FD	C	2	2	301.2	- 301.2	301.2	N/Q	-			753	- 753	753
	RS	C	2	53	302.2	- 334.2	315.5	14	-			682	- 886	785
	RS	D	2	23	256.2	- 305.2	288.2	-32	-			576	- 702	633
280-330	RS	C	2	9	292.2	- 313.2	310.9	6	-			877	- 908	905
	FD	C	2	25	300.0	- 318.2	313.4	19	-			898	- 977	935
330-400	FD	C	2	33	280.0	- 315.2	294.6	1	-			980	- 1182	1101
	RS	C	2	1	293.2	- 293.2	293.2	N/Q	-			1129	- 1129	1129
	FD	C	3	2	290.0	- 296.2	293.1	N/Q	-			1111	- 1117	1114
		C	3	4	282.2	- 329.2	306.5	4	513	- 599	557	1058	- 1183	1144
400+	FD	C	2	26	271.2	- 299.2	294.6	12	-			1153	- 1412	1304
	RS	C	2	1	288.0	- 288.0	288.0	N/Q	-			1210	- 1210	1210
	FD	C	3	22	281.2	- 295.2	290.5	12	-			1221	- 1292	1264
		C	3	3	285.0	- 305.2	296.1	-4	518	- 555	538	1154	- 1372	1274

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
					204	256.2	334.2		513	599		576	1412	
Yearling Heifer														
200-280	FD	C	2	37	276.2	- 295.2	289.4	1	-			686	- 798	765
	RS	C	2	11	283.2	- 306.2	295.5	23	-			590	- 708	641
	FD	D	2	11	230.0	- 261.2	247.4	N/Q	-			564	- 692	611
	RS	E	2	6	208.2	- 208.2	208.2	N/Q	-			468	- 468	468
280-330	FD	C	2	15	270.0	- 290.0	280.3	-5	-			783	- 856	812
330-400		B	3	4	329.2	- 331.2	330.7	N/Q	610	- 613	612	1110	- 1152	1120
		C	2	2	258.2	- 258.2	258.2	N/Q	478	- 478	478	891	- 891	891
	FD	C	2	38	260.0	- 284.2	266.3	-1	-			910	- 1066	972
	RS	C	2	4	262.2	- 262.2	262.2	-12	-			983	- 983	983
	FD	C	3	1	285.0	- 285.0	285.0	N/Q	-			955	- 955	955
		C	3	10	268.2	- 299.2	289.3	7	497	- 554	536	939	- 1152	1078
	FD	D	2	4	239.2	- 245.0	243.6	N/Q	-			801	- 845	834
	RS	D	2	4	251.2	- 251.2	251.2	26	-			942	- 942	942
	400+		B	3	1	298.2	- 298.2	298.2	N/Q	542	- 542	542	1342	- 1342
FD		C	2	5	250.0	- 250.0	250.0	-21	-			1063	- 1063	1063
		C	3	4	274.2	- 285.0	281.4	3	508	- 528	521	1211	- 1467	1278
					157	208.2	331.2		478	613		468	1467	
Grown Steer														
400-500	FD	C	3	2	272.2	- 274.2	273.2	N/Q	-			1184	- 1234	1209
500-600		C	4	25	257.2	- 285.2	276.3	12	459	- 509	493	1376	- 1622	1460
		D	2	2	235.2	- 235.2	235.2	N/Q	428	- 428	428	1329	- 1329	1329
600-750		B	4	3	295.2	- 295.2	295.2	N/Q	509	- 509	509	1815	- 1815	1815
					32	235.2	295.2		428	509		1184	1815	
Grown Heifer														
0-540		D	2	3	185.0	- 202.2	196.5	N/Q	385	- 421	409	860	- 880	873
		D	3	2	239.2	- 239.2	239.2	N/Q	451	- 451	451	1041	- 1041	1041
540+		C	4	1	248.2	- 248.2	248.2	N/Q	468	- 468	468	1576	- 1576	1576
					6	185.0	248.2		385	468		860	1576	
Cows														
0-400		D	1	2	162.2	- 168.2	165.2	N/Q	369	- 382	376	649	- 673	661
	RS	D	1	2	163.2	- 163.2	163.2	N/Q	-			628	- 628	628
		D	2	2	170.0	- 184.2	177.1	N/Q	370	- 400	385	680	- 737	708
400-520	RS	D	1	2	181.2	- 181.2	181.2	N/Q	-			770	- 770	770
		D	1	11	156.2	- 183.2	175.1	N/Q	355	- 416	398	664	- 806	772
	RS	D	2	20	186.2	- 207.2	195.7	-7	-			838	- 1036	913
		D	2	11	183.2	- 205.0	201.2	17	398	- 446	437	824	- 994	951
		D	3	10	198.2	- 208.2	203.1	-5	395	- 425	410	941	- 1010	988
		D	4	13	209.2	- 211.2	210.0	-9	410	- 414	412	950	- 1046	1009
	520+		D	3	6	205.0	- 206.2	205.8	N/Q	418	- 421	420	1165	- 1281
		D	4	23	211.2	- 223.2	218.3	-6	414	- 438	428	1233	- 1384	1298
		D	5	2	190.0	- 190.0	190.0	N/Q	388	- 388	388	1140	- 1140	1140
		D	6	1	188.2	- 188.2	188.2	N/Q	384	- 384	384	1176	- 1176	1176
					105	156.2	223.2		355	446		628	1384	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Bulls														
0-450	RS	C	2	19	276.2	- 309.2	283.8	N/Q	-			698	- 1008	798
	FD	C	2	7	240.0	- 277.2	251.7	2	-			765	- 1080	935
		C	3	1	242.2	- 242.2	242.2	N/Q	440	- 440	440	1090	- 1090	1090
	FD	C	3	3	255.0	- 255.0	255.0	N/Q	-			1084	- 1084	1084
	RS	D	2	2	230.0	- 267.2	248.6	N/Q	-			840	- 975	907
		D	2	1	217.2	- 217.2	217.2	N/Q	395	- 395	395	977	- 977	977
450-600		C	2	1	229.2	- 229.2	229.2	N/Q	417	- 417	417	1226	- 1226	1226
		C	3	2	248.2	- 265.2	256.7	N/Q	451	- 474	462	1204	- 1419	1311
		D	2	4	220.0	- 225.0	221.6	N/Q	400	- 409	403	1145	- 1243	1194
600+		C	3	23	238.0	- 247.2	243.7	N/Q	425	- 441	435	1453	- 2403	2072
		D	2	1	228.2	- 228.2	228.2	N/Q	415	- 415	415	1597	- 1597	1597
				64	217.2	309.2			395	474		698	2403	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2018. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.