

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Warwick

report date 22 May 2018

Yarding Change 1582
-22

comparison date 15/05/2018

The supply of stock into the saleyards remained close to the previous weeks level. Overall quality was very mixed and prices tended to turn around for a number of classes. A large supply of light weight yearling steers returning to the paddock gained 12c/kg. Medium and heavy weight yearling steers to feed generally held close to firm. Despite the large supply of yearling heifers, prices were without much change to dearer in places. Heavy grown steers and bullocks lifted in price, pushed on by the wholesale meat trade. The fair sample of mixed quality cows sold to a market 2c to 8c dearer and up to 11c/kg.

Vealer heifers to restockers or backgrounders sold in the early to mid 230c range with some to 239.2c/kg. Light weight yearling steers returning to the paddock made 290.2c with a large selection averaging 262c/kg. Medium weight yearling steers to feed averaged 263c and made to 270c/kg. Heavy weight yearling steers to feed averaged 262c and made to 268.2c, with a couple of B muscles lines to trade reaching 302.2c/kg. The largest numbers of light weight yearling heifers averaged 222c and the lesser quality lines 199c/kg. Medium weight yearling heifers to feed averaged 244c and made to 263.2c/kg. Heavy weights to the local trade or export averaged 242c and made to 261c/kg.

Heavy grown steers averaged 267c, with some to the wholesale meat trade reaching 276.2c and bullocks made to 269.2c to average 266c/kg. Heavy export heifers made to 261.2c to average 254c/kg. Medium weight 2 score cows averaged 177c and made to 185c/kg. Good heavy cows made to 220.2c with most around 212c/kg. Heavy bulls made to 233.2c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+	RS	C	2	17	256.2	- 265.2	259.3	7	-	-	-	351	- 485	452
	RS	D	2	41	189.2	- 256.2	225.8	4	-	-	-	326	- 474	401
			58		189.2	265.2			0	0		326	485	
Vealer Heifer														
200-280		C	2	2	221.2	- 221.2	221.2	N/Q	410	- 410	410	520	- 520	520
	FD	C	2	15	232.2	- 232.2	232.2	-1	-	-	-	522	- 522	522
	RS	C	2	60	231.2	- 239.2	234.4	N/Q	-	-	-	509	- 574	545
280-330		C	3	1	235.2	- 235.2	235.2	N/Q	436	- 436	436	706	- 706	706
			78		221.2	239.2			410	436		509	706	
Yearling Steer														
200-280	FD	C	2	1	255.2	- 255.2	255.2	N/C	-	-	-	702	- 702	702
	RS	C	2	214	230.0	- 290.2	261.8	12	-	-	-	531	- 729	632
	RS	D	1	3	189.2	- 206.2	194.9	N/Q	-	-	-	416	- 433	422
	RS	D	2	48	205.2	- 240.0	223.2	2	-	-	-	469	- 576	522
280-330	FD	D	2	8	233.2	- 240.0	238.3	6	-	-	-	700	- 756	742
330-400	FD	C	2	83	250.0	- 270.0	263.3	-1	-	-	-	838	- 1033	938
	FD	C	3	7	270.0	- 270.0	270.0	N/Q	-	-	-	1013	- 1013	1013
	FD	D	2	11	220.0	- 240.0	233.5	3	-	-	-	782	- 876	810
	RS	D	2	5	239.2	- 239.2	239.2	N/Q	-	-	-	801	- 801	801
	RS	E	1	2	145.2	- 145.2	145.2	N/Q	-	-	-	574	- 574	574
		E	1	7	126.2	- 126.2	126.2	N/Q	230	- 230	230	429	- 429	429
400+		B	3	4	302.2	- 302.2	302.2	N/Q	540	- 540	540	1318	- 1318	1318
	FD	C	2	54	250.0	- 268.2	262.0	-3	-	-	-	1038	- 1145	1089
	FD	C	3	6	265.0	- 265.0	265.0	-3	-	-	-	1126	- 1126	1126

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		C	3	9	258.2	- 275.0	262.5	-13	470	- 500	477	1110	- 1303	1224
	FD	D	2	5	220.0	- 233.2	224.6	-25		-		924	- 978	939
					467	126.2	302.2		230	540		416	1318	
Yearling Heifer														
200-280		C	2	18	200.0	- 220.0	216.9	N/Q	370	- 407	402	465	- 578	546
	FD	C	2	52	202.2	- 228.0	220.1	-7		-		504	- 591	549
	RS	C	2	42	218.2	- 230.2	222.6	-1		-		491	- 628	536
	RS	D	2	72	176.2	- 216.2	204.1	-4		-		382	- 554	472
		D	2	41	190.0	- 216.2	209.2	N/C	352	- 400	387	476	- 578	507
280-330	FD	C	2	5	240.0	- 240.0	240.0	1		-		720	- 720	720
		C	3	7	242.2	- 259.2	256.8	N/Q	449	- 480	476	727	- 739	737
		D	2	3	219.2	- 219.2	219.2	25	406	- 406	406	658	- 658	658
330-400	FD	C	2	30	230.0	- 254.2	244.2	8		-		800	- 936	844
	FD	C	3	3	240.0	- 263.2	247.7	4		-		816	- 1013	882
	FD	D	2	6	194.2	- 210.0	196.8	-14		-		704	- 709	708
		D	2	4	200.0	- 201.2	200.6	N/Q	370	- 373	372	800	- 805	802
400+		C	2	5	232.2	- 232.2	232.2	N/Q	430	- 430	430	987	- 987	987
		C	3	33	230.0	- 261.0	242.6	-1	426	- 483	449	976	- 1292	1117
		D	2	2	203.2	- 203.2	203.2	N/Q	376	- 376	376	823	- 823	823
	FD	D	2	6	207.2	- 221.2	216.5	N/Q		-		881	- 940	920
		D	3	1	225.0	- 225.0	225.0	N/Q	417	- 417	417	934	- 934	934
					330	176.2	263.2		352	483		382	1292	
Grown Steer														
400-500	FD	C	2	5	253.2	- 253.2	253.2	N/Q		-		1076	- 1076	1076
	FD	D	2	4	189.2	- 189.2	189.2	N/Q		-		880	- 880	880
		D	2	3	183.2	- 192.2	189.2	N/Q	333	- 350	344	742	- 894	843
500-600		C	4	27	261.2	- 276.2	267.1	10	466	- 493	478	1397	- 1590	1495
	RS	D	2	5	185.2	- 185.2	185.2	N/Q		-		1083	- 1083	1083
600-750		C	3	5	249.2	- 249.2	249.2	-4	453	- 453	453	1558	- 1558	1558
		C	4	29	261.2	- 269.2	266.3	-1	466	- 481	476	1633	- 1849	1720
		D	2	5	227.2	- 227.2	227.2	N/Q	413	- 413	413	1420	- 1420	1420
		D	3	1	244.2	- 244.2	244.2	N/Q	444	- 444	444	1587	- 1587	1587
					84	183.2	276.2		333	493		742	1849	
Grown Heifer														
0-540		C	4	6	248.0	- 250.2	249.1	9	468	- 472	470	1327	- 1339	1333
		D	2	1	196.2	- 196.2	196.2	N/Q	409	- 409	409	1059	- 1059	1059
		D	3	12	210.2	- 239.2	214.6	-3	404	- 460	413	893	- 1280	961
	FD	E	1	6	170.0	- 170.0	170.0	N/Q		-		638	- 638	638
	RS	E	1	1	138.2	- 138.2	138.2	N/Q		-		608	- 608	608
540+		C	4	14	246.2	- 261.2	254.8	N/Q	465	- 493	481	1391	- 1640	1583
					40	138.2	261.2		404	493		608	1640	
Manufacturing Steer														
540+		C	4	2	244.2	- 244.2	244.2	N/Q	444	- 444	444	1734	- 1734	1734
	FD	D	2	5	177.2	- 177.2	177.2	N/Q		-		1037	- 1037	1037
		D	4	1	228.2	- 228.2	228.2	N/Q	415	- 415	415	1483	- 1483	1483

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
				8	177.2	244.2			415	444		1037	1734	
Cows														
0-400		D	1	57	122.2	- 154.2	135.8	9	278	- 351	309	446	- 581	528
	RS	D	1	4	109.2	- 118.2	111.5	N/Q		-		431	- 437	435
	DA	D	1	1	110.0	- 110.0	110.0	N/Q	250	- 250	250	435	- 435	435
		D	2	5	165.2	- 165.2	165.2	N/Q	359	- 359	359	661	- 661	661
		E	1	9	47.2	- 80.0	66.0	-24	107	- 182	150	175	- 264	235
400-520	DA	D	1	23	130.0	- 165.2	151.6	8	296	- 376	345	566	- 826	722
	RS	D	1	5	169.2	- 169.2	169.2	21		-		804	- 804	804
		D	1	51	131.2	- 170.0	156.3	16	298	- 386	355	590	- 808	691
	RS	D	2	7	175.2	- 175.2	175.2	N/Q		-		850	- 850	850
		D	2	28	164.2	- 185.0	177.3	11	357	- 402	386	739	- 856	813
		D	3	44	182.2	- 199.2	192.6	6	372	- 407	393	823	- 996	917
		D	4	19	199.2	- 212.2	206.2	3	391	- 416	404	905	- 1051	974
	DA	E	1	2	121.2	- 121.2	121.2	N/Q	276	- 276	276	527	- 527	527
520+		D	1	5	172.2	- 172.2	172.2	N/Q	391	- 391	391	921	- 921	921
		D	2	18	179.2	- 191.2	186.5	N/Q	390	- 416	406	981	- 1119	1048
	DA	D	2	1	188.2	- 188.2	188.2	N/Q	409	- 409	409	1007	- 1007	1007
	DA	D	3	1	190.0	- 190.0	190.0	N/Q	388	- 388	388	1140	- 1140	1140
		D	3	26	187.2	- 199.2	195.0	-3	382	- 407	398	1026	- 1119	1083
		D	4	62	202.2	- 220.2	212.1	2	397	- 432	416	1109	- 1822	1276
		D	6	4	172.2	- 172.2	172.2	N/Q	351	- 351	351	1093	- 1093	1093
				372	47.2	220.2			107	432		175	1822	
Bulls														
0-450		C	2	1	228.2	- 228.2	228.2	N/Q	415	- 415	415	833	- 833	833
	FD	C	2	3	212.2	- 220.0	217.4	N/Q		-		803	- 859	822
		C	3	3	248.2	- 265.2	259.5	20	451	- 482	472	956	- 1154	1088
		D	1	1	169.2	- 169.2	169.2	N/Q	308	- 308	308	482	- 482	482
		D	2	4	195.2	- 215.2	200.2	41	355	- 391	364	556	- 699	592
	FD	D	2	5	209.2	- 209.2	209.2	15		-		617	- 617	617
	RS	D	2	5	203.2	- 203.2	203.2	N/Q		-		417	- 417	417
450-600	FD	C	3	1	245.2	- 245.2	245.2	N/Q		-		1165	- 1165	1165
		C	3	26	213.2	- 245.2	233.1	N/Q	388	- 438	421	1055	- 1290	1219
	RS	D	1	1	159.2	- 159.2	159.2	N/Q		-		852	- 852	852
		D	2	1	189.2	- 189.2	189.2	N/Q	344	- 344	344	1012	- 1012	1012
600+		C	2	9	195.2	- 228.2	204.4	N/Q	355	- 408	370	1276	- 1712	1425
		C	3	6	218.2	- 233.2	225.0	-2	390	- 416	402	1495	- 2063	1892
	RS	D	1	2	130.0	- 158.2	144.1	N/Q		-		813	- 1084	948
		D	1	2	156.2	- 168.2	162.2	N/Q	284	- 306	295	976	- 1051	1014
		D	2	3	173.2	- 188.2	178.9	N/Q	315	- 342	325	1083	- 1314	1207
				73	130.0	265.2			284	482		417	2063	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral CATTLE SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© 2018 Meat and Livestock Australia Limited

Page: 3 of 4

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg

© MLA 2018. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.