

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### CQLX Gracemere

report date 10 Aug 2018

Yarding Change 3355  
-831

comparison date 03/08/2018

A much smaller yarding was on offer with 3,355 head penned. This was 830 short of last sale numbers. Cattle drawn from the usual areas, local and north to Collinsville and Bowen. Quality was good overall and featured a large percentage of feeder weight cattle. A smaller buying panel ensured prices eased for all descriptions, although prime heavy cows only eased a little.

The best of the male calves made 224c, with mixed sexes averaging 201c/kg for the best bred lines. Vealer steers topped at 256c to record an average of 212c/kg. The best bred lines of vealer heifers made a top of 210c to average 181c/kg. The heavy yearling steers sold to feed to a top of 264c returning an average of 246c, with lighter and plainer types averaging 220c to 235c/kg. Likewise, the heavy yearling heifers made to 230c for medium weights to restockers, however most averaged 200c to 207c/kg for quality lines.

Grown steers 400-500kg sold to 257c, with the best quality pens averaging 231c to 245c/kg. The best of the grown heifers to processors reached 212c, to average 204c/kg. Prime heavy 4 score cows averaged 194c and heavy bulls to processors averaged 183c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Calves</b>														
80+		C	2	9	150.0	- 160.0	156.7	N/Q	289	- 308	301	285	- 296	292
	RS	C	2	182	152.0	- 224.0	201.3	-45	-	-	-	220	- 422	354
	RS	D	1	1	182.0	- 182.0	182.0	N/Q	-	-	-	291	- 291	291
	RS	D	2	110	140.0	- 198.0	163.9	-42	-	-	-	210	- 333	281
	LE	D	2	1	160.0	- 160.0	160.0	N/Q	308	- 308	308	304	- 304	304
		D	2	8	158.0	- 158.0	158.0	N/Q	304	- 304	304	261	- 261	261
				<b>311</b>	<b>140.0</b>	<b>224.0</b>			<b>289</b>	<b>308</b>		<b>210</b>	<b>422</b>	
<b>Vealer Steer</b>														
200-280	LE	C	2	11	228.0	- 232.0	229.8	N/Q	439	- 446	442	536	- 557	545
	RS	C	2	188	180.0	- 256.0	212.4	-42	-	-	-	362	- 614	494
	RS	D	2	80	164.0	- 226.0	214.5	-28	-	-	-	353	- 538	470
	LE	D	2	13	200.0	- 216.0	207.4	N/Q	385	- 415	399	470	- 540	502
				<b>292</b>	<b>164.0</b>	<b>256.0</b>			<b>385</b>	<b>446</b>		<b>353</b>	<b>614</b>	
<b>Vealer Heifer</b>														
0-200	RS	D	2	6	142.0	- 150.0	146.0	N/Q	-	-	-	263	- 278	270
200-280		C	2	65	150.0	- 194.0	174.5	N/C	289	- 373	336	302	- 485	407
	FD	C	2	7	188.0	- 196.0	194.9	45	-	-	-	461	- 539	528
	RS	C	2	68	170.0	- 210.0	180.8	-26	-	-	-	349	- 525	416
	RS	D	1	9	148.0	- 148.0	148.0	N/Q	-	-	-	355	- 355	355
	RS	D	2	53	160.0	- 188.0	180.5	11	-	-	-	344	- 484	414
	FD	D	2	19	150.0	- 164.0	154.4	1	-	-	-	302	- 377	325
280-330		C	2	7	179.0	- 179.0	179.0	N/Q	344	- 344	344	510	- 510	510
				<b>234</b>	<b>142.0</b>	<b>210.0</b>			<b>289</b>	<b>373</b>		<b>263</b>	<b>539</b>	
<b>Yearling Steer</b>														
200-280	LE	C	2	8	200.0	- 200.0	200.0	N/Q	385	- 385	385	520	- 520	520
	RS	C	2	28	214.0	- 222.0	216.6	-36	-	-	-	566	- 567	567

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
280-330	RS	D	1	5	160.0	- 160.0	160.0	-52	-			322	- 322	322	
	RS	D	2	13	164.0	- 244.0	203.4	-8	-			369	- 683	523	
	LE	D	2	14	180.0	- 220.0	195.1	N/Q	346	- 423	375	441	- 594	506	
	FD	D	2	8	174.0	- 184.0	182.8	-37	-			451	- 487	455	
	LE	C	2	1	230.0	- 230.0	230.0	N/Q	442	- 442	442	713	- 713	713	
	FD	C	2	34	170.0	- 208.0	200.9	-39	-			527	- 686	638	
	RS	C	2	3	200.0	- 204.0	201.3	-46	-			620	- 622	621	
	RS	D	2	3	170.0	- 170.0	170.0	-72	-			536	- 536	536	
	LE	D	2	4	204.0	- 204.0	204.0	-49	392	- 392	392	612	- 612	612	
330-400	FD	E	2	2	166.0	- 166.0	166.0	N/Q	-			500	- 500	500	
	FD	C	2	63	206.0	- 236.0	221.6	-29	-			731	- 944	823	
	LE	C	2	8	237.0	- 237.0	237.0	-19	456	- 456	456	901	- 901	901	
	RS	C	2	22	208.0	- 225.0	223.5	-23	-			697	- 810	800	
	LE	D	2	33	190.0	- 225.0	213.8	-50	365	- 433	411	646	- 855	800	
400+	FD	D	2	3	190.0	- 190.0	190.0	N/Q	-			656	- 656	656	
	RS	D	2	2	180.0	- 190.0	185.0	N/Q	-			637	- 639	638	
	FD	C	2	44	239.0	- 264.2	246.4	-30	-			996	- 1241	1081	
	LE	C	2	1	236.0	- 236.0	236.0	N/Q	454	- 454	454	979	- 979	979	
		C	4	2	260.0	- 260.0	260.0	N/Q	473	- 473	473	1365	- 1365	1365	
					<b>301</b>	<b>160.0</b>	<b>264.2</b>		<b>346</b>	<b>473</b>		<b>322</b>	<b>1365</b>		
<b>Yearling Heifer</b>															
200-280	RS	C	2	3	166.0	- 166.0	166.0	-30	-			432	- 432	432	
		C	2	7	180.0	- 194.0	190.0	N/Q	346	- 373	365	477	- 534	517	
	RS	D	1	1	158.0	- 158.0	158.0	N/Q	-			442	- 442	442	
	RS	D	2	23	136.0	- 166.0	157.8	-18	-			326	- 457	411	
		D	2	1	140.0	- 140.0	140.0	N/Q	269	- 269	269	378	- 378	378	
	FD	D	2	25	140.0	- 198.0	192.5	24	-			350	- 554	526	
	LE	D	2	52	160.0	- 204.0	175.4	N/Q	308	- 392	337	400	- 571	465	
	LE	E	2	1	140.0	- 140.0	140.0	N/Q	269	- 269	269	371	- 371	371	
	280-330	FD	C	2	16	194.0	- 204.0	201.9	N/Q	-			611	- 653	647
		RS	C	2	18	207.0	- 207.0	207.0	N/C	-			642	- 642	642
RS		D	1	1	100.0	- 100.0	100.0	N/Q	-			285	- 285	285	
RS		D	2	176	135.0	- 210.0	203.4	23	-			446	- 693	635	
		D	2	2	132.0	- 150.0	141.0	N/Q	254	- 289	271	436	- 480	458	
LE		D	2	5	170.0	- 175.0	174.0	-40	327	- 337	335	499	- 544	508	
FD		D	2	43	148.0	- 188.0	167.3	-7	-			451	- 576	517	
330-400		FD	C	2	7	186.0	- 186.0	186.0	-44	-			623	- 651	647
		RS	C	2	27	204.0	- 210.0	206.8	-13	-			683	- 777	709
		RS	D	1	5	154.0	- 154.0	154.0	N/Q	-			578	- 578	578
	RS	D	2	41	192.0	- 230.0	217.0	7	-			653	- 794	739	
		D	2	10	130.0	- 130.0	130.0	N/Q	250	- 250	250	442	- 442	442	
	FD	D	2	23	150.0	- 214.0	190.1	-24	-			540	- 760	669	
				<b>487</b>	<b>100.0</b>	<b>230.0</b>		<b>250</b>	<b>392</b>		<b>285</b>	<b>794</b>			
<b>Grown Steer</b>															
0-400	LE	D	2	15	160.0	- 200.0	184.0	N/Q	308	- 385	354	592	- 790	711	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
400-500	FD	D	2	15	180.0	- 214.0	198.5	-21	-	-	-	576	- 809	684	
	RS	D	2	14	160.0	- 214.0	206.3	-39	-	-	-	544	- 674	656	
		C	2	10	206.0	- 220.0	208.8	N/Q	396	- 423	402	927	- 1056	953	
	FD	C	2	94	205.0	- 238.0	231.3	-30	-	-	-	842	- 1145	1076	
	LE	C	2	86	235.0	- 236.0	235.1	-6	452	- 454	452	1015	- 1034	1032	
	FD	C	3	16	245.0	- 245.0	245.0	N/Q	-	-	-	1188	- 1188	1188	
		C	4	5	236.0	- 236.0	236.0	N/Q	437	- 437	437	1156	- 1156	1156	
500-600	FD	D	2	129	186.0	- 257.0	222.1	-28	-	-	-	753	- 1182	966	
	LE	D	2	59	202.0	- 237.0	217.4	-6	389	- 456	418	842	- 1090	923	
		D	3	5	230.0	- 230.0	230.0	N/Q	434	- 434	434	1058	- 1058	1058	
	FD	C	3	47	231.0	- 245.0	238.0	-14	-	-	-	1167	- 1250	1221	
		C	3	65	220.0	- 243.0	232.8	-1	407	- 453	437	1111	- 1337	1209	
		C	4	21	230.0	- 244.0	237.2	-5	426	- 444	437	1251	- 1427	1310	
		D	3	10	210.0	- 236.0	230.8	N/Q	396	- 437	429	1124	- 1322	1282	
600-750		D	4	1	243.0	- 243.0	243.0	N/Q	450	- 450	450	1227	- 1227	1227	
		C	3	1	238.0	- 238.0	238.0	N/Q	441	- 441	441	1464	- 1464	1464	
					<b>593</b>	<b>160.0</b>	<b>257.0</b>		<b>308</b>	<b>456</b>		<b>544</b>	<b>1464</b>		
<b>Grown Heifer</b>															
0-540	RS	C	2	9	212.0	- 212.0	212.0	26	-	-	-	784	- 784	784	
		C	3	2	188.0	- 188.0	188.0	N/Q	362	- 362	362	827	- 827	827	
	FD	D	2	7	130.0	- 200.0	180.0	N/C	-	-	-	423	- 720	635	
	RS	D	2	2	136.0	- 136.0	136.0	N/Q	-	-	-	510	- 510	510	
		D	2	6	145.0	- 145.0	145.0	-12	279	- 279	279	544	- 544	544	
		D	3	9	150.0	- 183.0	173.2	-18	289	- 352	336	638	- 783	707	
		D	4	27	190.0	- 212.0	204.1	N/Q	359	- 400	386	760	- 977	893	
		RS	E	1	4	85.0	- 85.0	85.0	N/Q	-	-	-	315	- 315	315
	RS	E	2	1	85.0	- 85.0	85.0	N/Q	-	-	-	293	- 293	293	
					<b>67</b>	<b>85.0</b>	<b>212.0</b>		<b>279</b>	<b>400</b>		<b>293</b>	<b>977</b>		
<b>Cows</b>															
0-400	RS	D	1	28	100.0	- 114.0	108.1	-7	-	-	-	350	- 410	389	
		D	1	19	62.0	- 106.0	81.6	-25	141	- 241	185	208	- 382	286	
		D	2	40	80.0	- 159.0	126.1	-2	182	- 346	274	272	- 612	462	
		RS	D	2	19	102.0	- 136.0	121.7	-20	-	-	-	347	- 483	426
		D	3	12	140.0	- 155.0	151.3	N/Q	292	- 323	315	525	- 597	579	
		RS	E	1	1	80.0	- 80.0	80.0	N/Q	-	-	-	276	- 276	276
400-520		D	2	64	120.0	- 181.0	149.7	-12	273	- 377	324	534	- 860	644	
		D	3	166	143.0	- 189.0	172.3	-8	298	- 392	357	636	- 954	806	
		D	4	137	181.0	- 195.0	189.0	-9	354	- 404	377	817	- 1014	931	
520+		D	4	123	180.0	- 207.0	194.2	-10	346	- 398	377	965	- 1159	1048	
		D	5	1	170.0	- 170.0	170.0	N/Q	340	- 340	340	918	- 918	918	
					<b>610</b>	<b>62.0</b>	<b>207.0</b>		<b>141</b>	<b>404</b>		<b>208</b>	<b>1159</b>		
<b>Bulls</b>															
0-450	RS	C	2	38	150.0	- 198.0	170.4	-29	-	-	-	279	- 455	372	
	FD	C	2	3	146.0	- 176.0	166.0	-64	-	-	-	431	- 445	436	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	RS	D	1	3	114.0	- 114.0	114.0	N/Q	-			200	- 200	200
		D	1	1	140.0	- 140.0	140.0	N/Q	269	- 269	269	588	- 588	588
	LE	D	1	1	120.0	- 120.0	120.0	N/Q	231	- 231	231	282	- 282	282
	LE	D	2	2	170.0	- 170.0	170.0	N/Q	327	- 327	327	527	- 527	527
	FD	D	2	10	120.0	- 130.0	129.0	N/Q	-			228	- 246	229
450-600	LE	C	3	1	220.0	- 220.0	220.0	N/Q	400	- 400	400	1320	- 1320	1320
600+	LE	C	3	2	221.0	- 226.0	223.5	N/Q	402	- 411	406	1446	- 1470	1458
		C	3	5	180.0	- 193.0	182.6	-30	327	- 351	332	1413	- 1548	1472
				<b>66</b>	<b>114.0</b>	<b>226.0</b>			<b>231</b>	<b>411</b>		<b>200</b>	<b>1548</b>	

#### Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross  
FD: Feeder DP: Dorper

#### Disclaimer:

© MLA 2018. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.