

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Warwick

report date 27 Nov 2018

Yarding Change ¹⁴⁷⁷/₂₂₅

comparison date 20/11/2018

The supply of stock increased by 18% to 1,477 head and there was a wide variation in quality of the young cattle. A short supply of heavy grown steers to export slaughter were penned however a relatively large sample of cows came forward. A fair panel of buyers covering all classes was present and operating. Light weight yearling steers and heifers returning to the paddock could not maintain the levels of the previous sale and lost up to 19c/kg. However medium and heavy weight yearling steers to feed were in demand and a better quality line up improved in price by 12c and up to 18c/kg in places. Medium weight yearling heifers to feed experienced very little change in price. Heavy grown steers to export slaughter sold to strong demand. Cows generally sold close to the previous week's level.

Light weight yearling steers returning to the paddock made to the occasional 310.2c with a good sample averaging 273c and lesser quality lines mostly sold around 242c/kg. Medium weight yearling steers to feed made to 325.2c to average close to 306c/kg. Heavy weight yearling steers to feed made to 316.2c to average 312c to 315c/kg. Light weight yearling heifers mostly sold in the mid-240c range with sales to 275.2c/kg. Medium weight yearling heifers to feed averaged 270c and a few to the trade made to 290.2c/kg.

The younger end of the heavy grown steers to export slaughter made to 315.2c to average 307c with some 6 tooth classes making to 302.2c/kg. Medium weight 2 score cows averaged 206c and made to 219.2c/kg. Good heavy cows averaged 249c and sold to 258.2c/kg in pen lots. Heavy bulls made to 264.2c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+	RS	C	2	3	259.2	- 267.2	264.5	-38	-			480	- 494	489
		D	2	6	210.0	- 245.2	227.5	N/Q	396	- 463	429	252	- 454	360
	RS	D	2	16	202.2	- 257.2	221.0	-38	-			251	- 476	327
				25	202.2	267.2			396	463		251	494	
Vealer Steer														
200-280	RS	C	2	5	288.2	- 288.2	288.2	N/Q	-			648	- 648	648
		C	3	1	296.2	- 296.2	296.2	N/Q	539	- 539	539	785	- 785	785
				6	288.2	296.2			539	539		648	785	
Vealer Heifer														
200-280	FD	C	2	21	240.2	- 250.0	245.4	-23	445	- 463	455	556	- 639	599
		C	2	9	248.2	- 252.2	251.3	N/Q	-			618	- 631	620
		C	3	1	270.0	- 270.0	270.0	N/Q	500	- 500	500	716	- 716	716
280-330	C	3	1	298.2	- 298.2	298.2	N/Q	552	- 552	552	880	- 880	880	
				32	240.2	298.2			445	552		556	880	
Yearling Steer														
200-280	RS	C	2	119	257.2	- 310.2	273.1	-19	-			597	- 767	672
	RS	D	1	8	217.2	- 217.2	217.2	N/Q	-			521	- 521	521
	RS	D	2	83	200.0	- 253.2	242.7	-3	-			524	- 688	569
		D	2	4	243.2	- 243.2	243.2	N/Q	442	- 442	442	547	- 547	547
280-330	RS	C	2	4	287.2	- 287.2	287.2	N/Q	-			862	- 862	862
	FD	C	2	57	270.0	- 315.2	293.3	-8	-			770	- 900	852
	RS	D	2	10	230.0	- 236.2	231.2	N/Q	-			690	- 756	703
	FD	D	2	10	260.0	- 270.0	265.0	25	-			770	- 810	783
330-400	FD	C	2	119	280.0	- 323.2	305.8	18	-			952	- 1176	1054

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400+	FD	C	3	47	284.2	- 325.2	315.8	21	-			1009	- 1220	1179
		C	3	9	286.2	- 286.2	286.2	N/Q	520	- 520	520	1116	- 1116	1116
	FD	D	2	17	240.0	- 260.0	256.5	-8	-			816	- 884	872
	RS	D	2	11	235.0	- 244.2	241.7	-22	-			799	- 830	822
	FD	C	2	30	300.0	- 315.2	311.7	12	-			1275	- 1529	1354
		C	2	12	311.2	- 311.2	311.2	N/Q	566	- 566	566	1323	- 1323	1323
		C	3	4	295.0	- 315.0	310.0	26	536	- 573	564	1460	- 1559	1535
	FD	C	3	24	314.2	- 316.2	315.0	2	-			1375	- 1555	1480
	FD	D	2	5	281.2	- 285.0	282.7	N/Q	-			1195	- 1211	1202
					573	200.0	325.2		442	573		521	1559	
Yearling Heifer														
200-280	FD	C	2	49	238.2	- 275.2	245.4	-4	-			552	- 729	577
	RS	C	2	52	228.0	- 249.2	243.6	-19	-			524	- 623	594
		C	2	7	230.0	- 234.2	231.5	-8	426	- 434	429	543	- 633	584
	FD	D	2	15	201.2	- 227.2	216.5	N/Q	-			412	- 602	506
		D	2	21	187.2	- 222.2	197.7	-32	347	- 412	366	447	- 533	467
	RS	D	2	62	180.0	- 230.2	205.4	-19	-			392	- 529	472
280-330	FD	C	2	39	240.0	- 247.2	245.7	-32	-			705	- 742	726
330-400	FD	C	2	17	247.2	- 255.0	252.7	2	-			840	- 867	859
	FD	C	3	22	261.2	- 284.2	270.0	N/C	-			914	- 1094	982
		C	3	16	251.2	- 290.2	280.3	6	465	- 537	519	842	- 1094	1057
400+		D	2	3	229.2	- 229.2	229.2	5	424	- 424	424	768	- 768	768
	FD	D	2	2	240.0	- 240.0	240.0	N/Q	-			804	- 804	804
	FD	C	2	4	255.0	- 260.0	257.5	-1	-			1084	- 1131	1107
		C	3	17	273.2	- 284.2	280.1	7	506	- 526	519	1161	- 1364	1288
		D	2	1	241.2	- 241.2	241.2	N/Q	447	- 447	447	1025	- 1025	1025
					330	180.0	290.2		347	537		392	1364	
Grown Steer														
400-500	FD	C	2	14	275.0	- 301.2	295.1	12	-			1169	- 1491	1366
	RS	D	1	4	175.0	- 175.0	175.0	N/Q	-			866	- 866	866
	FD	D	2	8	249.2	- 249.2	249.2	N/Q	-			1059	- 1059	1059
500-600		C	4	17	302.2	- 315.2	307.5	-5	540	- 563	549	1686	- 1822	1761
					43	175.0	315.2		540	563		866	1822	
Grown Heifer														
0-540		C	4	1	272.2	- 272.2	272.2	N/Q	514	- 514	514	1184	- 1184	1184
		D	1	7	190.0	- 200.0	198.0	N/Q	413	- 435	418	770	- 850	836
	RS	D	1	4	176.2	- 195.2	181.0	N/Q	-			661	- 712	674
		D	2	5	203.2	- 234.2	209.4	4	423	- 488	436	762	- 995	809
	D	3	1	255.2	- 255.2	255.2	N/Q	482	- 482	482	1263	- 1263	1263	
	540+	C	4	2	264.2	- 276.2	270.2	N/Q	499	- 521	510	1651	- 1726	1689
		D	2	1	221.2	- 221.2	221.2	N/Q	461	- 461	461	1250	- 1250	1250
					23	176.2	276.2		413	521		661	1726	
Manufacturing Steer														

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
540+		D	2	1	220.0	- 220.0	220.0	N/Q	400	- 400	400	1375	- 1375	1375
		D	3	1	260.0	- 260.0	260.0	N/Q	473	- 473	473	1625	- 1625	1625
			2		220.0	260.0			400	473		1375	1625	
Cows														
0-400		D	1	21	133.2	- 176.2	146.2	-5	303	- 401	332	466	- 643	532
	RS	D	1	6	133.2	- 183.2	145.4	-11		-		466	- 669	517
	DA	D	1	2	143.2	- 143.2	143.2	N/Q	326	- 326	326	551	- 551	551
		D	2	8	170.0	- 202.2	193.4	38	370	- 440	421	621	- 778	740
		E	1	12	50.0	- 120.0	90.6	N/Q	114	- 273	206	160	- 456	327
400-520	DA	E	1	1	110.0	- 110.0	110.0	N/Q	250	- 250	250	424	- 424	424
	DA	D	1	12	150.0	- 178.2	158.0	15	341	- 405	359	750	- 855	784
	RS	D	1	7	139.2	- 189.2	171.5	-21		-		592	- 851	749
		D	1	23	160.2	- 181.2	177.4	11	364	- 412	403	681	- 901	783
		D	2	40	190.0	- 219.2	206.2	-1	413	- 477	448	797	- 1075	956
		D	3	11	222.2	- 229.2	223.7	-9	454	- 468	457	967	- 1083	1058
		D	4	2	242.2	- 251.2	246.7	N/Q	475	- 493	484	1211	- 1256	1234
	DA	D	1	7	185.2	- 188.2	186.9	4	421	- 428	425	1129	- 1204	1161
520+		D	2	19	219.2	- 225.2	222.7	N/C	477	- 490	484	1151	- 1194	1178
		D	3	17	230.2	- 240.2	235.0	-3	470	- 490	480	1353	- 1441	1385
		D	4	64	238.2	- 258.2	249.1	N/C	467	- 506	488	1287	- 1843	1549
			252		50.0	258.2			114	506		160	1843	
Bulls														
0-450		C	2	4	242.2	- 254.2	245.2	14	440	- 462	446	569	- 1144	713
	RS	C	2	4	244.2	- 250.2	245.7	-8		-		574	- 588	577
	FD	C	3	2	248.2	- 257.2	252.7	N/Q		-		1117	- 1157	1137
	RS	D	2	11	192.2	- 220.2	208.4	-28		-		452	- 552	512
		D	2	3	210.0	- 241.2	220.4	N/Q	382	- 439	401	557	- 639	584
450-600		C	2	2	214.2	- 231.2	222.7	N/Q	390	- 420	405	1210	- 1306	1258
	FD	C	2	2	251.2	- 251.2	251.2	N/Q		-		1218	- 1218	1218
	FD	C	3	2	275.2	- 275.2	275.2	N/Q		-		1335	- 1335	1335
	RS	D	1	1	155.2	- 155.2	155.2	N/Q		-		753	- 753	753
600+		C	2	10	201.2	- 233.2	217.7	18	366	- 424	396	1270	- 1597	1467
		C	3	11	232.2	- 264.2	244.4	4	415	- 472	436	1451	- 2626	2028
		D	1	1	191.2	- 191.2	191.2	N/Q	348	- 348	348	1195	- 1195	1195
	RS	D	1	1	173.2	- 173.2	173.2	N/Q		-		1083	- 1083	1083
			54		155.2	275.2			348	472		452	2626	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2018. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.