

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Roma Store

report date 11 Dec 2018

Yarding Change 6357
-2543

comparison date 04/12/2018

Numbers at the Roma Sale eased with a yarding of 6,357 presented, 2543 head less than last week. This is the last sale at Roma for 2018. Cattle were drawn from local areas along with several drafts from far western Queensland and one draft from South Australia, these drafts amounted to over 1,000 head. Condition and quality varied throughout the day with some very light conditioned and poor quality cattle on offer. However, well-bred lines sold strongly to a full field of buyers, which included a number of local restockers.

The better bred pens of light yearling steers sold to 324c averaging 308c, with medium and heavy weights making to 326c on occasions to average 312c to 315c/kg. Yearling heifers from better bred herds mostly returned averages from 266c to 270c, with plainer lines averaging 230c to 240c/kg.

Grown steers to feed made a top of 314c, to average 309c/kg. Grown steers to processors topped at 285c, to average 267c/kg. Grown heifers sold to slaughter to 276c, averaging 267c/kg. Light 2 score cows eased selling to 218c, to average 182c/kg. Heavy 4 score cows made to 237c and averaged 230c/kg. Heavy bulls to slaughter averaged 238c, with the best making 265c/kg. A large line-up of generally light conditioned cows with young calves at foot made from \$1,020 to \$1,380/unit, the best lines were young breeder quality cows.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Yearling Steer														
200-280	FD	C	2	176	250.0	- 312.0	306.5	11	-			613	- 840	789
	RS	C	2	515	264.0	- 324.0	308.3	2	-			609	- 896	785
	RS	D	1	7	302.0	- 302.0	302.0	N/Q	-			815	- 815	815
	RS	D	2	326	240.0	- 324.0	289.7	12	-			482	- 858	673
	FD	D	2	15	240.0	- 304.0	291.5	55	-			588	- 851	805
280-330	FD	C	2	192	254.0	- 322.0	306.1	2	-			813	- 1056	981
	RS	C	2	82	280.0	- 320.0	312.6	9	-			798	- 1024	979
	RS	D	2	38	250.0	- 300.0	283.7	8	-			783	- 945	874
	FD	D	2	68	260.0	- 294.0	278.9	2	-			793	- 956	895
330-400	FD	C	2	213	290.0	- 326.0	310.6	5	-			1001	- 1190	1092
	RS	C	2	15	296.0	- 308.0	297.1	-6	-			992	- 1186	1011
	RS	D	1	17	256.0	- 256.0	256.0	N/Q	-			883	- 883	883
	RS	D	2	20	260.0	- 300.0	293.0	N/Q	-			897	- 1035	1011
	FD	D	2	84	282.0	- 304.0	300.7	29	-			959	- 1155	1034
400+	FD	C	2	80	296.0	- 320.2	316.0	9	-			1288	- 1473	1407
	RS	C	2	1	308.0	- 308.0	308.0	N/Q	-			1309	- 1309	1309
				1849	240.0	326.0			0	0		482	1473	
Yearling Heifer														
0-200	FD	D	1	3	200.0	- 200.0	200.0	N/Q	-			400	- 400	400
	RS	D	1	96	164.0	- 288.0	235.6	N/Q	-			295	- 403	360
200-280	FD	C	2	117	264.0	- 286.0	269.4	30	-			686	- 772	721
	RS	C	2	215	240.0	- 274.0	258.8	26	-			547	- 658	599
		C	2	18	220.0	- 250.0	230.7	-9	423	- 481	444	528	- 675	572
	FD	D	1	58	130.0	- 190.0	169.5	N/Q	-			319	- 523	434
	RS	D	1	108	130.0	- 274.0	219.6	59	-			299	- 551	494

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
280-330	FD	D	2	38	220.0	- 238.0	222.8	53	-			605	- 655	613
		D	2	66	208.0	- 240.0	221.7	10	400	- 462	426	509	- 648	567
	RS	D	2	235	200.0	- 264.0	232.5	41	-			431	- 726	574
	FD	C	2	60	244.0	- 286.0	269.3	8	-			741	- 901	833
	RS	D	1	3	150.0	- 150.0	150.0	N/Q	-			473	- 473	473
	FD	D	2	82	220.0	- 264.0	237.3	N/Q	-			682	- 848	749
330-400		D	2	24	211.0	- 335.0	255.8	N/Q	406	- 644	492	665	- 1106	816
	FD	D	3	18	258.0	- 258.0	258.0	N/Q	-			839	- 839	839
	FD	C	2	98	241.0	- 288.0	256.2	-5	-			831	- 965	878
	RS	C	2	20	270.0	- 270.0	270.0	N/Q	-			932	- 932	932
		C	4	26	230.0	- 279.0	266.2	N/Q	426	- 517	493	851	- 1088	1042
	FD	D	2	41	196.0	- 270.0	259.7	N/Q	-			686	- 981	915
		D	2	74	230.0	- 256.0	252.0	42	442	- 492	485	782	- 932	886
				1400	130.0	335.0			400	644		295	1106	
Grown Steer														
0-400	FD	D	2	8	276.0	- 276.0	276.0	N/Q	-			980	- 980	980
400-500		C	2	1	260.0	- 260.0	260.0	N/Q	491	- 491	491	1209	- 1209	1209
	FD	D	1	4	240.0	- 240.0	240.0	N/Q	-			1008	- 1008	1008
	RS	D	2	1	294.0	- 294.0	294.0	N/Q	-			1323	- 1323	1323
500-600	FD	C	2	47	291.0	- 310.0	301.1	N/Q	-			1571	- 1612	1593
	FD	C	3	40	290.0	- 314.0	309.1	N/Q	-			1581	- 1817	1768
		D	2	56	240.0	- 269.0	267.5	N/Q	462	- 517	514	1293	- 1466	1436
		D	3	7	255.0	- 275.0	266.4	N/Q	472	- 519	499	1326	- 1595	1480
600-750		C	4	9	240.0	- 280.0	245.2	N/Q	429	- 509	439	1548	- 1792	1580
		D	3	27	238.0	- 285.0	265.9	N/Q	449	- 528	496	1476	- 1778	1644
				200	238.0	314.0			429	528		980	1817	
Grown Heifer														
0-540	FD	C	2	1	270.0	- 270.0	270.0	N/Q	-			1040	- 1040	1040
	FD	C	3	26	237.0	- 270.0	261.5	N/Q	-			923	- 1166	1084
		C	3	22	242.0	- 276.0	266.7	5	448	- 511	494	1187	- 1222	1196
		C	4	3	232.0	- 260.0	247.3	N/Q	430	- 482	458	1032	- 1170	1105
	FD	D	1	15	210.0	- 210.0	210.0	N/Q	-			725	- 725	725
	FD	D	2	61	208.0	- 264.0	250.3	52	-			832	- 1033	936
		D	2	54	230.0	- 266.0	233.5	31	442	- 512	449	792	- 1104	838
	FD	D	3	29	226.0	- 260.0	257.8	N/Q	-			825	- 1118	1102
		D	3	23	215.0	- 252.0	240.9	N/Q	414	- 476	455	710	- 1121	1037
		D	4	3	238.0	- 238.0	238.0	N/Q	449	- 449	449	1059	- 1059	1059
	FD	D	4	4	268.0	- 268.0	268.0	N/Q	-			1166	- 1166	1166
				241	208.0	276.0			414	512		710	1222	
Cows														
0-400	RS	D	1	128	100.0	- 160.0	141.4	N/Q	-			340	- 568	477
	FD	D	1	28	158.0	- 190.0	169.6	N/Q	-			561	- 675	607
		D	1	30	100.0	- 156.0	139.6	-15	227	- 355	317	350	- 569	486
		D	2	71	140.0	- 196.0	169.1	-13	318	- 426	370	495	- 725	610

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400-520	FD	D	2	212	132.0	- 218.0	181.5	-11	-			488	- 764	671
	RS	D	2	2	170.0	- 170.0	170.0	N/Q	-			646	- 646	646
	FD	D	3	4	188.0	- 188.0	188.0	-42	-			696	- 696	696
		D	3	14	196.0	- 210.0	204.0	N/Q	408	- 438	425	721	- 840	765
		D	4	4	210.0	- 221.0	218.3	N/Q	420	- 442	437	798	- 807	804
	FD	D	4	1	232.0	- 232.0	232.0	N/Q	-			928	- 928	928
		C	2	3	180.0	- 180.0	180.0	N/Q	391	- 391	391	765	- 765	765
	FD	D	2	25	185.0	- 199.0	194.0	-4	-			823	- 886	856
		D	2	29	166.0	- 206.0	181.1	-18	361	- 448	394	706	- 871	800
		D	3	171	188.0	- 222.0	207.0	-13	392	- 463	431	837	- 1154	968
520+		D	4	184	210.0	- 236.0	224.5	N/Q	420	- 472	446	956	- 1204	1117
		D	2	1	135.0	- 135.0	135.0	N/Q	307	- 307	307	918	- 918	918
		D	4	124	220.0	- 237.0	229.9	N/Q	439	- 468	450	1155	- 1369	1243
					1031	100.0	237.0		227	472		340	1369	
Bulls														
0-450	LE	C	2	7	178.0	- 284.0	261.7	-18	336	- 546	495	668	- 1037	929
	FD	C	2	12	220.0	- 282.0	235.3	-65	-			684	- 1058	733
	RS	C	2	17	220.0	- 278.0	271.2	16	-			506	- 765	734
	RS	D	1	39	158.0	- 286.0	227.2	N/Q	-			459	- 670	541
	RS	D	2	38	154.0	- 272.0	233.1	19	-			354	- 875	619
	FD	D	2	4	210.0	- 220.0	217.5	N/Q	-			528	- 536	530
		D	2	6	196.0	- 196.0	196.0	N/Q	426	- 426	426	853	- 853	853
450-600	LE	D	2	2	270.0	- 288.0	279.0	N/Q	519	- 554	537	891	- 1051	971
	LE	C	2	26	262.0	- 267.0	266.2	-24	494	- 504	502	1388	- 1480	1403
		C	3	5	228.0	- 238.0	236.0	N/Q	430	- 433	432	1311	- 1369	1357
	FD	C	3	2	259.0	- 260.0	259.5	N/Q	-			1308	- 1495	1401
		D	2	11	216.0	- 230.0	221.1	N/Q	408	- 434	417	1231	- 1300	1256
		E	2	1	176.0	- 176.0	176.0	N/Q	332	- 332	332	959	- 959	959
600+		C	2	11	209.0	- 234.0	220.3	-22	394	- 442	416	1296	- 1685	1584
		C	3	51	214.0	- 265.0	237.5	N/Q	389	- 482	432	1380	- 2304	1822
	LE	C	3	3	228.0	- 276.0	250.0	N/Q	430	- 502	460	1550	- 1670	1611
		D	2	1	198.0	- 198.0	198.0	N/Q	374	- 374	374	1445	- 1445	1445
	RS	D	2	1	178.0	- 178.0	178.0	N/Q	-			1130	- 1130	1130
					237	154.0	288.0		332	554		354	2304	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2018. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.