

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Warwick

report date 12 Feb 2019

Yarding Change 1835
-544

comparison date 05/02/2019

Numbers reduced by 544 head to 1,835. Young cattle were in the largest numbers and the supply of cows reduced to 470 from the very large number the previous sale. Buyer attendance was good with most of the regular exporters present and operating, along with the usual feed and trade buyers plus restockers. Light weight yearling steers returning to the paddock averaged 11c/kg cheaper. Medium and heavy weight yearling steers to feed sold to within 2c to 3c/kg of the previous week's level. Light weight yearling heifers varied in price according to quality, and medium weights to feed eased 5c to 6c/kg. Heavy weight yearling heifers to the trade sold to a cheaper trend. Plain condition cows declined 1c to 3c, however good heavy cows averaged 9c to 13c/kg cheaper.

Steer calves made to 226.2c to average 237c, while the plain quality mixed sex calves averaged 170c/kg. Vealer heifers to feed averaged 222c, and the top end quality lines sold to local butchers at 279.2c/kg. Light weight yearling steers returning to the paddock averaged 257c and made to 278.2c/kg. Medium weight yearling steers to feed made to 283.2c to average 265c, and local trade lines made to 283.2c to average 277c/kg. Heavy weights to the trade made to 286.2c to average 276c/kg. The better end of the light weight yearling heifers averaged from 182c to 215c, while the poor quality lines averaged 146c/kg. Medium weight yearling heifers to feed averaged 228c and made to 238.2c/kg. Heavy weight yearling heifers to the trade made to the occasional 307.2c, with most close to 242c/kg.

Medium weight plain condition cows returned to the paddock at an average of 171c/kg. Medium weight 2 score cows to processors averaged 175c and the 3 scores 193c, making to 201.2c/kg. Good heavy cows made to 224.2c with the largest numbers close to 213c/kg. Heavy bulls to processors made to 210.2c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80	RS	D	2	8	120.0	- 160.0	130.0	-74	-			54	- 88	63
80+	RS	C	2	22	224.2	- 246.2	237.3	5	-			345	- 454	377
	RS	D	2	45	128.2	- 189.2	169.8	-5	-			173	- 350	300
	RS	E	2	8	100.0	- 100.2	100.0	N/Q	-			120	- 135	122
				83	100.0	246.2			0	0		54	454	
Vealer Heifer														
200-280		C	2	16	210.0	- 230.0	217.3	9	389	- 426	402	493	- 633	550
	FD	C	2	37	218.2	- 240.0	222.8	4	-			528	- 636	559
		C	3	12	229.2	- 267.2	255.2	3	424	- 495	473	576	- 724	661
	FD	D	2	6	185.0	- 185.0	185.0	21	-			416	- 416	416
280-330		C	3	8	230.0	- 279.2	266.9	-6	426	- 517	494	656	- 824	782
				79	185.0	279.2			389	517		416	824	
Yearling Steer														
200-280	RS	C	2	150	230.2	- 278.2	257.4	-11	-			504	- 765	621
	RS	D	2	40	132.2	- 232.2	203.5	-9	-			278	- 630	472
	FD	D	2	2	210.0	- 210.0	210.0	N/Q	-			557	- 557	557
		D	2	2	156.2	- 156.2	156.2	N/Q	284	- 284	284	383	- 383	383
280-330	FD	C	2	86	247.2	- 276.2	261.5	-6	-			705	- 829	771
	FD	D	2	1	160.0	- 160.0	160.0	N/Q	-			456	- 456	456
330-400	FD	C	2	129	248.2	- 283.2	265.5	-3	-			869	- 1062	936
		C	3	26	270.0	- 283.2	277.5	6	491	- 515	505	1026	- 1090	1055
	FD	C	3	5	266.2	- 266.2	266.2	N/Q	-			998	- 998	998

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
400+	FD	D	2	13	199.2	- 247.2	217.8	-21	-			700	- 927	800	
	RS	D	2	28	152.2	- 247.2	224.7	35	-			586	- 865	798	
	FD	C	2	12	260.0	- 268.2	263.4	3	-			1105	- 1140	1119	
	FD	C	3	3	275.0	- 275.0	275.0	2	-			1334	- 1334	1334	
		C	3	17	270.0	- 286.2	276.1	7	491	- 530	503	1148	- 1429	1309	
	FD	D	2	3	243.2	- 243.2	243.2	4	-			1034	- 1034	1034	
					517	132.2	286.2		284	530		278	1429		
Yearling Heifer															
200-280	RS	C	2	32	180.0	- 190.2	182.3	-13	-			394	- 495	423	
		C	2	45	180.0	- 210.0	200.6	-1	333	- 389	371	430	- 557	497	
	FD	C	2	66	180.0	- 236.2	215.2	13	-			423	- 626	552	
	RS	D	1	2	110.0	- 110.0	110.0	N/Q	-			259	- 259	259	
	RS	D	2	73	110.0	- 169.2	146.0	-4	-			242	- 381	331	
	FD	D	2	15	150.0	- 170.0	168.7	-2	-			353	- 400	396	
280-330		D	2	13	160.0	- 175.2	169.1	-8	296	- 324	313	366	- 464	434	
	FD	C	2	12	241.2	- 241.2	241.2	16	-			724	- 724	724	
	RS	D	2	6	120.0	- 140.0	130.0	N/Q	-			360	- 399	377	
		D	2	10	160.0	- 194.2	166.9	-26	296	- 360	309	465	- 583	497	
	FD	C	2	25	225.0	- 230.0	228.0	-6	-			792	- 821	803	
	FD	C	3	17	232.2	- 238.2	233.3	-5	-			882	- 905	886	
330-400		C	3	15	245.0	- 265.2	254.4	-17	454	- 491	471	894	- 995	947	
	FD	D	2	1	180.0	- 180.0	180.0	N/Q	-			684	- 684	684	
	RS	D	2	2	167.2	- 171.2	169.2	N/Q	-			635	- 659	647	
		D	2	3	130.2	- 213.2	185.5	7	241	- 395	344	449	- 821	697	
		D	3	1	219.2	- 219.2	219.2	N/Q	406	- 406	406	822	- 822	822	
	FD	C	2	12	210.0	- 210.0	210.0	-22	-			882	- 882	882	
400+		C	3	66	235.2	- 264.2	242.5	-13	436	- 489	449	988	- 1215	1041	
		D	2	2	180.0	- 200.0	190.0	N/Q	333	- 370	352	765	- 850	808	
						419	110.0	307.2		241	559		242	1244	
	Grown Steer														
	400-500		C	3	1	254.2	- 254.2	254.2	N/Q	462	- 462	462	1233	- 1233	1233
		FD	D	3	2	235.2	- 235.2	235.2	N/Q	-			1164	- 1164	1164
500-600		C	3	18	270.2	- 270.2	270.2	10	491	- 491	491	1527	- 1581	1569	
		C	4	2	268.2	- 268.2	268.2	N/Q	479	- 479	479	1435	- 1435	1435	
600-750	FD	D	2	1	213.2	- 213.2	213.2	N/Q	-			1141	- 1141	1141	
		C	3	4	249.2	- 265.2	257.2	N/Q	453	- 482	468	1558	- 1658	1608	
						28	213.2	270.2		453	491		1141	1658	
Grown Heifer															
0-540		C	4	8	246.2	- 250.0	248.6	-6	465	- 472	469	1317	- 1338	1330	
	RS	D	1	2	149.2	- 149.2	149.2	N/Q	-			604	- 604	604	
		D	1	1	154.2	- 154.2	154.2	N/Q	335	- 335	335	748	- 748	748	
		D	2	16	160.0	- 200.0	171.9	-18	333	- 417	363	720	- 898	819	
	RS	D	2	6	160.0	- 177.2	168.6	N/Q	-			696	- 859	778	
		D	3	22	200.0	- 228.2	207.9	-31	385	- 439	400	970	- 1221	1051	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
540+		C	4	3	258.2	- 258.2	258.2	N/Q	487	- 487	487	1459	- 1459	1459
				58	149.2	258.2			333	487		604	1459	
Cows														
0-400		D	1	12	126.2	- 144.2	134.0	9	287	- 328	305	461	- 577	510
	RS	D	1	29	119.2	- 150.2	134.0	-3		-		435	- 578	512
		D	2	13	150.2	- 158.2	153.3	9	327	- 344	333	578	- 609	590
		E	1	1	81.2	- 81.2	81.2	N/Q	185	- 185	185	313	- 313	313
	RS	E	1	1	52.2	- 52.2	52.2	N/Q		-		157	- 157	157
400-520	DA	D	1	1	130.0	- 130.0	130.0	N/Q	296	- 296	296	631	- 631	631
		D	1	53	120.0	- 155.0	139.7	-7	273	- 352	318	522	- 728	626
	RS	D	1	27	124.2	- 165.0	155.2	-3		-		528	- 718	666
	RS	D	2	42	164.2	- 180.2	171.2	-1		-		698	- 873	811
		D	2	54	160.0	- 190.2	175.6	-3	348	- 414	380	727	- 941	826
		D	3	73	183.2	- 201.2	192.8	-7	374	- 411	394	824	- 991	943
		D	4	11	203.2	- 210.2	208.0	-9	398	- 412	408	937	- 1051	1031
		E	1	2	80.0	- 87.2	83.6	N/Q	182	- 198	190	348	- 392	370
	DA	E	1	1	30.0	- 30.0	30.0	N/Q	68	- 68	68	150	- 150	150
520+	DA	D	1	3	140.0	- 180.2	153.4	-13	318	- 410	349	749	- 1261	920
	DA	D	2	2	163.2	- 163.2	163.2	N/Q	355	- 355	355	1061	- 1061	1061
	RS	D	2	6	180.0	- 180.0	180.0	N/Q		-		963	- 963	963
		D	2	2	174.2	- 174.2	174.2	N/Q	379	- 379	379	932	- 932	932
		D	3	46	190.2	- 212.2	201.4	-9	388	- 433	411	1028	- 1231	1154
	DA	D	3	3	195.2	- 205.2	198.5	N/Q	398	- 419	405	1269	- 1436	1325
		D	4	87	205.2	- 224.2	212.9	-13	402	- 440	417	1109	- 1541	1239
		D	5	1	205.2	- 205.2	205.2	N/Q	419	- 419	419	1200	- 1200	1200
				470	30.0	224.2			68	440		150	1541	
Bulls														
0-450		C	2	8	215.2	- 237.2	228.0	19	391	- 431	415	463	- 830	678
	FD	C	3	2	231.2	- 231.2	231.2	N/Q		-		879	- 879	879
	RS	D	1	11	132.2	- 151.2	146.4	N/Q		-		522	- 592	572
		D	1	4	100.0	- 100.0	100.0	N/Q	182	- 182	182	385	- 385	385
		D	2	7	140.0	- 176.2	159.8	N/Q	255	- 320	291	414	- 630	512
	RS	D	2	15	130.0	- 219.2	187.4	12		-		306	- 671	458
	FD	D	2	2	210.0	- 210.0	210.0	N/Q		-		830	- 830	830
	RS	E	2	2	100.0	- 100.0	100.0	N/Q		-		235	- 235	235
450-600		C	2	2	175.2	- 181.2	178.2	N/Q	319	- 330	324	850	- 1060	955
		C	3	1	218.2	- 218.2	218.2	N/Q	397	- 397	397	1058	- 1058	1058
		D	1	1	110.0	- 110.0	110.0	N/Q	200	- 200	200	644	- 644	644
		E	1	1	70.0	- 70.0	70.0	N/Q	130	- 130	130	368	- 368	368
600+		C	2	3	179.2	- 184.2	182.2	7	326	- 335	331	1151	- 1191	1169
		C	3	7	179.2	- 210.2	196.3	-28	320	- 375	351	1282	- 2052	1519
	RS	C	3	1	234.2	- 234.2	234.2	N/Q		-		1429	- 1429	1429
		D	2	2	155.2	- 171.2	163.2	N/Q	282	- 311	297	1070	- 1397	1233
				69	70.0	237.2			130	431		235	2052	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2019. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.