

Detailed Saleyard Report - Cattle

Market information provided by MLA's National Livestock Reporting Service

Warwick

report date 26/10/2021

Yarding 761
Change 160

comparison date 19/10/2021

The supply of stock improved by 160 head to 761 at the Warwick cattle sale. Quality young restocker and backgrounder cattle were in the largest numbers along with good lines of well finished heavy cows and steers. All the regular export processors were present and operating along with the usual feeder buyers plus a large panel of local and interstate restockers, who were very active in the market lifting prices on most classes.

Yearling steers in the 200 to 280kg range returning to the paddock averaged 727c and sold to 798c/kg. Yearling steers over 280kg also to restockers averaged 652c and made to 710/kg. Yearling steers over 330kg to feed for the domestic market sold to 600c and averaged 547c, with restockers paying 628c to average 606c/kg. Heavy weight yearling steers to feed made 530c to average 501c, with the wholesale meat trade paying 502/kg. Yearling heifers in the 200 to 280kg range to background made to 730c and averaged 609c/kg. Yearling heifers over 280kg to restockers averaged 538c and sold to 576c/kg. Yearling heifers to feed for the domestic market averaged 501c and made to 518c/kg. Heavy weight yearling heifers to feed made 484c, with processors paying 445c to average 427c/kg.

Bullocks sold to 424c/kg. Good heavy weight score 3 cows to export processors averaged 384c and sold to 398c/kg. High yielding bulls over 600kg to the wholesale meat trade made 500c/kg.

Market Reporter, Errol Luck.

[Click here to view the new and improved Prime Cattle Market Reports](#)

| Category | Weight | Sale Prefix | Muscle Score * | Fat Score* | Head | Live Weight c/kg | | | | Estimated Carcase Weight c/kg* | | | Estimated \$/Head | | |
|----------------|--------|-------------|----------------|------------|------|------------------|-------|-------|--------|--------------------------------|------|------|-------------------|-------|-------|
| | | | | | | Low | High | Avg | Change | Low | High | Avg | Low | High | Avg |
| Calves | | | | | | | | | | | | | | | |
| 80+ | | | | | | | | | | | | | | | |
| | | RS | D | 2 | 1 | 580.0 | 580.0 | 580.0 | N/Q | - | 0 | 754 | 754 | 754 | |
| | | | | | 1 | 580.0 | 580.0 | | | 0 | 0 | 754 | 754 | | |
| Yearling Steer | | | | | | | | | | | | | | | |
| 0-200 | | | | | | | | | | | | | | | |
| | | RS | C | 2 | 16 | 790.2 | 790.2 | 790.2 | N/Q | - | 0 | 1501 | 1509 | 1,505 | |
| 200-280 | | | | | | | | | | | | | | | |
| | | DA | D | 2 | 1 | 434.0 | 434.0 | 434.0 | N/Q | - | 0 | 1172 | 1172 | 1,172 | |
| | | RS | C | 2 | 73 | 646.0 | 798.2 | 727.1 | 72 | - | 0 | 1495 | 1992 | 1,761 | |
| | | RS | D | 2 | 8 | 508.0 | 560.0 | 516.5 | -4 | - | 0 | 1168 | 1484 | 1,295 | |
| 280-330 | | | | | | | | | | | | | | | |
| | | DA | D | 1 | 2 | 340.0 | 340.0 | 340.0 | N/Q | - | 0 | 1088 | 1088 | 1,088 | |
| | | FD | C | 2 | 14 | 580.0 | 612.0 | 595.4 | 65 | - | 0 | 1744 | 1885 | 1,788 | |
| | | RS | C | 2 | 46 | 551.0 | 710.0 | 652.1 | 42 | - | 0 | 1590 | 2130 | 1,933 | |
| | | RS | D | 2 | 1 | 408.0 | 408.0 | 408.0 | N/Q | - | 0 | 1224 | 1224 | 1,224 | |
| 330-400 | | | | | | | | | | | | | | | |
| | | FD | C | 2 | 40 | 448.0 | 600.0 | 547.4 | 3 | - | 0 | 1769 | 2173 | 1,937 | |
| | | FD | D | 2 | 8 | 440.0 | 444.0 | 442.0 | -78 | - | 0 | 1716 | 1776 | 1,746 | |
| | | RS | C | 2 | 16 | 538.0 | 628.0 | 605.9 | 46 | - | 0 | 2030 | 2104 | 2,086 | |
| 400+ | | | | | | | | | | | | | | | |
| | | DA | D | 2 | 10 | 377.0 | 413.0 | 404.8 | 55 | - | 0 | 1754 | 1982 | 1,932 | |
| | | FD | C | 2 | 45 | 430.0 | 530.0 | 501.8 | 32 | - | 0 | 1952 | 2485 | 2,295 | |
| | | FD | C | 3 | 1 | 460.0 | 460.0 | 460.0 | 32 | - | 0 | 2116 | 2116 | 2,116 | |
| | | FD | D | 2 | 5 | 444.0 | 444.0 | 444.0 | N/Q | - | 0 | 1909 | 1909 | 1,909 | |
| | | PR | C | 2 | 3 | 456.0 | 456.0 | 456.0 | 20 | 844 | 844 | 844 | 1870 | 1870 | 1,870 |

| Category Weight | Sale Prefix | Muscle Score * | Fat Score* | Head | Live Weight c/kg | | | | Estimated Carcase Weight c/kg* | | | Estimated \$/Head | | |
|-----------------|-------------|----------------|------------|------|------------------|-------|-------|--------|--------------------------------|------|-----|-------------------|------|-------|
| | | | | | Low | High | Avg | Change | Low | High | Avg | Low | High | Avg |
| | PR | C | 3 | 10 | 402.0 | 502.0 | 446.4 | 2 | 744 | 930 | 827 | 1892 | 2610 | 2,099 |
| | PR | D | 2 | 1 | 400.0 | 400.0 | 400.0 | N/Q | 741 | 741 | 741 | 2400 | 2400 | 2,400 |
| | RS | C | 2 | 2 | 480.0 | 480.0 | 480.0 | -43 | - | - | 0 | 2040 | 2040 | 2,040 |
| | RS | D | 2 | 2 | 460.0 | 460.0 | 460.0 | N/Q | - | - | 0 | 1932 | 1932 | 1,932 |
| | | | | 304 | 340.0 | 798.2 | | | 741 | 930 | | 1088 | 2610 | |
| Yearling Heifer | | | | | | | | | | | | | | |
| 0-200 | | | | | | | | | | | | | | |
| | RS | C | 2 | 10 | 734.0 | 734.0 | 734.0 | N/Q | - | - | 0 | 1160 | 1160 | 1,160 |
| 200-280 | | | | | | | | | | | | | | |
| | PR | C | 2 | 4 | 488.0 | 488.0 | 488.0 | N/Q | 904 | 904 | 904 | 1342 | 1342 | 1,342 |
| | RS | C | 2 | 60 | 525.0 | 730.2 | 609.4 | 14 | - | - | 0 | 1358 | 1615 | 1,516 |
| | RS | D | 2 | 12 | 460.0 | 500.0 | 466.5 | -42 | - | - | 0 | 1104 | 1350 | 1,213 |
| 280-330 | | | | | | | | | | | | | | |
| | DA | D | 2 | 4 | 406.0 | 406.0 | 406.0 | 26 | - | - | 0 | 1218 | 1218 | 1,218 |
| | FD | C | 2 | 42 | 480.0 | 530.0 | 503.1 | -41 | - | - | 0 | 1409 | 1667 | 1,483 |
| | FD | D | 2 | 1 | 450.0 | 450.0 | 450.0 | N/Q | - | - | 0 | 1283 | 1283 | 1,283 |
| | PR | C | 2 | 2 | 480.0 | 506.0 | 493.0 | 11 | 889 | 937 | 913 | 1440 | 1442 | 1,441 |
| | RS | C | 2 | 10 | 496.0 | 576.0 | 537.7 | N/Q | - | - | 0 | 1566 | 1659 | 1,624 |
| | RS | D | 2 | 2 | 396.0 | 488.0 | 442.0 | -84 | - | - | 0 | 1287 | 1391 | 1,339 |
| 330-400 | | | | | | | | | | | | | | |
| | FD | C | 2 | 29 | 439.0 | 518.0 | 500.7 | -8 | - | - | 0 | 1537 | 1850 | 1,699 |
| | PR | C | 2 | 4 | 406.0 | 470.0 | 448.0 | -22 | 752 | 870 | 830 | 1563 | 1717 | 1,619 |
| | PR | C | 3 | 2 | 445.0 | 470.0 | 457.5 | N/Q | 824 | 870 | 847 | 1645 | 1647 | 1,646 |
| | RS | C | 2 | 1 | 500.0 | 500.0 | 500.0 | N/Q | - | - | 0 | 1675 | 1675 | 1,675 |
| 400+ | | | | | | | | | | | | | | |
| | DA | D | 2 | 2 | 370.0 | 370.0 | 370.0 | N/Q | - | - | 0 | 1776 | 1776 | 1,776 |
| | FD | C | 2 | 23 | 438.0 | 484.0 | 467.1 | N/Q | - | - | 0 | 1919 | 2614 | 2,262 |
| | FD | D | 2 | 3 | 466.0 | 466.0 | 466.0 | N/Q | - | - | 0 | 2097 | 2097 | 2,097 |
| | PR | C | 2 | 5 | 418.0 | 438.0 | 422.0 | -2 | 774 | 811 | 781 | 2090 | 2409 | 2,154 |
| | PR | C | 3 | 10 | 404.0 | 445.0 | 426.9 | 2 | 748 | 824 | 791 | 1772 | 2634 | 2,104 |
| | PR | D | 2 | 1 | 378.0 | 378.0 | 378.0 | N/Q | 700 | 700 | 700 | 1890 | 1890 | 1,890 |
| | RS | D | 2 | 7 | 528.0 | 528.0 | 528.0 | N/Q | - | - | 0 | 2218 | 2218 | 2,218 |
| | | | | 234 | 370.0 | 734.0 | | | 700 | 937 | | 1104 | 2634 | |
| Grown Steer | | | | | | | | | | | | | | |
| 400-500 | | | | | | | | | | | | | | |
| | FD | C | 2 | 1 | 460.0 | 460.0 | 460.0 | N/Q | - | - | 0 | 1955 | 1955 | 1,955 |
| 500-600 | | | | | | | | | | | | | | |
| | PR | C | 3 | 2 | 415.0 | 419.0 | 417.0 | 1 | 769 | 776 | 772 | 2490 | 2514 | 2,502 |
| 750+ | | | | | | | | | | | | | | |
| | PR | C | 3 | 1 | 424.0 | 424.0 | 424.0 | N/Q | 785 | 785 | 785 | 3265 | 3265 | 3,265 |
| | | | | 4 | 415.0 | 460.0 | | | 769 | 785 | | 1955 | 3265 | |
| Grown Heifer | | | | | | | | | | | | | | |
| 0-540 | | | | | | | | | | | | | | |
| | PR | C | 3 | 1 | 394.0 | 394.0 | 394.0 | -16 | 730 | 730 | 730 | 2049 | 2049 | 2,049 |

[Click here to view the new and improved Prime Cattle Market Reports](#)

| Category Weight | Sale Prefix | Muscle Score * | Fat Score* | Head | Live Weight c/kg | | | | Estimated Carcase Weight c/kg* | | | Estimated \$/Head | | |
|-----------------|-------------|----------------|------------|------|------------------|-------|-------|--------|--------------------------------|------|-----|-------------------|------|-------|
| | | | | | Low | High | Avg | Change | Low | High | Avg | Low | High | Avg |
| 540+ | PR | C | 3 | 7 | 385.0 | 434.0 | 411.4 | -10 | 713 | 804 | 762 | 2118 | 3038 | 2,415 |
| | | | | 8 | 385.0 | 434.0 | | | 713 | 804 | | 2049 | 3038 | |
| Cows | | | | | | | | | | | | | | |
| 400-520 | PR | D | 2 | 3 | 357.0 | 361.0 | 359.7 | 33 | 714 | 722 | 719 | 1856 | 1877 | 1,870 |
| | PR | D | 3 | 1 | 355.0 | 355.0 | 355.0 | -24 | 710 | 710 | 710 | 1775 | 1775 | 1,775 |
| 520+ | DA | D | 1 | 3 | 302.0 | 302.0 | 302.0 | N/Q | - | 0 | | 1963 | 1963 | 1,963 |
| | DA | D | 2 | 12 | 303.0 | 340.0 | 315.5 | -1 | - | 0 | | 1636 | 2219 | 1,885 |
| | PR | C | 3 | 1 | 390.0 | 390.0 | 390.0 | N/Q | 722 | 722 | 722 | 2730 | 2730 | 2,730 |
| | PR | D | 3 | 30 | 320.0 | 398.0 | 383.5 | 2 | 667 | 796 | 769 | 1760 | 2933 | 2,415 |
| | PR | D | 4 | 4 | 380.0 | 391.0 | 384.8 | -4 | 760 | 815 | 778 | 2659 | 3298 | 2,819 |
| | | | | 54 | 302.0 | 398.0 | | | 667 | 815 | | 1636 | 3298 | |
| Bulls | | | | | | | | | | | | | | |
| 0-450 | FD | D | 2 | 2 | 398.0 | 450.0 | 424.0 | N/Q | - | 0 | | 1592 | 1890 | 1,741 |
| | RS | C | 2 | 4 | 463.0 | 598.0 | 512.3 | -50 | - | 0 | | 1435 | 2205 | 1,894 |
| 450-600 | PR | C | 3 | 3 | 346.0 | 456.0 | 383.7 | N/Q | 641 | 844 | 710 | 1903 | 2280 | 2,034 |
| | PR | D | 2 | 1 | 412.0 | 412.0 | 412.0 | N/Q | 763 | 763 | 763 | 1978 | 1978 | 1,978 |
| 600+ | PR | B | 3 | 1 | 500.0 | 500.0 | 500.0 | N/Q | 862 | 862 | 862 | 3025 | 3025 | 3,025 |
| | PR | C | 2 | 1 | 338.0 | 338.0 | 338.0 | N/Q | 626 | 626 | 626 | 2535 | 2535 | 2,535 |
| | PR | C | 3 | 5 | 330.0 | 375.2 | 353.2 | -28 | 611 | 695 | 654 | 2244 | 4390 | 2,812 |
| | | | | 17 | 330.0 | 598.0 | | | 611 | 862 | | 1435 | 4390 | |

DA - Dairy, FD - Feeder, GF - Grainfed, PR - Processor, LE - Live Export, PC - Pastoral Cattle, PT - PTIC, RS - Restocker

Disclaimer:

© MLA 2021. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.

