

Detailed Saleyard Report - Cattle
 Market information provided by MLA's National Livestock Reporting Service

Toowoomba

report date 30/11/2020

 Yarding 579
 Change 95

comparison date 23/11/2020

Numbers increased by 95 head to 579 at the Toowoomba cattle sale. Very mixed quality young cattle were in the largest numbers, along with a small selection of export processor lines. Buyer attendance was good and included the regular export processors and feeder operators, plus local and interstate restockers. Light weight yearling steers returning to the paddock continued to experience strong support. Yearling steers and heifers to feed for the domestic market sold to very strong competition. However export processor classes of steers, bullocks and cows sold to a much cheaper trend.

Light weight yearling steers returning to the paddock made to 498c to average 479c/kg. Yearling steers to feed averaged 439c and made to 460c/kg. Heavy weight yearling steers to feed made to 410c to average 399c/kg. The best of the light weight yearling heifers to restockers or background made to 430c to average 425c, and secondary lines averaged 395c/kg. Yearling heifers to feed for the domestic market averaged from 408c to 413c and made to 428c/kg.

A couple of bullocks made to 355c and heavy weight grown heifers made to 338c/kg. Medium weight 2 score cows averaged 230c and made to 259c/kg. A handful of good heavy cows averaged 283c and made to 286c/kg.

Category	Sale Prefix	Muscle Score *	Fat Score*	Head	Live Weight c/kg				Estimated Carcase Weight c/kg*			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Vealer Heifer														
200-280														
	FD	C	3	1	426.0	426.0	426.0	N/Q	-	0	0	1129	1129	1,129
				1	426.0	426.0			0	0		1129	1129	
Yearling Steer														
0-200														
	PR	D	2	6	286.0	321.0	291.8	N/Q	520	584	531	472	530	482
	PR	E	2	2	268.0	268.0	268.0	N/Q	487	487	487	442	442	442
	RS	C	2	4	438.0	486.0	462.0	-58	-	0	0	810	899	855
	RS	D	2	1	422.0	422.0	422.0	N/Q	-	0	0	781	781	781
	RS	E	2	4	240.0	244.0	243.0	N/Q	-	0	0	305	396	328
200-280														
	PR	D	2	13	331.0	331.0	331.0	N/Q	602	602	602	877	877	877
	RS	C	2	57	424.0	498.2	478.9	4	-	0	0	996	1299	1,209
	RS	D	2	13	350.0	414.0	398.9	-11	-	0	0	803	1087	1,028
280-330														
	FD	C	2	14	418.0	450.0	438.4	-13	-	0	0	1254	1350	1,315
	FD	D	2	4	348.0	410.0	394.5	55	-	0	0	1044	1230	1,184
	PR	C	2	2	400.0	400.0	400.0	N/Q	727	727	727	1200	1200	1,200
	PR	C	3	1	406.0	406.0	406.0	N/Q	738	738	738	1157	1157	1,157
	PR	D	2	11	322.0	402.0	332.0	N/Q	585	731	604	918	1146	946
	RS	D	2	6	402.0	402.0	402.0	N/Q	-	0	0	1206	1206	1,206
	RS	E	2	2	270.0	270.0	270.0	N/Q	-	0	0	810	810	810
330-400														
	FD	C	2	69	422.0	460.0	439.4	7	-	0	0	1427	1725	1,624
	FD	D	2	8	320.0	354.0	341.8	27	-	0	0	1200	1363	1,295
	FD	D	3	10	350.0	360.0	356.0	N/Q	-	0	0	1225	1386	1,322
	FD	E	2	3	262.0	272.0	265.3	N/Q	-	0	0	956	993	969

Category Weight	Sale Prefix	Muscle Score *	Fat Score*	Head	Live Weight c/kg				Estimated Carcase Weight c/kg*			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400+	PR	D	2	2	331.0	331.0	331.0	N/Q	602	602	602	1159	1159	1,159
	PR	D	3	1	390.0	390.0	390.0	N/Q	709	709	709	1463	1463	1,463
	FD	C	2	36	382.0	410.0	399.1	-15	-	-	0	1624	1888	1,763
	FD	D	2	6	346.0	372.0	356.7	2	-	-	0	1471	1581	1,516
				275	240.0	498.2			487	738		305	1888	
Yearling Heifer														
0-200														
	PR	D	2	1	378.0	378.0	378.0	N/Q	700	700	700	624	624	624
	RS	D	2	5	308.0	370.0	332.8	-65	-	-	0	508	685	579
200-280														
	PR	C	2	2	416.0	416.0	416.0	N/Q	770	770	770	1040	1040	1,040
	PR	D	2	9	360.0	400.0	374.4	-36	667	741	693	954	1073	1,005
	RS	C	2	12	416.0	430.0	425.3	-17	-	-	0	1102	1183	1,156
	RS	D	2	20	382.0	402.0	395.0	-23	-	-	0	898	1065	1,018
	RS	E	2	10	246.0	280.0	263.4	N/Q	-	-	0	652	742	698
280-330														
	FD	C	2	19	404.0	428.0	413.0	-26	-	-	0	1151	1260	1,203
	FD	D	2	10	370.0	370.0	370.0	N/Q	-	-	0	1110	1110	1,110
	PR	D	2	7	326.0	326.0	326.0	22	604	604	604	929	929	929
330-400														
	FD	C	2	5	340.0	382.0	362.8	-7	-	-	0	1260	1309	1,283
	FD	C	3	18	394.0	428.0	408.2	16	-	-	0	1517	1648	1,572
	FD	D	2	5	322.0	348.0	336.0	-24	-	-	0	1079	1340	1,235
	PR	D	3	2	331.0	331.0	331.0	N/Q	613	613	613	1274	1274	1,274
	PR	E	2	2	258.0	258.0	258.0	N/Q	496	496	496	942	942	942
400+														
	FD	C	2	1	350.0	350.0	350.0	N/Q	-	-	0	1523	1523	1,523
	FD	C	3	2	364.0	364.0	364.0	5	-	-	0	1547	1547	1,547
	FD	D	2	5	302.0	325.0	320.4	18	-	-	0	1284	1414	1,388
	FD	D	3	2	340.0	340.0	340.0	8	-	-	0	1445	1445	1,445
				137	246.0	430.0			496	770		508	1648	
Grown Steer														
400-500														
	FD	C	2	2	262.0	372.0	317.0	-44	-	-	0	1114	1618	1,366
	FD	C	3	5	357.0	357.0	357.0	N/Q	-	-	0	1607	1607	1,607
	FD	D	2	5	292.0	356.0	342.0	17	-	-	0	1241	1549	1,461
	PR	D	2	1	294.0	294.0	294.0	-7	535	535	535	1250	1250	1,250
	PR	E	2	3	301.0	301.0	301.0	N/Q	547	547	547	1279	1279	1,279
600-750														
	PR	C	3	2	311.0	311.0	311.0	-46	565	565	565	1897	1897	1,897
	PR	C	4	3	355.2	355.2	355.2	-16	634	634	634	2153	2153	2,153
				21	262.0	372.0			535	634		1114	2153	
Grown Heifer														
0-540														

Category	Weight	Sale Prefix	Muscle Score *	Fat Score*	Head	Live Weight c/kg				Estimated Carcase Weight c/kg*			Estimated \$/Head		
						Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		FD	E	2	3	225.0	246.0	239.0	N/Q	-	0	738	821	766	
		PR	C	3	5	306.0	312.0	310.8	N/Q	577	589	586	1301	1326	1,321
		PR	D	2	6	253.0	300.0	287.8	N/Q	527	625	600	923	1192	1,123
		PR	D	3	2	326.0	326.0	326.0	20	615	615	615	1418	1418	1,418
		PR	E	2	1	250.0	250.0	250.0	N/Q	521	521	521	750	750	750
		RS	E	2	4	208.0	230.0	213.5	N/Q	-	0	633	759	728	
540+		PR	C	4	13	329.0	338.0	331.8	N/Q	621	638	626	1974	2028	1,991
		PR	D	3	2	293.0	308.0	300.5	N/Q	563	581	572	1758	1925	1,842
					36	208.0	338.0			521	638		633	2028	
Manufacturing Steer															
540+		PR	D	2	5	239.0	239.0	239.0	N/Q	435	435	435	1520	1520	1,520
		PR	D	3	1	266.0	266.0	266.0	N/Q	484	484	484	2168	2168	2,168
					6	239.0	266.0			435	484		1520	2168	
Cows															
0-400															
		DA	E	1	1	141.0	141.0	141.0	N/Q	-	0	543	543	543	
		PR	E	1	1	130.0	130.0	130.0	N/Q	295	295	295	475	475	475
		RS	E	1	1	168.0	168.0	168.0	N/Q	-	0	613	613	613	
400-520															
		PR	D	1	1	203.0	203.0	203.0	N/Q	461	461	461	883	883	883
		PR	D	2	15	225.0	259.0	229.9	N/Q	489	563	500	987	1204	1,022
		RS	D	2	2	250.0	250.0	250.0	N/Q	-	0	1250	1250	1,250	
520+															
		DA	E	1	1	180.0	180.0	180.0	30	-	0	1017	1017	1,017	
		DA	E	3	1	245.0	245.0	245.0	N/Q	-	0	1379	1379	1,379	
		PR	C	4	1	320.0	320.0	320.0	N/Q	604	604	604	1808	1808	1,808
		PR	D	2	1	251.0	251.0	251.0	-16	512	512	512	1343	1343	1,343
		PR	D	3	3	266.0	277.0	269.7	-20	543	565	550	1583	1731	1,632
		PR	D	4	6	282.0	286.0	283.5	N/Q	553	582	560	1593	1788	1,716
					34	130.0	320.0			295	604		475	1808	
Bulls															
0-450															
		FD	C	3	3	344.0	344.0	344.0	26	-	0	1324	1324	1,324	
		FD	D	2	3	296.0	350.0	332.0	64	-	0	1258	1348	1,318	
		PR	C	2	7	269.0	364.0	296.1	-106	489	662	538	1157	1401	1,227
		PR	D	2	24	268.0	380.0	346.5	N/Q	487	691	630	705	1140	1,032
		RS	D	2	8	238.0	258.0	245.5	-105	-	0	714	993	819	
		RS	E	2	1	210.0	210.0	210.0	N/Q	-	0	494	494	494	
450-600															
		PR	C	3	1	286.0	286.0	286.0	N/Q	520	520	520	1616	1616	1,616
600+															
		PR	C	2	1	281.0	281.0	281.0	N/Q	502	502	502	1756	1756	1,756
		PR	C	3	2	295.0	300.0	297.5	-33	527	536	531	2508	2850	2,679

Category Weight	Sale Prefix	Muscle Score *	Fat Score*	Head	Live Weight c/kg				Estimated Carcase Weight c/kg*			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
				50	210.0	380.0			487	691		494	2850	

DA - Dairy, FD - Feeder, GF - Grainfed, PR - Processor, LE - Live Export, PC - Pastoral Cattle, PT - PTIC, RS - Restocker

* Fields populated with N/A indicate the unavailability of animal assessment at the time of publishing

Disclaimer:

© MLA 2020. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.

