

## Detailed Saleyard Report - Cattle

Market information provided by MLA's National Livestock Reporting Service

### Charters Towers (Dalrymple)

report date 26/06/2019

Yarding 2705  
 Change 1198

comparison date 19/06/2019

Numbers increased by 1198 head to 2705 cattle in Charters Towers, featuring some good lines of prime bullocks and cows in addition to northern stores steers and heifers. One regular processor was again absent with most prime cattle improving 4c to 6c, while 2 live exporters operated at similar rates along with two feeder buyers and several opportunity restockers and backgrounders. Light store steers improved in line with quality, and well grown heifers sold to stronger rates. Cattle were drawn from Mt Isa, Burketown, Croydon, Mt Garnet, Pentland, Collinsville, local and coastal areas.

Light steer calves sold easier, while increased numbers of vealer steer lines generally improved in price. Vealer heifers improved throughout, particularly heavier types to restockers. Yearling steers to live export improved on last sale, and steers to feed also improved. Yearling heifers sold up to 4c/kg higher and a few grown heifers sold firm. Grown steers to feed improved by 4c and heavy bullocks to export slaughter improved by 4c/kg. Heavy 3 score cows improved by 15c and medium weight 2 score cows increased by 9c/kg. Heavy bulls to live export sold firm on previous weeks.

Steer calves sold to 286c to average 262c, while light vealer steers sold to 272c to average 260c/kg. Light vealer heifers to restockers sold to 199c, averaging 197c and lines above 280kg sold to 196c to average 175c/kg. Light yearling steers to restockers made to 258c to average 255c and steers to live export topped at 268c multiple times to average 261c/kg. Yearling heifers returning to the paddock sold to 182c, averaging 179c and PTIC heifers made to 194c/kg. Heavy grown steers to feed destined for live export made to 256c and heavy bullocks to live export made to 271c to average 264c/kg. Suitable bullocks for live export backgrounded to feed averaged 271c/kg.

Heavy 3 score cows to slaughter sold to 185c to average 184c and heavy D muscled cows made to 186c to average 162c/kg. Medium weight 2 score cows to slaughter sold to 128c to average 117c and better quality lighter cows to restockers sold to 127c/kg. Heavy bulls to live export made to 286c to average 280c and similar types to feed destined for live export sold to 277c to average 268c/kg. Bulls from 280kg to 400kg to live export sold to 288c to average 280c/kg. Young males to restockers made to 280c with better quality types averaging 266c/kg.

A small number of cows and calves sold to \$880/unit.

| Category             | Sale Weight | Muscle Prefix | Muscle Score | Fat Score | Head  | Live Weight c/kg |       |     |        | Estimated Carcase Weight c/kg |      |      | Estimated \$/Head |       |     |
|----------------------|-------------|---------------|--------------|-----------|-------|------------------|-------|-----|--------|-------------------------------|------|------|-------------------|-------|-----|
|                      |             |               |              |           |       | Low              | High  | Avg | Change | Low                           | High | Avg  | Low               | High  | Avg |
| <b>Calves</b>        |             |               |              |           |       |                  |       |     |        |                               |      |      |                   |       |     |
| 80+                  | FD          | C             | 2            | 8         | 140.0 | 284.0            | 266.0 | N/Q | -      | -                             | -    | 301  | 511               | 485   |     |
|                      | FD          | D             | 2            | 2         | 120.0 | 120.0            | 120.0 | N/Q | -      | -                             | -    | 204  | 204               | 204   |     |
|                      | RS          | C             | 2            | 29        | 164.0 | 286.0            | 182.0 | -21 | -      | -                             | -    | 343  | 400               | 356   |     |
|                      | RS          | D             | 2            | 6         | 270.0 | 270.0            | 270.0 | 45  | -      | -                             | -    | 581  | 581               | 581   |     |
|                      |             |               |              | 45        | 120.0 | 286.0            |       |     | 0      | 0                             |      | 204  | 581               |       |     |
| <b>Vealer Steer</b>  |             |               |              |           |       |                  |       |     |        |                               |      |      |                   |       |     |
| 0-200                | RS          | D             | 2            | 19        | 264.0 | 264.0            | 264.0 | N/Q | -      | -                             | -    | 528  | 528               | 528   |     |
| 200-280              | FD          | C             | 2            | 30        | 274.0 | 274.0            | 274.0 | N/Q | -      | -                             | -    | 740  | 740               | 740   |     |
|                      | FD          | D             | 2            | 53        | 252.0 | 266.0            | 259.7 | N/Q | -      | -                             | -    | 572  | 647               | 621   |     |
|                      | FD          | E             | 2            | 1         | 115.0 | 115.0            | 115.0 | N/Q | -      | -                             | -    | 247  | 247               | 247   |     |
|                      | RS          | C             | 2            | 132       | 242.0 | 268.0            | 260.2 | N/Q | -      | -                             | -    | 587  | 694               | 656   |     |
|                      | RS          | D             | 2            | 79        | 230.0 | 272.0            | 252.9 | 2   | -      | -                             | -    | 554  | 598               | 566   |     |
|                      | RS          | E             | 2            | 3         | 154.0 | 154.0            | 154.0 | N/Q | -      | -                             | -    | 331  | 331               | 331   |     |
| 280-330              | FD          | C             | 2            | 24        | 260.0 | 260.0            | 260.0 | N/Q | -      | -                             | -    | 741  | 741               | 741   |     |
|                      | RS          | C             | 2            | 42        | 252.0 | 253.0            | 252.2 | N/Q | -      | -                             | -    | 743  | 810               | 758   |     |
| 330+                 | FD          | C             | 2            | 15        | 251.0 | 251.0            | 251.0 | N/Q | -      | -                             | -    | 1079 | 1079              | 1,079 |     |
|                      | RS          | C             | 2            | 34        | 252.0 | 252.0            | 252.0 | N/Q | -      | -                             | -    | 844  | 844               | 844   |     |
|                      |             |               |              | 432       | 115.0 | 274.0            |       |     | 0      | 0                             |      | 247  | 1079              |       |     |
| <b>Vealer Heifer</b> |             |               |              |           |       |                  |       |     |        |                               |      |      |                   |       |     |
| 0-200                | RS          | D             | 2            | 27        | 196.0 | 199.0            | 197.3 | N/Q | -      | -                             | -    | 323  | 378               | 348   |     |

| Category Weight | Sale Prefix | Muscle Score | Fat Score | Head | Live Weight c/kg |         |       |        | Estimated Carcase Weight c/kg |       |     | Estimated \$/Head |        |       |
|-----------------|-------------|--------------|-----------|------|------------------|---------|-------|--------|-------------------------------|-------|-----|-------------------|--------|-------|
|                 |             |              |           |      | Low              | High    | Avg   | Change | Low                           | High  | Avg | Low               | High   | Avg   |
| 200-280         | FD          | C            | 2         | 9    | 170.0            | - 170.0 | 170.0 | N/Q    | -                             | -     | -   | 459               | - 459  | 459   |
|                 | FD          | D            | 2         | 52   | 110.0            | - 184.0 | 171.1 | N/Q    | -                             | -     | -   | 253               | - 497  | 468   |
|                 | PR          | C            | 2         | 1    | 164.0            | - 164.0 | 164.0 | N/Q    | 315                           | - 315 | 315 | 451               | - 451  | 451   |
|                 | RS          | C            | 2         | 13   | 172.0            | - 172.0 | 172.0 | N/Q    | -                             | -     | -   | 378               | - 378  | 378   |
|                 | RS          | D            | 2         | 113  | 94.0             | - 196.0 | 174.5 | 65     | -                             | -     | -   | 254               | - 479  | 440   |
| 280-330         | FD          | C            | 2         | 17   | 176.0            | - 176.0 | 176.0 | N/Q    | -                             | -     | -   | 502               | - 502  | 502   |
|                 | FD          | D            | 2         | 11   | 178.0            | - 178.0 | 178.0 | N/Q    | -                             | -     | -   | 507               | - 507  | 507   |
|                 | RS          | C            | 2         | 1    | 172.0            | - 172.0 | 172.0 | 14     | -                             | -     | -   | 533               | - 533  | 533   |
|                 | RS          | D            | 2         | 2    | 148.0            | - 148.0 | 148.0 | N/Q    | -                             | -     | -   | 429               | - 429  | 429   |
| 330+            | RS          | C            | 2         | 3    | 184.0            | - 186.0 | 184.7 | N/Q    | -                             | -     | -   | 616               | - 623  | 619   |
|                 |             |              |           | 249  | 94.0             | - 199.0 |       |        | 315                           | - 315 |     | 253               | - 623  |       |
| Yearling Steer  |             |              |           |      |                  |         |       |        |                               |       |     |                   |        |       |
| 200-280         | FD          | E            | 2         | 4    | 130.0            | - 130.0 | 130.0 | N/Q    | -                             | -     | -   | 364               | - 364  | 364   |
|                 | RS          | D            | 2         | 65   | 238.0            | - 258.0 | 255.5 | 55     | -                             | -     | -   | 597               | - 697  | 654   |
| 280-330         | FD          | C            | 2         | 11   | 226.0            | - 250.0 | 242.7 | N/Q    | -                             | -     | -   | 712               | - 825  | 787   |
|                 | FD          | D            | 2         | 3    | 80.0             | - 220.0 | 173.3 | N/Q    | -                             | -     | -   | 260               | - 704  | 534   |
|                 | LE          | C            | 2         | 6    | 252.0            | - 252.0 | 252.0 | N/C    | -                             | -     | -   | 794               | - 794  | 794   |
|                 | LE          | D            | 2         | 60   | 251.0            | - 256.0 | 254.7 | N/Q    | -                             | -     | -   | 794               | - 819  | 806   |
|                 | RS          | C            | 2         | 12   | 250.0            | - 250.0 | 250.0 | N/Q    | -                             | -     | -   | 775               | - 775  | 775   |
|                 | RS          | D            | 2         | 1    | 202.0            | - 202.0 | 202.0 | -21    | -                             | -     | -   | 626               | - 626  | 626   |
| 330-400         | FD          | C            | 2         | 2    | 236.0            | - 236.0 | 236.0 | N/Q    | -                             | -     | -   | 802               | - 802  | 802   |
|                 | FD          | D            | 2         | 13   | 200.0            | - 226.0 | 224.0 | N/Q    | -                             | -     | -   | 720               | - 870  | 859   |
|                 | LE          | C            | 2         | 20   | 250.0            | - 265.0 | 261.1 | 9      | -                             | -     | -   | 900               | - 1007 | 981   |
|                 | RS          | C            | 2         | 3    | 230.0            | - 230.0 | 230.0 | N/Q    | -                             | -     | -   | 863               | - 863  | 863   |
| 400+            | FD          | C            | 2         | 1    | 220.0            | - 220.0 | 220.0 | N/Q    | -                             | -     | -   | 979               | - 979  | 979   |
|                 | FD          | C            | 3         | 16   | 247.0            | - 247.0 | 247.0 | N/Q    | -                             | -     | -   | 1062              | - 1062 | 1,062 |
|                 | PR          | C            | 3         | 9    | 256.0            | - 264.0 | 261.3 | N/Q    | 483                           | - 498 | 493 | 1190              | - 1228 | 1,215 |
|                 |             |              | 226       | 80.0 | - 265.0          |         |       | 483    | - 498                         |       | 260 | - 1228            |        |       |
| Yearling Heifer |             |              |           |      |                  |         |       |        |                               |       |     |                   |        |       |
| 200-280         | FD          | D            | 2         | 10   | 164.0            | - 164.0 | 164.0 | N/Q    | -                             | -     | -   | 459               | - 459  | 459   |
|                 | RS          | D            | 2         | 29   | 116.0            | - 150.0 | 147.7 | N/Q    | -                             | -     | -   | 319               | - 390  | 385   |
|                 | RS          | E            | 2         | 21   | 116.0            | - 116.0 | 116.0 | N/Q    | -                             | -     | -   | 325               | - 325  | 325   |
| 280-330         | FD          | C            | 2         | 1    | 157.0            | - 157.0 | 157.0 | N/Q    | -                             | -     | -   | 495               | - 495  | 495   |
|                 | FD          | D            | 2         | 21   | 150.0            | - 158.0 | 154.2 | 34     | -                             | -     | -   | 465               | - 490  | 482   |
| 330-400         | FD          | C            | 2         | 71   | 176.0            | - 182.0 | 179.5 | 41     | -                             | -     | -   | 651               | - 690  | 660   |
|                 | FD          | D            | 2         | 7    | 182.0            | - 182.0 | 182.0 | N/Q    | -                             | -     | -   | 610               | - 610  | 610   |
|                 | PR          | D            | 2         | 10   | 180.0            | - 180.0 | 180.0 | 52     | 346                           | - 346 | 346 | 612               | - 612  | 612   |
|                 | PR          | D            | 3         | 1    | 170.0            | - 170.0 | 170.0 | -4     | 321                           | - 321 | 321 | 646               | - 646  | 646   |
|                 | PT          | C            | 2         | 8    | 194.0            | - 194.0 | 194.0 | N/Q    | -                             | -     | -   | 766               | - 766  | 766   |
| 400+            | RS          | C            | 2         | 7    | 184.0            | - 200.0 | 190.9 | 4      | -                             | -     | -   | 653               | - 780  | 708   |
|                 | FD          | D            | 2         | 2    | 180.0            | - 192.0 | 186.0 | N/Q    | -                             | -     | -   | 738               | - 797  | 767   |
|                 | PR          | C            | 3         | 5    | 211.0            | - 211.0 | 211.0 | -6     | 398                           | - 398 | 398 | 918               | - 918  | 918   |
|                 | PT          | C            | 2         | 27   | 190.0            | - 190.0 | 190.0 | N/Q    | -                             | -     | -   | 779               | - 779  | 779   |

| Category Weight     | Sale Prefix | Muscle Score | Fat Score | Head | Live Weight c/kg |       |       |        | Estimated Carcase Weight c/kg |      |     | Estimated \$/Head |      |       |
|---------------------|-------------|--------------|-----------|------|------------------|-------|-------|--------|-------------------------------|------|-----|-------------------|------|-------|
|                     |             |              |           |      | Low              | High  | Avg   | Change | Low                           | High | Avg | Low               | High | Avg   |
|                     |             |              |           | 220  | 116.0            | 211.0 |       |        | 321                           | 398  |     | 319               | 918  |       |
| Grown Steer         |             |              |           |      |                  |       |       |        |                               |      |     |                   |      |       |
| 0-400               | FD          | C            | 2         | 14   | 223.0            | 223.0 | 223.0 | N/Q    | -                             |      |     | 769               | 769  | 769   |
|                     | FD          | D            | 2         | 4    | 248.0            | 248.0 | 248.0 | N/Q    | -                             |      |     | 980               | 980  | 980   |
|                     | RS          | D            | 2         | 1    | 90.0             | 90.0  | 90.0  | N/Q    | -                             |      |     | 243               | 243  | 243   |
| 400-500             | FD          | C            | 2         | 12   | 233.0            | 248.0 | 239.5 | N/Q    | -                             |      |     | 1016              | 1190 | 1,050 |
|                     | FD          | C            | 3         | 1    | 240.0            | 240.0 | 240.0 | N/Q    | -                             |      |     | 1116              | 1116 | 1,116 |
|                     | FD          | D            | 2         | 1    | 253.0            | 253.0 | 253.0 | N/Q    | -                             |      |     | 1214              | 1214 | 1,214 |
|                     | FD          | D            | 3         | 1    | 252.0            | 252.0 | 252.0 | N/Q    | -                             |      |     | 1159              | 1159 | 1,159 |
|                     | PR          | C            | 3         | 2    | 200.0            | 200.0 | 200.0 | N/Q    | 377                           | 377  | 377 | 840               | 840  | 840   |
|                     | RS          | C            | 2         | 1    | 230.0            | 230.0 | 230.0 | 22     | -                             |      |     | 1116              | 1116 | 1,116 |
| 500-600             | FD          | C            | 2         | 12   | 256.0            | 256.0 | 256.0 | N/Q    | -                             |      |     | 1306              | 1306 | 1,306 |
|                     | PR          | C            | 3         | 2    | 220.0            | 220.0 | 220.0 | -20    | 415                           | 415  | 415 | 1188              | 1188 | 1,188 |
|                     |             |              |           | 51   | 90.0             | 256.0 |       |        | 377                           | 415  |     | 243               | 1306 |       |
| Grown Heifer        |             |              |           |      |                  |       |       |        |                               |      |     |                   |      |       |
| 0-540               | FD          | D            | 2         | 1    | 134.0            | 134.0 | 134.0 | N/Q    | -                             |      |     | 509               | 509  | 509   |
|                     | PR          | C            | 3         | 2    | 199.0            | 199.0 | 199.0 | 24     | 375                           | 375  | 375 | 935               | 935  | 935   |
|                     | PR          | D            | 3         | 10   | 175.0            | 183.0 | 177.4 | N/Q    | 337                           | 352  | 341 | 718               | 769  | 733   |
|                     | RS          | C            | 2         | 4    | 156.0            | 156.0 | 156.0 | N/Q    | -                             |      |     | 640               | 640  | 640   |
|                     |             |              |           | 17   | 134.0            | 199.0 |       |        | 337                           | 375  |     | 509               | 935  |       |
| Manufacturing Steer |             |              |           |      |                  |       |       |        |                               |      |     |                   |      |       |
| 0-540               | PR          | C            | 3         | 13   | 260.0            | 264.0 | 262.5 | 2      | 481                           | 489  | 486 | 1346              | 1409 | 1,373 |
|                     | PR          | D            | 2         | 6    | 60.0             | 85.0  | 64.2  | N/Q    | 133                           | 163  | 138 | 189               | 306  | 209   |
|                     | PR          | D            | 3         | 5    | 228.0            | 261.0 | 254.4 | 55     | 430                           | 492  | 480 | 1060              | 1357 | 1,298 |
| 540+                | PR          | C            | 3         | 33   | 252.0            | 271.0 | 264.3 | -4     | 475                           | 494  | 484 | 1373              | 1748 | 1,644 |
|                     | PR          | D            | 2         | 1    | 183.0            | 183.0 | 183.0 | N/Q    | 345                           | 345  | 345 | 1153              | 1153 | 1,153 |
|                     | PR          | D            | 3         | 7    | 130.0            | 262.0 | 226.4 | -33    | 245                           | 485  | 420 | 728               | 1729 | 1,470 |
|                     |             |              |           | 65   | 60.0             | 271.0 |       |        | 133                           | 494  |     | 189               | 1748 |       |
| Cows                |             |              |           |      |                  |       |       |        |                               |      |     |                   |      |       |
| 0-400               | FD          | D            | 1         | 3    | 51.0             | 51.0  | 51.0  | N/Q    | -                             |      |     | 173               | 173  | 173   |
|                     | FD          | D            | 2         | 3    | 119.0            | 119.0 | 119.0 | N/Q    | -                             |      |     | 464               | 464  | 464   |
|                     | FD          | E            | 1         | 3    | 10.0             | 30.0  | 23.3  | N/Q    | -                             |      |     | 27                | 87   | 67    |
|                     | PR          | D            | 2         | 57   | 105.0            | 128.0 | 116.8 | 9      | 226                           | 274  | 250 | 399               | 499  | 457   |
|                     | RS          | D            | 1         | 26   | 55.0             | 127.0 | 97.1  | 2      | -                             |      |     | 204               | 482  | 369   |
|                     | RS          | D            | 2         | 40   | 100.0            | 115.0 | 109.1 | 11     | -                             |      |     | 360               | 426  | 407   |
|                     | RS          | E            | 1         | 2    | 80.0             | 80.0  | 80.0  | 28     | -                             |      |     | 272               | 272  | 272   |
| 400-520             | FD          | D            | 2         | 2    | 141.0            | 160.0 | 150.5 | N/Q    | -                             |      |     | 592               | 664  | 628   |
|                     | PR          | C            | 3         | 33   | 179.0            | 185.0 | 184.5 | 19     | 365                           | 370  | 370 | 850               | 953  | 894   |
|                     | PR          | C            | 4         | 1    | 178.0            | 178.0 | 178.0 | N/Q    | 356                           | 356  | 356 | 908               | 908  | 908   |
|                     | PR          | D            | 2         | 42   | 110.0            | 161.0 | 127.5 | -21    | 239                           | 335  | 272 | 482               | 692  | 556   |
|                     | PR          | D            | 3         | 108  | 143.0            | 186.0 | 162.2 | 4      | 292                           | 380  | 337 | 629               | 902  | 735   |
|                     | RS          | D            | 2         | 9    | 126.0            | 127.0 | 126.2 | -6     | -                             |      |     | 514               | 529  | 526   |
|                     | RS          | D            | 3         | 8    | 179.0            | 179.0 | 179.0 | 59     | -                             |      |     | 832               | 832  | 832   |

| Category Weight | Sale Prefix | Muscle Score | Fat Score | Head | Live Weight c/kg |         |       |        | Estimated Carcase Weight c/kg |       |     | Estimated \$/Head |        |       |
|-----------------|-------------|--------------|-----------|------|------------------|---------|-------|--------|-------------------------------|-------|-----|-------------------|--------|-------|
|                 |             |              |           |      | Low              | High    | Avg   | Change | Low                           | High  | Avg | Low               | High   | Avg   |
| 520+            | PR          | C            | 3         | 5    | 180.0            | - 180.0 | 180.0 | 2      | 360                           | - 360 | 360 | 954               | - 954  | 954   |
|                 | PR          | D            | 4         | 1    | 167.0            | - 167.0 | 167.0 | N/Q    | 341                           | - 341 | 341 | 902               | - 902  | 902   |
|                 |             |              |           | 343  | 10.0             | 186.0   |       |        | 226                           | 380   |     | 27                | 954    |       |
| <b>Bulls</b>    |             |              |           |      |                  |         |       |        |                               |       |     |                   |        |       |
| 0-450           | FD          | C            | 2         | 109  | 235.0            | - 284.0 | 261.6 | N/Q    | -                             | -     | -   | 588               | - 1150 | 810   |
|                 | FD          | D            | 2         | 64   | 220.0            | - 268.0 | 245.5 | 150    | -                             | -     | -   | 551               | - 956  | 704   |
|                 | LE          | C            | 2         | 80   | 255.0            | - 288.0 | 279.7 | 23     | -                             | -     | -   | 686               | - 1108 | 923   |
|                 | RS          | C            | 2         | 173  | 230.0            | - 280.0 | 266.5 | 23     | -                             | -     | -   | 529               | - 699  | 606   |
|                 | RS          | D            | 2         | 272  | 240.0            | - 264.0 | 253.0 | -7     | -                             | -     | -   | 397               | - 741  | 500   |
| 450-600         | FD          | C            | 2         | 33   | 150.0            | - 277.0 | 267.9 | 74     | -                             | -     | -   | 885               | - 1648 | 1,538 |
|                 | FD          | D            | 1         | 9    | 170.0            | - 190.0 | 183.6 | 24     | -                             | -     | -   | 804               | - 969  | 917   |
|                 | FD          | D            | 2         | 8    | 100.0            | - 268.0 | 204.8 | -7     | -                             | -     | -   | 510               | - 1581 | 1,048 |
|                 | PR          | D            | 3         | 1    | 250.0            | - 250.0 | 250.0 | N/Q    | 463                           | - 463 | 463 | 1475              | - 1475 | 1,475 |
|                 | RS          | C            | 2         | 2    | 284.0            | - 284.0 | 284.0 | N/Q    | -                             | -     | -   | 1534              | - 1534 | 1,534 |
| 600+            | FD          | C            | 2         | 15   | 170.0            | - 171.0 | 170.9 | 11     | -                             | -     | -   | 1043              | - 1292 | 1,060 |
|                 | FD          | C            | 3         | 22   | 210.0            | - 277.0 | 265.4 | -6     | -                             | -     | -   | 1407              | - 1775 | 1,722 |
|                 | LE          | C            | 2         | 1    | 286.0            | - 286.0 | 286.0 | 13     | -                             | -     | -   | 1888              | - 1888 | 1,888 |
|                 | LE          | C            | 3         | 4    | 274.0            | - 283.0 | 279.5 | 7      | -                             | -     | -   | 1671              | - 1726 | 1,705 |
|                 | PR          | C            | 2         | 3    | 188.0            | - 188.0 | 188.0 | N/Q    | 348                           | - 348 | 348 | 1166              | - 1166 | 1,166 |
|                 |             |              |           | 796  | 100.0            | 288.0   |       |        | 348                           | 463   |     | 397               | 1888   |       |

DA - Dairy, FD - Feeder, GF - Grainfed, PR - Processor, LE - Live Export, PC - Pastoral Cattle, PT - PTIC, RS - Restocker

Disclaimer:

© MLA 2019. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.

