

## Detailed Saleyard Report - Cattle

Market information provided by MLA's National Livestock Reporting Service

### Dalby

report date 22/05/2019

Yarding 5754  
 Change -1375

comparison date 15/05/2019

The supply of stock reduced by 1,375 head to 5,754. A full panel of export processors returned to the buying panel and all were operating, along with the regular feeder buyers, and some additional restockers. Light weight yearling steers to restockers were well supplied and averaged 9c/kg better. Medium yearling steers to feed improved by 12c, and heavy weight yearling steers to feed gained 9c/kg. Light weight yearling heifers to restockers or background lifted in price by 21c/kg. Medium weight yearling heifers to feed experienced very little change in price. A lift in the quality of the heavy weight yearling heifers to feed improved average prices by 28c/kg. A relatively small selection of heavy grown steers and bullocks averaged 7c to 8c/kg better. Plain condition cows averaged 11c dearer, while the better condition cows lifted in price by 2c to 5c/kg.

Steer calves returning to the paddock made to 260.2c to average 247c, and heifer calves mainly sold close to 165c/kg. A large number of light weight yearling steers sold to restockers at 249c, with the occasional pen to 288.2c/kg. Medium weight yearling steers to feed averaged 275c, with one large consignment reaching 289.2c/kg. Heavy weight yearling steers to feed made to a top of 302.2c to average 288c/kg. A large selection of light weight yearling heifers mainly sold for close to 207c, with sales to 239.2c/kg. The better end of the medium weight yearling heifers to feed averaged 237c and made to 246.2c/kg. The best of the heavy weight yearling heifers to feed made to a top of 274.2c to average 260c/kg.

A few heavy grown steers to export process made to 293.2c to average 285c, and a small number of bullocks made to 294.2c, while full mouth bullocks averaged 279c/kg. Medium weight poor condition cows averaged 140c, and the better 2 scores averaged 164c, making to 176.2c/kg. Good heavy cows mainly sold close to 204c, with a few pens to 220.2c/kg. Heavy bulls made to 280c/kg.

Category	Sale Weight	Muscle Prefix	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Calves</b>														
80+	RS	C	2	130	210.0	260.2	246.8	30	-	-	-	378	478	436
	RS	D	2	160	118.2	196.2	164.7	6	-	-	-	160	363	288
				290	118.2	260.2			0	0		160	478	
<b>Yearling Steer</b>														
200-280	PR	D	2	2	130.0	130.0	130.0	N/Q	236	236	236	267	267	267
	RS	C	2	876	198.0	288.2	249.5	9	-	-	-	454	754	588
	RS	D	2	42	160.0	198.2	191.7	23	-	-	-	394	450	410
280-330	FD	C	2	146	234.2	283.2	253.0	4	-	-	-	684	850	758
	FD	C	3	35	243.2	243.2	243.2	N/Q	-	-	-	778	778	778
	RS	C	2	65	226.2	279.2	255.8	26	-	-	-	679	829	765
	RS	D	2	5	200.0	200.0	200.0	18	-	-	-	600	600	600
330-400	FD	C	2	435	246.2	289.2	275.3	12	-	-	-	845	1075	964
	FD	C	3	142	250.2	265.0	255.6	N/Q	-	-	-	851	994	903
	FD	D	2	20	230.0	236.2	232.9	5	-	-	-	805	894	876
	RS	C	2	25	242.2	252.2	250.0	N/Q	-	-	-	848	883	863
	RS	D	2	16	205.2	238.2	218.7	N/Q	-	-	-	687	798	733
400+	FD	C	2	226	270.0	302.2	287.9	9	-	-	-	1119	1359	1,241
	FD	C	3	11	285.2	285.2	285.2	12	-	-	-	1326	1326	1,326
	FD	D	2	108	230.0	265.0	246.3	-5	-	-	-	978	1126	1,047
	PR	C	3	29	280.2	284.2	282.9	22	509	517	514	1195	1378	1,283
				2183	130.0	302.2			236	517		267	1378	
<b>Yearling Heifer</b>														
200-280	FD	C	2	8	206.2	206.2	206.2	-4	-	-	-	516	516	516

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
280-330	PR	C	2	50	166.2	202.2	185.8	-4	308	374	345	391	475	432
	RS	C	2	444	160.2	239.2	207.1	21	-	-	-	337	562	481
	RS	D	2	40	118.2	155.0	139.2	1	-	-	-	242	354	320
	FD	C	2	42	201.2	234.2	223.1	13	-	-	-	604	703	663
	FD	D	2	2	176.2	176.2	176.2	23	-	-	-	529	529	529
	PR	C	2	30	200.0	224.2	209.2	2	370	415	387	570	673	615
330-400	PR	D	2	2	170.0	170.0	170.0	N/Q	315	315	315	485	485	485
	RS	C	2	14	202.2	216.2	205.2	1	-	-	-	576	649	598
	RS	D	2	13	194.2	194.2	194.2	N/Q	-	-	-	583	583	583
	FD	C	2	105	210.2	244.2	228.9	N/C	-	-	-	724	940	809
	FD	C	3	102	230.0	246.2	237.4	-6	-	-	-	805	977	868
	FD	D	2	71	70.0	220.0	195.5	15	-	-	-	245	792	696
400+	PR	C	2	6	212.2	212.2	212.2	N/C	393	393	393	775	775	775
	PR	C	3	10	221.2	230.2	227.5	3	410	426	421	741	829	802
	PR	D	2	18	176.2	196.2	182.6	3	326	363	338	599	657	622
	PR	D	3	5	210.0	210.0	210.0	N/Q	389	389	389	767	767	767
	FD	C	2	109	210.0	240.2	227.3	3	-	-	-	893	1023	973
	FD	C	3	90	228.2	274.2	259.6	28	-	-	-	1006	1234	1,145
	FD	D	2	30	194.2	210.0	207.9	N/Q	-	-	-	845	893	886
	PR	C	2	22	226.2	236.2	230.7	N/Q	419	437	427	961	1004	981
	PR	C	3	17	240.0	255.2	250.7	20	444	473	464	1044	1365	1,271
					1230	70.0	274.2			308	473		242	1365
Grown Steer														
400-500	FD	C	2	77	242.2	291.2	260.6	-7	-	-	-	1005	1238	1,106
	FD	C	3	21	254.2	260.2	255.6	N/Q	-	-	-	1080	1171	1,102
	FD	D	2	5	200.0	200.0	200.0	15	-	-	-	870	870	870
	PR	C	3	11	242.2	246.2	245.5	N/Q	440	448	446	1029	1046	1,043
	PR	C	4	7	295.0	295.0	295.0	N/Q	527	527	527	1451	1451	1,451
500-600	PR	C	3	51	256.2	275.2	265.7	8	466	500	483	1337	1462	1,387
	PR	C	4	42	273.2	293.2	285.0	8	488	524	509	1507	1601	1,543
600-750	PR	C	3	18	265.2	270.2	269.6	N/Q	482	491	490	1658	1756	1,745
	PR	C	4	10	286.2	294.2	289.3	7	511	525	517	1809	1960	1,902
				242	200.0	295.0			440	527		870	1960	
Grown Heifer														
0-540	FD	D	2	57	150.2	182.2	170.7	-23	-	-	-	698	774	749
	FD	D	3	2	210.0	210.0	210.0	9	-	-	-	977	977	977
	PR	C	3	24	212.2	231.2	223.3	N/Q	400	436	421	902	1006	962
	PR	C	4	33	240.2	266.2	259.2	14	453	502	489	1117	1327	1,240
	PR	D	2	2	190.0	190.0	190.0	7	396	396	396	922	922	922
	PR	D	3	51	208.2	242.2	222.8	25	400	466	427	937	1126	1,014
	RS	D	1	28	136.2	146.2	141.9	-12	-	-	-	477	512	497
	RS	D	3	9	204.2	204.2	204.2	N/Q	-	-	-	868	868	868
	RS	E	1	5	66.2	66.2	66.2	N/Q	-	-	-	199	199	199

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head					
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg			
540+	PR	C	4	43	273.2	-	279.2	277.1	N/Q	515	-	527	523	1503	-	1661	1,568
				1	192.2	-	192.2	192.2	N/Q	363	-	363	363	1086	-	1086	1,086
	255	66.2	-	279.2				363	-	527			199	-	1661		
Manufacturing Steer																	
540+	PR	C	4	35	278.2	-	281.2	279.5	N/Q	502	-	508	506	1647	-	1761	1,696
				35	278.2	-	281.2				502	-	508			1647	-
Cows																	
0-400	PR	D	1	43	100.0	-	141.2	121.0	23	227	-	321	275	350	-	565	467
				6	60.0	-	71.2	63.7	-7	136	-	162	145	216	-	285	239
	RS	D	1	31	118.2	-	134.2	125.7	14		-			456	-	537	482
				18	58.2	-	100.2	96.0	N/Q		-			204	-	389	371
400-520	PR	D	1	43	120.0	-	155.0	139.7	11	273	-	352	317	522	-	674	606
				187	147.2	-	176.2	164.2	4	320	-	383	357	640	-	881	763
	PR	D	3	55	171.2	-	189.2	176.7	-2	349	-	386	361	811	-	926	878
				3	196.0	-	196.0	196.0	6	384	-	384	384	913	-	913	913
				13	136.2	-	146.2	139.4	-1		-			579	-	636	604
520+	DA	D	2	4	154.2	-	154.2	154.2	N/Q		-			938	-	938	938
				35	162.2	-	179.2	170.4	-1	353	-	390	370	868	-	1001	913
	PR	D	3	135	173.2	-	196.2	187.3	2	353	-	400	382	932	-	1192	1,082
				207	190.0	-	220.2	203.9	5	373	-	432	400	1050	-	1398	1,208
				8	164.2	-	164.2	164.2	N/Q	335	-	335	335	1034	-	1034	1,035
				6	169.2	-	169.2	169.2	N/Q		-			1015	-	1015	1,015
794	58.2	-	220.2				136	-	432			204	-	1398			
Bulls																	
0-450	FD	C	3	11	268.2	-	276.2	273.7	-11		-			1140	-	1184	1,163
				1	148.2	-	148.2	148.2	N/Q		-			519	-	519	519
				32	204.2	-	257.2	226.8	-57		-			439	-	836	637
450-600	FD	D	1	4	178.2	-	178.2	178.2	N/Q		-			882	-	882	882
				2	275.2	-	280.2	277.7	N/Q	491	-	500	496	1514	-	1569	1,541
				2	204.2	-	204.2	204.2	N/Q	371	-	371	371	1154	-	1154	1,154
600+	PR	C	3	19	214.2	-	280.2	249.6	-4	383	-	500	446	1392	-	2552	1,969
				71	148.2	-	280.2				371	-	500			439	-

DA - Dairy, FD - Feeder, GF - Grainfed, PR - Processor, LE - Live Export, PC - Pastoral Cattle, PT - PTIC, RS - Restocker

Disclaimer:

© MLA 2019. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.

