

Detailed Saleyard Report - Cattle

Market information provided by MLA's National Livestock Reporting Service

Emerald

report date 18/07/2019

Yarding 1923
 Change 523

comparison date 11/07/2019

There was an increase in the yarding at Emerald sale with 1923 head on offer. This was an increase of 523 head on last week. Cattle again were drawn mostly from local and near local areas along with some from Aramac. Local restockers provided competition for the normal buyer panel and there was an easing tendency in some descriptions despite an overall improvement in finish across many of the pens.

Vealer steers made to an isolated 320c to average 281c/kg. Vealer heifers topped at 260c to average 233c, a 20c/kg improvement from last week. Yearling steers reached 302c to average in a range from 265c to 275c/kg for the best bred pens. Best bred yearling heifers improved with heavy weights to processors making to 275c and averages of 270c/kg.

Processors paid to 294c for prime grown steers to average 286c whilst feeders made to 269c/kg. Grown heifers to the trade topped at 258c, averaging 250c/kg. 4 score cows eased 11c on last weeks improved rates to average 206c and top at 214c/kg. Heavy bulls made to 272c to average 253c/kg.

| Category | Sale Weight | Prefix | Muscle Score | Fat Score | Head | Live Weight c/kg | | | | Estimated Carcase Weight c/kg | | | Estimated \$/Head | | |
|------------------------|-------------|--------|--------------|-----------|-------|------------------|-------|-----|--------|-------------------------------|------|-----|-------------------|------|-----|
| | | | | | | Low | High | Avg | Change | Low | High | Avg | Low | High | Avg |
| Calves | | | | | | | | | | | | | | | |
| 80+ | RS | C | 2 | 11 | 184.0 | 251.0 | 237.0 | 29 | - | - | - | 294 | 464 | 430 | |
| | RS | D | 2 | 19 | 200.0 | 252.0 | 222.8 | 15 | - | - | - | 330 | 454 | 398 | |
| | | | | 30 | 184.0 | 252.0 | | | 0 | 0 | | 294 | 464 | | |
| Vealer Steer | | | | | | | | | | | | | | | |
| 200-280 | RS | C | 2 | 128 | 230.0 | 320.0 | 281.1 | -8 | - | - | - | 472 | 864 | 672 | |
| | RS | D | 2 | 46 | 210.0 | 250.0 | 235.5 | N/Q | - | - | - | 431 | 575 | 541 | |
| | | | | 174 | 210.0 | 320.0 | | | 0 | 0 | | 431 | 864 | | |
| Vealer Heifer | | | | | | | | | | | | | | | |
| 200-280 | FD | C | 2 | 7 | 226.0 | 240.0 | 238.0 | N/Q | - | - | - | 565 | 600 | 595 | |
| | RS | C | 2 | 130 | 209.0 | 260.0 | 232.7 | 20 | - | - | - | 434 | 611 | 517 | |
| | RS | D | 2 | 22 | 231.0 | 236.0 | 233.0 | N/Q | - | - | - | 508 | 543 | 522 | |
| | | | | 159 | 209.0 | 260.0 | | | 0 | 0 | | 434 | 611 | | |
| Yearling Steer | | | | | | | | | | | | | | | |
| 200-280 | FD | C | 2 | 2 | 243.0 | 243.0 | 243.0 | -23 | - | - | - | 680 | 680 | 680 | |
| | RS | C | 2 | 73 | 240.0 | 303.0 | 275.7 | 0 | - | - | - | 624 | 818 | 739 | |
| | RS | D | 2 | 66 | 222.0 | 258.0 | 248.7 | -6 | - | - | - | 529 | 722 | 666 | |
| 280-330 | FD | C | 2 | 9 | 238.0 | 244.0 | 242.0 | -27 | - | - | - | 708 | 762 | 726 | |
| | FD | D | 2 | 1 | 248.0 | 248.0 | 248.0 | N/Q | - | - | - | 794 | 794 | 794 | |
| | LE | D | 2 | 4 | 232.0 | 232.0 | 232.0 | N/Q | - | - | - | 661 | 661 | 661 | |
| | RS | C | 2 | 29 | 253.0 | 280.0 | 264.8 | N/Q | - | - | - | 734 | 854 | 800 | |
| | RS | D | 2 | 4 | 235.0 | 235.0 | 235.0 | -25 | - | - | - | 707 | 707 | 707 | |
| 330-400 | FD | C | 2 | 10 | 259.0 | 272.0 | 264.2 | -6 | - | - | - | 907 | 911 | 908 | |
| | RS | C | 2 | 2 | 254.0 | 254.0 | 254.0 | N/Q | - | - | - | 851 | 851 | 851 | |
| | | | | 200 | 222.0 | 303.0 | | | 0 | 0 | | 529 | 911 | | |
| Yearling Heifer | | | | | | | | | | | | | | | |
| 200-280 | FD | D | 2 | 12 | 193.0 | 207.0 | 200.7 | 10 | - | - | - | 540 | 569 | 555 | |
| | PR | C | 2 | 8 | 200.0 | 236.0 | 227.0 | 24 | 385 | 454 | 437 | 550 | 637 | 615 | |

| Category Weight | Sale Prefix | Muscle Score | Fat Score | Head | Live Weight c/kg | | | | Estimated Carcase Weight c/kg | | | Estimated \$/Head | | |
|-----------------|-------------|--------------|-----------|------|------------------|-------|-------|--------|-------------------------------|------|-----|-------------------|------|-------|
| | | | | | Low | High | Avg | Change | Low | High | Avg | Low | High | Avg |
| 280-330 | PR | D | 2 | 26 | 200.0 | 210.0 | 205.0 | -1 | 385 | 404 | 394 | 500 | 536 | 513 |
| | RS | C | 2 | 25 | 225.0 | 226.0 | 225.4 | 26 | - | - | - | 585 | 622 | 601 |
| | RS | D | 2 | 39 | 182.0 | 210.0 | 202.2 | 10 | - | - | - | 497 | 525 | 515 |
| | FD | C | 2 | 31 | 194.0 | 241.0 | 213.9 | -11 | - | - | - | 563 | 795 | 658 |
| | FD | D | 2 | 41 | 225.0 | 251.0 | 232.2 | 2 | - | - | - | 720 | 828 | 748 |
| 330-400 | PR | D | 2 | 7 | 200.0 | 218.0 | 208.9 | -10 | 385 | 419 | 402 | 610 | 698 | 659 |
| | RS | C | 2 | 8 | 190.0 | 190.0 | 190.0 | N/Q | - | - | - | 599 | 599 | 599 |
| | RS | D | 2 | 8 | 203.0 | 223.0 | 205.5 | -15 | - | - | - | 579 | 647 | 587 |
| | FD | C | 2 | 17 | 230.0 | 249.0 | 244.6 | -6 | - | - | - | 771 | 872 | 839 |
| | FD | C | 3 | 3 | 248.0 | 248.0 | 248.0 | N/Q | - | - | - | 980 | 980 | 980 |
| 400+ | FD | D | 2 | 63 | 227.0 | 247.0 | 237.1 | N/Q | - | - | - | 760 | 891 | 826 |
| | PR | C | 3 | 1 | 231.0 | 231.0 | 231.0 | N/Q | 436 | 436 | 436 | 820 | 820 | 820 |
| | PR | D | 2 | 1 | 231.0 | 231.0 | 231.0 | N/Q | 436 | 436 | 436 | 924 | 924 | 924 |
| | PR | D | 3 | 14 | 270.0 | 270.0 | 270.0 | N/Q | 500 | 500 | 500 | 1053 | 1053 | 1,053 |
| | FD | D | 2 | 16 | 214.0 | 214.0 | 214.0 | N/Q | - | - | - | 888 | 888 | 888 |
| | PR | D | 4 | 5 | 275.0 | 275.0 | 275.0 | N/Q | 519 | 519 | 519 | 1210 | 1210 | 1,210 |
| | | | | 325 | 182.0 | 275.0 | | | 385 | 519 | | 497 | 1210 | |
| Grown Steer | | | | | | | | | | | | | | |
| 400-500 | FD | C | 3 | 6 | 261.0 | 269.0 | 267.7 | N/Q | - | - | - | 1251 | 1253 | 1,251 |
| | LE | C | 3 | 1 | 240.0 | 240.0 | 240.0 | N/Q | - | - | - | 1068 | 1068 | 1,068 |
| | RS | C | 2 | 7 | 260.0 | 261.0 | 260.3 | 4 | - | - | - | 1053 | 1109 | 1,069 |
| 500-600 | FD | C | 3 | 13 | 240.0 | 270.0 | 246.8 | N/Q | - | - | - | 1260 | 1472 | 1,311 |
| | FD | D | 3 | 1 | 264.0 | 264.0 | 264.0 | N/Q | - | - | - | 1399 | 1399 | 1,399 |
| 600-750 | PR | C | 3 | 24 | 266.0 | 294.0 | 286.6 | -9 | 502 | 544 | 532 | 1516 | 1588 | 1,569 |
| | PR | C | 4 | 41 | 273.0 | 291.0 | 285.5 | -6 | 495 | 533 | 524 | 1583 | 1717 | 1,650 |
| | FD | C | 3 | 1 | 240.0 | 240.0 | 240.0 | N/Q | - | - | - | 1464 | 1464 | 1,464 |
| | PR | C | 3 | 7 | 286.0 | 286.0 | 286.0 | N/Q | 530 | 530 | 530 | 1719 | 1719 | 1,719 |
| | PR | C | 4 | 25 | 278.0 | 290.0 | 284.5 | -14 | 505 | 518 | 512 | 1763 | 1779 | 1,772 |
| | | | | 126 | 240.0 | 294.0 | | | 495 | 544 | | 1053 | 1779 | |
| Grown Heifer | | | | | | | | | | | | | | |
| 0-540 | FD | C | 3 | 9 | 247.0 | 247.0 | 247.0 | N/Q | - | - | - | 1198 | 1198 | 1,198 |
| | FD | D | 2 | 4 | 220.0 | 237.0 | 224.3 | 20 | - | - | - | 847 | 1031 | 893 |
| | PR | D | 2 | 19 | 204.0 | 215.0 | 205.7 | 7 | 385 | 413 | 389 | 857 | 978 | 876 |
| | PR | D | 3 | 34 | 233.0 | 257.0 | 249.6 | 34 | 440 | 485 | 469 | 1003 | 1311 | 1,137 |
| | PR | D | 4 | 54 | 208.0 | 258.0 | 236.3 | -0 | 385 | 478 | 439 | 1102 | 1282 | 1,163 |
| 540+ | PR | D | 4 | 2 | 209.0 | 209.0 | 209.0 | N/Q | 394 | 394 | 394 | 1139 | 1139 | 1,139 |
| | | | | 122 | 204.0 | 258.0 | | | 385 | 485 | | 847 | 1311 | |
| Cows | | | | | | | | | | | | | | |
| 0-400 | PR | D | 2 | 5 | 130.0 | 160.0 | 140.0 | -14 | 283 | 348 | 310 | 462 | 616 | 509 |
| | RS | D | 1 | 1 | 120.0 | 120.0 | 120.0 | N/Q | - | - | - | 426 | 426 | 426 |
| 400-520 | PR | D | 1 | 1 | 130.0 | 130.0 | 130.0 | N/Q | 295 | 295 | 295 | 527 | 527 | 527 |
| | PR | D | 2 | 94 | 140.0 | 180.0 | 164.2 | -11 | 318 | 391 | 360 | 574 | 774 | 715 |
| | PR | D | 3 | 108 | 165.0 | 202.0 | 183.4 | -6 | 344 | 421 | 382 | 838 | 1025 | 909 |

| Category Weight | Sale Prefix | Muscle Score | Fat Score | Head | Live Weight c/kg | | | | Estimated Carcase Weight c/kg | | | Estimated \$/Head | | |
|-----------------|-------------|--------------|-----------|------|------------------|---------|-------|--------|-------------------------------|-------|-----|-------------------|--------|-------|
| | | | | | Low | High | Avg | Change | Low | High | Avg | Low | High | Avg |
| 520+ | PR | D | 4 | 39 | 191.0 | - 205.0 | 196.8 | -20 | 367 | - 396 | 381 | 960 | - 1030 | 1,004 |
| | RS | D | 2 | 11 | 195.0 | - 195.0 | 195.0 | 10 | - | - | - | 1014 | - 1014 | 1,014 |
| | RS | D | 4 | 8 | 202.0 | - 202.0 | 202.0 | N/Q | - | - | - | 1050 | - 1050 | 1,050 |
| | PR | D | 3 | 42 | 184.0 | - 204.0 | 193.0 | -6 | 383 | - 408 | 396 | 994 | - 1071 | 1,034 |
| | PR | D | 4 | 283 | 179.0 | - 214.0 | 206.3 | -10 | 358 | - 422 | 404 | 985 | - 1359 | 1,171 |
| | RS | D | 4 | 8 | 206.0 | - 206.0 | 206.0 | N/Q | - | - | - | 1123 | - 1123 | 1,123 |
| | | | | 600 | 120.0 | 214.0 | | | 283 | 422 | | 426 | 1359 | |
| Bulls | | | | | | | | | | | | | | |
| 0-450 | FD | C | 2 | 1 | 229.0 | - 229.0 | 229.0 | N/Q | - | - | - | 779 | - 779 | 779 |
| | FD | D | 2 | 2 | 210.0 | - 250.0 | 230.0 | N/Q | - | - | - | 672 | - 875 | 774 |
| | LE | C | 2 | 1 | 217.0 | - 217.0 | 217.0 | -13 | - | - | - | 608 | - 608 | 608 |
| | LE | D | 2 | 5 | 255.0 | - 255.0 | 255.0 | -7 | - | - | - | 1071 | - 1071 | 1,071 |
| | RS | C | 2 | 12 | 236.0 | - 270.0 | 238.8 | -30 | - | - | - | 578 | - 702 | 598 |
| 450-600 | FD | D | 2 | 2 | 210.0 | - 210.0 | 210.0 | N/Q | - | - | - | 956 | - 956 | 956 |
| | LE | C | 2 | 1 | 273.2 | - 273.2 | 273.2 | 41 | - | - | - | 1325 | - 1325 | 1,325 |
| | LE | C | 3 | 9 | 263.0 | - 279.0 | 273.6 | 6 | - | - | - | 1451 | - 1526 | 1,481 |
| | PR | E | 2 | 1 | 190.0 | - 190.0 | 190.0 | N/Q | 358 | - 358 | 358 | 1112 | - 1112 | 1,112 |
| 600+ | LE | C | 2 | 1 | 230.0 | - 230.0 | 230.0 | -2 | - | - | - | 1702 | - 1702 | 1,702 |
| | LE | C | 3 | 23 | 218.0 | - 272.0 | 253.4 | 6 | - | - | - | 1646 | - 2173 | 1,875 |
| | PR | C | 2 | 1 | 190.0 | - 190.0 | 190.0 | -13 | 358 | - 358 | 358 | 1188 | - 1188 | 1,188 |
| | PR | C | 3 | 8 | 225.0 | - 252.0 | 236.8 | -18 | 409 | - 458 | 430 | 1783 | - 2202 | 1,914 |
| | | | | | 67 | 190.0 | 279.0 | | | 358 | 458 | | 578 | 2202 |

DA - Dairy, FD - Feeder, GF - Grainfed, PR - Processor, LE - Live Export, PC - Pastoral Cattle, PT - PTIC, RS - Restocker

Disclaimer:

© MLA 2019. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.

