

**Store Report - Cattle**

Market information provided by MLA's National Livestock Reporting Service

**Emerald**

report date 04/06/2019

 Yarding 4583  
 Change NQ

comparison date 31/05/2019

Emerald agents and vendors penned 4,583 head at their Special Show weaner and feeder sale. The cattle came from the local areas mostly, along with drafts from Clermont, Nebo and Moranbah. As always quality was very good for the majority of the yard, however the condition usually seen for this sale was not as good. There was a good field of buyers present despite a couple of regulars not being present due poor seasonal conditions in their area. Local buyers helped boost competition on some of better lines.

The best of the 1,520 weaner steers sold to an occasional 339c with averages mostly from 259c to 287c/kg with the heavy crossbred steers making the better averages. The top price was paid for a quality pen of grey Brahman weaner steers. There were 660 weaner heifers offered and they sold to 229c, returning averages from 185c to 225c/kg. The 1,019 yearling steers topped at 300c with the heavier crossbreds averaging from 274c to 283c/kg. The 780 yearling heifers made to 248c/kg for European blood heifers to feed. The best of the feeder steers made to 283c and returned averages from 270c to 280c/kg for the better bred cattle. Feeder heifers also sold well, to 250c and averaged from 234c to 249c/kg, again for the best bred lines.

Category	Breed	Sub Breed	Muscle Score	Fat Score	Head	Low c/kg	High c/kg	Average c/kg	Low \$/head	High \$/head	Average \$/head
<b>Weaner Steers</b>											
0-200	Angus		C	2	15	260	260	260	481.0	481.0	481.0
	Bos Indicus Cross		C	2	12	250	250	250	400.0	400.0	400.0
	Brahman		D	2	38	250	250	250	500.0	500.0	500.0
	British Cross		C	2	36	228	245	237	433.2	490.0	463.2
	Droughtmaster		C	2	33	259	260	259	492.1	494.0	492.7
200-280	Angus		C	2	164	247	277	262	506.4	683.7	618.6
	Bos Indicus Cross		C	2	119	250	275	259	562.5	632.5	605.3
	Bos Indicus Cross		D	2	28	248	251	249	498.5	577.3	532.3
	Brahman		C	2	99	254	339	268	585.0	898.3	643.4
	Brahman		D	2	54	250	260	254	562.5	584.2	577.2
	British Cross		C	2	380	240	295	279	533.0	826.0	684.7
	Charolais		C	2	183	257	300	275	595.7	837.2	709.9
	Droughtmaster		C	2	140	263	290	285	631.2	757.9	735.0
	Droughtmaster		D	2	12	252	257	254	579.6	681.0	613.4
	European		C	2	4	260	260	260	728.0	728.0	728.0
	European Cross		C	2	119	243	285	263	548.1	798.0	673.9
	European Cross		D	2	3	236	236	236	566.4	566.4	566.4
	Santa Gertrudis		C	2	24	240	268	254	588.0	637.5	606.6
	280-330	Brahman		C	2	1	252	252	252	730.8	730.8
Charolais			C	2	57	260	298	273	793.0	849.3	821.2
					1,521	228	339		400.0	898.3	
<b>Weaner Heifers</b>											
0-200	Bos Indicus Cross		D	2	72	154	162	160	223.3	299.7	268.1
	British Cross		C	2	7	175	175	175	315.0	315.0	315.0
	British Cross		D	2	19	174	174	174	295.8	295.8	295.8
	Droughtmaster		D	2	12	150	150	150	240.0	240.0	240.0
200-280	Angus		C	2	9	225	225	225	540.0	540.0	540.0
	Bos Indicus Cross		C	2	88	177	200	185	355.8	477.8	404.6
	Bos Indicus Cross		D	2	95	158	189	177	317.6	434.7	380.7
	British Cross		C	2	88	187	223	205	415.8	557.5	461.4
	Charolais		C	2	74	192	229	215	446.6	572.5	525.9
	Droughtmaster		C	2	15	200	200	200	420.0	420.0	420.0
	Droughtmaster		D	2	2	160	174	167	344.0	374.1	359.1
	European Cross		C	2	128	180	225	202	369.0	561.6	495.3
European Cross		D	2	27	173	180	177	363.3	378.0	371.5	

Category	Breed	Sub Breed	Muscle Score	Fat Score	Head	Low c/kg	High c/kg	Average c/kg	Low \$/head	High \$/head	Average \$/head
	Santa Gertrudis		C	2	24	182	200	191	400.4	480.0	440.2
					660	150	229		223.3	572.5	
Yearling Steers											
0-330	Bos Indicus Cross		C	2	26	250	263	256	625.0	828.5	712.4
	Bos Indicus Cross		D	2	37	230	259	248	585.0	706.8	659.7
	Brahman		C	2	72	259	259	259	712.3	815.8	755.1
	Brahman		D	2	11	288	288	288	763.2	763.2	763.2
	British Cross		C	2	98	240	265	257	645.0	841.6	726.0
	British Cross		D	2	64	242	259	250	620.0	790.0	709.5
	Charolais		C	2	158	241	276	263	662.8	887.3	800.1
	Droughtmaster		C	2	50	255	300	277	765.0	900.0	829.8
	Droughtmaster		D	2	30	255	269	264	726.8	820.5	760.1
	European Cross		C	2	102	250	280	267	739.8	910.0	815.4
	European Cross		D	2	1	230	230	230	667.0	667.0	667.0
	Santa Gertrudis		C	2	67	256	272	264	691.2	897.6	831.3
330-400	Angus		D	2	7	249	249	249	834.2	834.2	834.2
	Bos Indicus Cross		C	2	21	264	264	264	884.4	884.4	884.4
	Brahman		C	2	13	260	260	260	871.0	871.0	871.0
	British Cross		C	2	16	274	274	274	1013.8	1013.8	1013.8
	Charolais		C	2	24	274	274	274	1000.1	1000.1	1000.1
	Droughtmaster		C	2	78	250	300	271	862.5	1035.0	936.0
	European Cross		C	2	5	277	277	277	941.8	941.8	941.8
	Santa Gertrudis		C	2	23	260	276	270	966.0	1001.0	979.7
400+	Charolais		C	2	23	282	284	283	1142.1	1150.2	1146.3
	Droughtmaster		C	2	4	263	263	263	1065.2	1065.2	1065.2
	European Cross		C	2	5	278	278	278	1153.7	1153.7	1153.7
	Santa Gertrudis		C	2	84	277	279	278	1129.9	1199.7	1165.1
					1,019	230	300		585.0	1199.7	
Yearling Heifers											
0-330	Angus		C	2	28	219	219	219	689.8	689.8	689.8
	Bos Indicus Cross		C	2	48	166	226	195	431.6	723.2	610.4
	Bos Indicus Cross		D	2	73	160	193	169	321.6	617.5	410.8
	Brahman		D	2	23	164	164	164	410.0	410.0	410.0
	British Cross		C	2	22	188	188	188	573.4	573.4	573.4
	British Cross		D	2	44	178	182	180	409.4	509.6	472.7
	Charolais		C	2	96	215	248	235	547.5	806.0	692.4
	Charolais		D	2	10	172	172	172	481.6	481.6	481.6
	Droughtmaster		C	2	28	182	220	195	500.5	726.0	599.5
	Droughtmaster		D	2	37	171	189	184	367.6	576.5	514.4
	European Cross		C	2	123	221	238	225	592.8	785.4	622.1
	Santa Gertrudis		C	2	90	205	242	227	574.0	798.6	699.7
330-400	Angus		C	2	14	192	209	204	672.0	804.7	766.8
	Angus		D	2	17	237	237	237	817.7	817.7	817.7
	Bos Indicus Cross		C	2	11	195	228	219	692.3	855.0	810.6
	Charolais		C	2	64	236	245	242	833.0	906.5	867.2
	Droughtmaster		D	2	11	195	195	195	653.3	653.3	653.3
	European Cross		C	2	22	244	244	244	817.4	817.4	817.4
	Hereford		D	2	10	234	234	234	819.0	819.0	819.0
	Santa Gertrudis		C	2	13	234	234	234	783.9	783.9	783.9
					784	160	248		321.6	906.5	
Feeder Steers											
0-320	Bos Indicus Cross		D	2	3	252	252	252	768.6	768.6	768.6
320-400	Angus		D	2	13	270	270	270	1012.5	1012.5	1012.5
	Bos Indicus Cross		D	2	6	257	257	257	912.3	912.3	912.3
	Brahman		C	2	4	250	250	250	862.5	862.5	862.5
	British Cross		C	2	8	266	266	266	957.6	957.6	957.6

Category Weight Range	Breed	Sub Breed	Muscle Score	Fat Score	Head	Low c/kg	High c/kg	Average c/kg	Low \$/head	High \$/head	Average \$/head
400+	British Cross		D	2	14	261	261	261	900.5	900.5	900.4
	Droughtmaster		D	2	46	269	275	273	914.6	1031.3	970.3
	European Cross		C	2	21	260	263	262	897.0	920.5	912.7
	Bos Indicus Cross		D	2	9	253	253	253	1049.9	1049.9	1049.9
	British Cross		C	2	15	272	272	272	1210.4	1210.4	1210.4
	Charolais		C	2	49	277	283	280	1157.8	1288.1	1235.1
	Droughtmaster		C	2	24	269	276	273	1183.6	1269.6	1230.2
	Droughtmaster		D	2	13	277	277	277	1135.7	1135.7	1135.7
	European Cross		C	2	10	276	278	277	1223.2	1255.8	1233.0
	Santa Gertrudis		C	2	13	268	274	273	1179.2	1205.6	1199.5
					248	250	283		768.6	1288.1	
Feeder Heifers											
0-320	Bos Indicus Cross		D	2	42	186	199	191	519.8	626.8	553.2
	Brahman		D	2	14	180	180	180	576.0	576.0	576.0
	British Cross		C	2	26	202	202	202	646.4	646.4	646.4
	British Cross		D	2	22	205	205	205	635.5	635.5	635.5
	Droughtmaster		D	2	16	185	185	185	518.0	518.0	518.0
	Santa Gertrudis		D	2	19	208	208	208	634.4	634.4	634.4
320-400	Angus		C	2	7	248	248	248	855.6	855.6	855.6
	Bos Indicus Cross		C	2	19	190	190	190	646.0	646.0	646.0
	Brahman		D	2	16	190	190	190	665.0	665.0	665.0
	British Cross		C	2	21	201	201	201	673.3	673.3	673.3
	British Cross		D	2	25	196	200	196	637.0	650.0	638.0
	Charolais		C	2	14	247	250	249	875.0	889.2	879.1
	Santa Gertrudis		C	2	8	248	248	248	880.4	880.4	880.4
400+	Bos Indicus Cross		C	2	2	205	205	205	830.3	830.3	830.3
	Droughtmaster		C	2	2	235	235	235	975.3	975.3	975.3
						253	180	250	518.0	975.3	

Disclaimer:

© MLA 2019. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.

