

Detailed Saleyard Report - Cattle

Market information provided by MLA's National Livestock Reporting Service

COLX Gracemere

report date 05/02/2020

Yarding 2364
 Change 1281

comparison date 29/01/2020

The yarding at COLX increased by 1,281 head to 2,364 this week following last week decline in numbers due to rain. Cattle were drawn from local areas and as far north as Home Hill. Quality and condition varied however the increase in buyer interest continued the improvement in values for most classes of cattle. There was an increase in restocker buyers in particular.

Vealer steers sold to 358c, averaging from 335c to 353c/kg for best bred lines. Vealer heifers reached 326c to average from 304c to 316c for those to butchers and 278c to 285c/kg for restockers. Yearling steers averaged from 330c to 353c with sales to 366c/kg. The better bred yearling heifers made to 342c for the heavy pens, averaging from 292c to 323c/kg throughout all weight ranges.

The best grown steers to feed made 348c with grown steer averages from 336c to 345c/kg. Processors paid to 354c for their best grown heifers with averages for most from 312c to 327c/kg. Restockers paid 252c average for their 2 score cows with the 4 score cows making to 313c/kg for some grain finished, C muscled simmental cows. 4 score cows averaged 307c/kg for the heavy weights. Bulls sold to 330c/kg with heavy bulls to processors averaging 296c/kg.

Several pens of good quality cows and calves sold from \$1,200 to \$1,725/unit.

Category	Sale Weight	Muscle Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
						Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves															
80+															
	FD	E	2	2	2	250.0	250.0	250.0	N/Q	-		400	400	400	
	PR	C	2	5	5	290.0	290.0	290.0	N/Q	558	558	558	537	537	
	RS	C	2	36	36	298.0	362.2	342.4	24	-		507	634	605	
	RS	D	2	37	37	180.0	350.0	289.2	17	-		288	665	505	
				80	80	180.0	362.2			558	558	288	665		
Vealer Steer															
0-200															
	RS	C	2	12	12	350.2	350.2	350.2	N/Q	-		700	700	700	
	RS	D	1	11	11	295.0	295.0	295.0	-47	-		561	561	561	
	RS	D	2	21	21	298.0	310.0	301.5	8	-		554	596	574	
200-280															
	PR	C	2	4	4	308.0	308.0	308.0	N/Q	592	592	592	619	619	
	RS	C	2	33	33	316.0	358.2	353.0	27	-		734	875	822	
	RS	D	2	73	73	294.2	350.0	335.8	45	-		633	805	748	
	RS	E	2	6	6	316.2	316.2	316.2	N/Q	-		680	680	680	
				160	160	294.2	358.2			592	592	554	875		
Vealer Heifer															
0-200															
	FD	D	1	31	31	278.0	278.0	278.0	N/Q	-		431	431	431	
	RS	D	2	7	7	288.0	288.0	288.0	16	-		533	533	533	
200-280															
	PR	C	2	25	25	298.0	326.0	315.6	N/Q	573	627	607	656	789	
	PR	D	2	12	12	304.0	304.0	304.0	N/Q	585	585	585	669	669	
	RS	C	2	15	15	276.0	302.0	284.7	N/Q	-		607	634	616	
	RS	D	2	4	4	300.0	300.0	300.0	8	-		720	720	720	
				94	94	276.0	326.0			573	627	431	789		

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Yearling Steer														
0-200														
	RS	D	1	4	290.0	290.0	290.0	N/Q	-			450	450	450
200-280														
	FD	D	2	2	270.0	270.0	270.0	-10	-			716	716	716
	PR	D	2	1	298.0	298.0	298.0	N/Q	573	573	573	820	820	820
	PR	E	2	3	272.0	272.0	272.0	4	523	523	523	598	598	598
	RS	C	2	96	302.0	366.0	353.1	31	-			770	1025	931
	RS	D	1	11	336.0	336.0	336.0	43	-			790	790	790
	RS	D	2	94	250.0	346.0	330.4	5	-			650	913	853
280-330														
	FD	C	2	7	322.0	330.0	323.1	4	-			941	1030	1,018
	FD	D	2	14	306.0	318.0	308.3	30	-			887	1034	968
	PR	D	2	1	316.0	316.0	316.0	N/Q	608	608	608	964	964	964
	PR	D	3	11	298.2	298.2	298.2	N/Q	573	573	573	924	924	924
	PR	E	2	1	262.0	262.0	262.0	N/Q	504	504	504	786	786	786
	RS	C	2	19	300.0	340.0	332.4	5	-			855	1105	1,014
	RS	D	2	35	290.0	338.2	336.4	N/Q	-			827	992	975
330-400														
	FD	C	2	12	336.0	346.0	338.5	13	-			1260	1280	1,265
400+														
	FD	C	3	8	340.0	340.0	340.0	N/Q	-			1513	1513	1,513
	PR	C	3	5	332.0	332.0	332.0	N/Q	615	615	615	1494	1494	1,494
				324	250.0	366.0			504	615		450	1513	
Yearling Heifer														
0-200														
	FD	D	1	8	230.0	230.0	230.0	N/Q	-			426	426	426
200-280														
	FD	C	2	40	314.0	326.0	317.3	N/Q	-			879	897	884
	FD	D	1	8	290.0	290.0	290.0	N/Q	-			682	682	682
	FD	D	2	121	230.0	314.0	291.9	N/Q	-			532	823	704
	PR	C	2	39	300.0	334.0	319.1	14	577	642	614	660	902	789
	PR	D	2	109	242.0	336.0	316.6	61	465	646	609	541	857	772
	RS	D	1	12	298.0	298.0	298.0	80	-			700	700	700
	RS	D	2	67	258.0	324.0	299.7	18	-			666	886	745
280-330														
	FD	C	2	76	310.0	330.0	320.7	17	-			967	1089	1,033
	FD	D	2	2	220.0	220.0	220.0	-88	-			638	638	638
	PR	C	2	24	280.0	324.0	308.5	N/C	538	623	593	854	1037	997
	PR	D	2	22	240.0	316.0	280.5	N/Q	462	608	540	744	962	865
	RS	C	2	13	286.0	322.0	313.7	-22	-			872	1014	982
	RS	D	2	45	276.0	304.0	298.2	N/Q	-			800	914	875
330-400														
	FD	C	2	40	318.0	332.0	323.2	N/Q	-			1065	1157	1,106
	FD	C	3	4	332.0	332.0	332.0	N/Q	-			1328	1328	1,328

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	PR	C	2	10	298.0	318.0	308.0	N/Q	573	612	592	998	1145	1,072
	PR	C	3	7	328.0	328.0	328.0	16	631	631	631	1214	1214	1,214
	RS	C	2	4	265.0	265.0	265.0	N/Q	-	-	-	901	901	901
400+														
	FD	C	3	2	342.0	342.0	342.0	N/Q	-	-	-	1522	1522	1,522
				653	220.0	342.0			462	646		426	1522	
Grown Steer														
0-400														
	FD	C	2	10	328.0	348.0	340.0	14	-	-	-	1050	1340	1,224
	FD	D	2	6	278.0	278.0	278.0	-7	-	-	-	1070	1070	1,070
	RS	C	2	18	300.0	344.0	335.7	N/Q	-	-	-	975	1234	1,136
	RS	D	2	2	290.0	290.0	290.0	N/Q	-	-	-	827	827	827
400-500														
	FD	C	2	20	338.0	348.0	344.7	N/Q	-	-	-	1437	1488	1,448
	FD	C	3	5	344.2	344.2	344.2	N/Q	-	-	-	1583	1583	1,583
	FD	D	2	4	274.0	290.0	278.0	N/Q	-	-	-	1192	1233	1,202
	LE	D	2	1	322.0	322.0	322.0	N/Q	-	-	-	1530	1530	1,530
	PR	C	3	9	344.0	344.0	344.0	N/Q	649	649	649	1600	1600	1,600
				75	274.0	348.0			649	649		827	1600	
Grown Heifer														
0-540														
	FD	C	2	56	290.0	336.0	313.0	-9	-	-	-	939	1428	1,166
	FD	C	3	3	318.0	318.0	318.0	-5	-	-	-	1288	1288	1,288
	FD	D	1	10	220.0	234.0	224.2	N/Q	-	-	-	632	682	667
	FD	D	2	123	220.0	340.0	311.5	46	-	-	-	627	1232	1,073
	FD	D	3	55	316.0	333.0	327.1	N/Q	-	-	-	1074	1482	1,362
	PR	C	2	10	266.0	308.0	281.6	-28	512	592	542	843	1078	961
	PR	C	3	9	354.0	354.0	354.0	36	668	668	668	1575	1575	1,575
	PR	C	4	10	331.0	336.0	333.0	4	613	622	617	1506	1814	1,629
	PR	D	2	46	230.0	304.0	270.0	-16	442	585	519	725	1015	904
	PR	D	3	4	317.0	317.0	317.0	9	598	598	598	1395	1395	1,395
	PR	D	4	20	315.0	316.0	316.0	8	585	606	591	1375	1685	1,461
	RS	C	2	4	320.0	320.0	320.0	N/Q	-	-	-	1328	1328	1,328
	RS	D	1	2	202.0	202.0	202.0	N/Q	-	-	-	525	525	525
	RS	D	2	6	278.0	278.0	278.0	N/Q	-	-	-	876	876	876
				358	202.0	354.0			442	668		525	1814	
Cows														
0-400														
	FD	D	1	23	140.0	268.0	230.4	94	-	-	-	469	871	757
	FD	D	2	4	229.0	229.0	229.0	32	-	-	-	882	882	882
	PR	D	1	6	120.0	212.0	155.7	N/Q	286	505	371	384	742	545
	PR	D	2	20	140.0	252.0	227.3	26	318	548	496	539	1008	896
	RS	D	1	41	220.0	252.0	236.3	N/Q	-	-	-	759	958	852
	RS	D	2	26	228.0	252.0	244.9	N/Q	-	-	-	809	938	890

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
400-520	RS	E	1	1	300.0	300.0	300.0	N/Q	-	-	-	1155	1155	1,155	
	FD	D	2	4	194.0	194.0	194.0	-21	-	-	-	786	786	786	
	PR	D	2	20	205.0	274.0	255.2	23	446	596	558	902	1178	1,106	
	PR	D	3	42	222.0	306.0	269.9	-1	463	612	556	966	1545	1,261	
	PR	D	4	23	263.0	313.0	294.3	3	526	626	582	1249	1471	1,401	
	RS	D	2	2	234.0	246.0	240.0	N/Q	-	-	-	1041	1169	1,105	
	RS	E	1	4	234.0	234.0	234.0	N/Q	-	-	-	948	948	948	
520+	FD	D	3	1	241.0	241.0	241.0	N/Q	-	-	-	1265	1265	1,265	
	PR	C	4	38	299.0	311.0	307.7	N/Q	575	598	592	1928	1996	1,961	
	PR	D	4	12	275.0	305.0	294.0	4	538	587	573	1499	1666	1,619	
				267	120.0	313.0			286	626		384	1996		
Bulls															
0-450	FD	D	1	16	228.0	242.0	239.4	N/Q	-	-	-	410	557	529	
	LE	C	2	7	280.0	304.0	291.4	-22	-	-	-	1176	1368	1,248	
	LE	D	2	12	240.0	284.0	252.2	-24	-	-	-	573	1250	729	
	PR	D	2	1	264.0	264.0	264.0	N/Q	508	508	508	832	832	832	
	RS	D	1	34	206.0	262.0	243.0	N/Q	-	-	-	268	613	416	
	RS	D	2	17	258.0	296.0	274.7	-51	-	-	-	648	851	690	
	450-600	LE	C	2	1	298.0	298.0	298.0	N/Q	-	-	-	1550	1550	1,550
		LE	C	3	3	278.0	285.0	280.3	-44	-	-	-	1610	1626	1,621
		LE	E	2	1	244.0	244.0	244.0	N/Q	-	-	-	1220	1220	1,220
		PR	C	3	3	306.0	314.0	309.3	N/Q	556	571	562	1586	1853	1,723
PR		D	2	1	236.0	236.0	236.0	-6	445	445	445	1152	1152	1,152	
RS		C	2	3	320.0	330.0	326.7	N/Q	-	-	-	1488	1716	1,640	
600+		LE	C	3	3	300.0	316.0	310.0	-8	-	-	-	1884	2088	1,993
	PR	C	3	9	282.0	318.0	295.6	N/Q	513	578	537	1920	2668	2,398	
				111	206.0	330.0			445	578		268	2668		

DA - Dairy, FD - Feeder, GF - Grainfed, PR - Processor, LE - Live Export, PC - Pastoral Cattle, PT - PTIC, RS - Restocker

Learn more about coming changes to MLA Market Information by going to www.mla.com.au/update

Disclaimer:

© MLA 2020. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.

