

## Detailed Saleyard Report - Cattle

Market information provided by MLA's National Livestock Reporting Service

### CQLX Gracemere

report date 06/12/2019

Yarding 4248  
 Change 1693

comparison date 29/11/2019

Vendors yarded an increased number of 4,248 head up 1,693 head on last week. Cattle were drawn from most areas of Central Queensland, north to Collinsville. Quality and condition were very mixed, from the very best to the very worst. However there were some very good quality lines offered, particularly in the heavier yearling and grown steer and heifer pens. There were fewer buyers present this week, both in processor and restocker ranks and prices generally eased across the whole sale.

Male calves sold to restockers to top at 238c with the best mixed sexes averaging 223c/kg. The 200kg to 280kg vealer steers topped at 258c and averaged 229c/kg, again to restockers. Vealer heifers were in lighter supply and reached 222c to average 163c/kg for the best bred pens. Light weight yearling steers averaged from 213c to 229c with medium weights making to 286c on occasions to average from 245c to 273c/kg. Yearling heifers generally averaged 140c to 168c for plain pens and from 196c to 245c/kg dependent on quality.

Grown steers sold to feeders to a top of 298c to average 270c to 286c/kg. A few 4 score bullocks averaged 264c/kg. The best bred grown heifers topped at 262c to restockers to record averages from 220c to 241c/kg for well bred pens. Feeders competed well on 2 and 3 score cows with the best pens reaching 184c whilst the 4 score cows topped at 202.2c, averaging 195c/kg. Heavy bulls averaged 236c/kg.

The best of the cows and calves topped at \$1,000 and made from \$780/unit.

Category	Sale Weight	Muscle Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
						Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Calves</b>															
80+	FD	D	2	11	120.0	122.0	121.8	-24	-	-	-	186	207	201	
	RS	C	2	77	152.0	238.0	222.3	55	-	-	-	251	464	395	
	RS	D	2	58	123.0	200.0	165.1	-18	-	-	-	172	330	266	
				146	120.0	238.0			0	0		172	464		
<b>Vealer Steer</b>															
0-200	FD	D	2	7	122.0	122.0	122.0	N/Q	-	-	-	226	226	226	
	RS	D	2	1	180.0	180.0	180.0	N/Q	-	-	-	315	315	315	
200-280	FD	C	2	21	200.0	218.0	209.5	N/Q	-	-	-	452	523	486	
	FD	D	2	1	184.0	184.0	184.0	N/Q	-	-	-	405	405	405	
	PR	C	2	7	186.0	211.0	204.4	N/Q	358	406	393	409	485	472	
	RS	C	2	120	156.0	258.0	228.5	6	-	-	-	328	581	516	
	RS	D	2	93	130.0	246.0	209.3	-3	-	-	-	273	590	468	
				250	122.0	258.0			358	406		226	590		
<b>Vealer Heifer</b>															
0-200	RS	C	2	2	122.0	122.0	122.0	N/Q	-	-	-	226	226	226	
	RS	D	2	7	108.0	108.0	108.0	N/Q	-	-	-	205	205	205	
200-280	FD	C	2	2	200.0	200.0	200.0	27	-	-	-	500	500	500	
	FD	D	2	3	165.0	165.0	165.0	N/C	-	-	-	355	355	355	
	PR	C	2	16	184.0	198.0	190.6	-8	354	381	367	432	495	456	
	PR	D	1	2	144.0	144.0	144.0	N/Q	277	277	277	295	295	295	
	PR	D	2	17	180.0	210.0	185.1	-3	346	404	356	382	504	439	
	RS	C	2	22	124.0	206.0	162.5	-13	-	-	-	249	484	372	
	RS	C	3	6	222.0	222.0	222.0	N/Q	-	-	-	599	599	599	
	RS	D	2	60	120.0	182.0	165.0	-9	-	-	-	270	400	368	
				137	108.0	222.0			277	404		205	599		

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Yearling Steer														
200-280	FD	C	2	9	210.0	248.0	226.9	-42	-	-	-	546	682	606
	FD	D	2	83	128.0	236.0	203.5	-62	-	-	-	288	661	501
	PR	D	2	2	198.0	198.0	198.0	N/Q	381	381	381	535	535	535
	RS	C	2	146	186.0	242.0	229.3	-31	-	-	-	446	643	553
	RS	D	2	283	148.0	266.0	213.1	-34	-	-	-	333	745	521
280-330	FD	C	2	32	204.0	272.0	244.5	-29	-	-	-	673	870	741
	FD	D	2	74	210.0	240.0	235.9	-54	-	-	-	599	780	755
	FD	E	2	2	150.0	150.0	150.0	N/Q	-	-	-	435	435	435
	RS	C	2	6	234.0	234.0	234.0	-35	-	-	-	714	714	714
	RS	D	2	25	218.2	250.0	233.5	-45	-	-	-	633	763	695
330-400	FD	C	2	3	250.0	286.0	274.0	-12	-	-	-	850	1101	1,017
	FD	D	2	82	180.0	274.0	249.1	N/Q	-	-	-	603	972	873
	RS	C	2	5	246.0	246.0	246.0	-24	-	-	-	923	923	923
	RS	D	2	30	272.0	274.0	272.7	N/Q	-	-	-	911	932	919
400+	FD	C	2	2	240.0	240.0	240.0	N/Q	-	-	-	1056	1056	1,056
	FD	C	3	1	304.0	304.0	304.0	N/Q	-	-	-	1338	1338	1,338
				785	128.0	304.0			381	381		288	1338	
Yearling Heifer														
200-280	FD	C	2	34	192.0	220.0	212.3	N/Q	-	-	-	528	588	574
	FD	D	2	64	120.0	196.0	140.1	-29	-	-	-	276	519	372
	FD	E	2	12	70.0	70.0	70.0	-70	-	-	-	189	189	189
	PR	C	2	5	160.0	200.0	168.0	-23	308	385	323	416	550	443
	PR	D	2	26	130.0	185.0	135.7	-80	250	356	261	293	453	335
	RS	C	2	39	156.0	246.0	196.2	14	-	-	-	419	689	539
	RS	D	2	163	128.0	226.0	167.9	-11	-	-	-	282	633	422
	RS	E	2	2	126.0	126.0	126.0	N/Q	-	-	-	334	334	334
280-330	FD	C	2	77	190.0	240.0	225.3	-4	-	-	-	580	780	718
	FD	D	2	26	200.0	226.0	209.7	-7	-	-	-	570	728	651
	PR	C	2	5	196.0	202.0	197.2	-29	377	388	379	559	576	562
	PR	D	2	11	202.0	202.0	202.0	8	388	388	388	576	646	634
	RS	C	2	37	198.0	246.0	229.1	N/Q	-	-	-	564	800	708
	RS	D	2	36	196.0	230.0	212.6	N/C	-	-	-	600	725	662
330-400	FD	C	2	152	230.0	252.0	245.2	11	-	-	-	794	900	865
	FD	C	3	12	218.0	218.0	218.0	N/Q	-	-	-	818	818	818
	FD	D	2	4	154.0	230.0	185.5	-45	-	-	-	516	771	621
	RS	C	2	22	222.0	250.0	244.4	N/Q	-	-	-	794	888	867
	RS	C	3	8	206.0	268.0	225.3	N/Q	-	-	-	752	1008	834
	RS	D	2	7	238.0	238.0	238.0	N/Q	-	-	-	916	916	916
	RS	D	3	10	226.0	226.0	226.0	-12	-	-	-	757	757	757
				752	70.0	268.0			250	388		189	1008	
Grown Steer														
0-400	FD	C	2	4	218.0	242.0	224.0	N/Q	-	-	-	730	847	760

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
400-500	FD	D	2	17	218.0	250.0	239.3	-19	-	-	-	689	963	845	
	FD	E	2	9	162.0	222.0	184.7	N/Q	-	-	-	612	650	629	
	RS	D	2	69	220.0	254.0	234.7	N/Q	-	-	-	792	838	807	
	FD	C	2	70	220.0	298.0	286.3	-17	-	-	-	979	1356	1,280	
	FD	D	2	160	200.0	296.0	270.2	-19	-	-	-	924	1332	1,167	
	FD	E	2	4	204.0	204.0	204.0	N/Q	-	-	-	887	887	887	
	LE	C	2	2	278.0	278.0	278.0	N/Q	-	-	-	1334	1334	1,334	
	LE	C	3	7	280.0	280.0	280.0	N/Q	-	-	-	1274	1274	1,274	
500-600	LE	D	2	50	180.0	280.0	260.0	N/Q	-	-	-	873	1284	1,146	
	RS	D	2	37	218.0	270.0	257.8	N/Q	-	-	-	883	1161	1,092	
	FD	C	2	1	246.0	246.0	246.0	-60	-	-	-	1365	1365	1,365	
	LE	C	2	10	282.0	286.0	284.0	N/Q	-	-	-	1424	1433	1,429	
	LE	D	2	1	235.0	235.0	235.0	N/Q	-	-	-	1281	1281	1,281	
	PR	C	3	2	240.0	240.0	240.0	-31	453	453	453	1392	1392	1,392	
600-750	PR	D	3	15	233.0	270.0	265.0	N/Q	440	500	494	1351	1439	1,405	
	PR	D	4	4	256.0	260.0	258.0	N/Q	474	481	478	1472	1495	1,484	
	LE	D	4	5	260.0	260.0	260.0	N/Q	-	-	-	1625	1625	1,625	
	PR	C	4	9	240.0	264.0	261.3	-16	444	489	484	1597	1776	1,617	
					476	162.0	298.0			440	500		612	1776	
Grown Heifer															
0-540	DA	E	1	10	98.0	98.0	98.0	N/Q	-	-	-	265	265	265	
	FD	C	2	32	204.0	248.0	234.6	-19	-	-	-	766	1068	878	
	FD	C	3	7	210.0	246.0	240.9	N/Q	-	-	-	756	947	920	
	FD	D	2	35	120.0	238.0	198.3	-27	-	-	-	336	824	678	
	FD	D	3	26	170.0	236.2	228.9	-8	-	-	-	697	1012	926	
	FD	E	1	4	114.0	114.0	114.0	N/Q	-	-	-	308	308	308	
	PR	D	2	8	188.0	206.0	197.0	-29	362	396	379	630	826	728	
	PR	D	3	26	186.0	228.2	219.2	21	358	431	414	623	1051	878	
	PR	E	2	1	118.0	118.0	118.0	N/Q	227	227	227	342	342	342	
	RS	C	3	10	262.0	262.0	262.0	N/Q	-	-	-	1153	1153	1,153	
	RS	D	2	24	180.0	244.0	222.2	10	-	-	-	603	842	765	
	RS	E	1	18	100.0	132.0	117.8	-44	-	-	-	270	356	318	
	RS	E	2	25	40.0	50.0	43.2	-97	-	-	-	122	125	123	
					226	40.0	262.0			227	431		122	1153	
Cows															
0-400	FD	D	1	9	76.0	148.2	137.0	43	-	-	-	274	572	525	
	FD	D	2	50	84.0	160.2	147.4	-11	-	-	-	315	609	557	
	PR	D	2	53	110.0	158.0	136.8	-6	262	359	307	396	632	524	
	RS	D	1	18	70.0	88.0	80.1	-7	-	-	-	228	304	284	
	RS	D	2	50	116.0	160.0	130.6	44	-	-	-	418	608	484	
	400-520	FD	D	1	2	110.0	110.0	110.0	N/Q	-	-	-	446	446	446
		FD	D	2	76	140.0	178.2	168.7	-5	-	-	-	567	882	783
FD		D	3	14	184.0	184.2	184.1	N/Q	-	-	-	857	883	872	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
520+	PR	D	2	61	84.0	176.2	152.4	-5	191	383	329	337	793	659
	PR	D	3	40	160.0	190.0	172.4	-11	333	396	359	680	850	796
	PR	D	4	28	166.0	200.0	189.3	-6	332	400	379	805	941	878
	RS	D	2	6	150.0	150.0	150.0	N/Q	-	-	-	630	630	630
	FD	D	4	4	182.0	182.0	182.0	N/Q	-	-	-	992	992	992
	PR	D	3	2	170.0	170.0	170.0	-16	354	354	354	893	893	893
	PR	D	4	41	180.0	202.2	194.5	-8	360	404	388	972	1163	1,071
				454	70.0	202.2			191	404		228	1163	
<b>Bulls</b>														
0-450	FD	C	2	18	180.0	288.0	240.9	78	-	-	-	423	1255	766
	FD	D	2	28	120.0	290.0	208.2	29	-	-	-	288	1009	593
	FD	E	2	40	90.0	174.0	120.0	-10	-	-	-	165	409	239
	LE	C	2	10	170.0	298.0	260.8	N/Q	-	-	-	570	907	783
	LE	D	2	2	150.0	220.0	185.0	N/Q	-	-	-	503	528	515
	PR	D	2	3	130.0	180.0	163.3	N/Q	250	346	314	325	783	630
	PR	D	3	4	180.0	180.0	180.0	N/Q	340	340	340	774	774	774
	RS	C	2	7	216.0	216.0	216.0	N/Q	-	-	-	518	518	518
	RS	D	2	88	130.0	200.0	177.6	8	-	-	-	208	479	429
450-600	LE	C	2	2	180.0	223.0	201.5	N/Q	-	-	-	864	1037	951
	LE	C	3	5	220.0	230.0	222.8	N/Q	-	-	-	1100	1288	1,166
	LE	D	2	1	120.0	120.0	120.0	N/Q	-	-	-	552	552	552
	LE	E	2	1	170.0	170.0	170.0	N/Q	-	-	-	825	825	825
	PR	D	3	2	180.0	180.0	180.0	N/Q	340	340	340	1053	1053	1,053
600+	LE	C	3	6	228.0	244.0	235.5	N/Q	-	-	-	1391	1745	1,571
	LE	D	2	1	130.0	130.0	130.0	N/Q	-	-	-	806	806	806
	LE	D	3	1	180.0	180.0	180.0	N/Q	-	-	-	1170	1170	1,170
	PR	C	3	2	220.0	254.0	237.0	4	400	462	431	1956	1969	1,962
	PR	E	2	1	158.0	158.0	158.0	N/Q	298	298	298	1067	1067	1,067
	PR	E	3	1	180.0	180.0	180.0	N/Q	327	327	327	1755	1755	1,755
	RS	C	3	2	242.0	250.0	246.0	N/Q	-	-	-	1825	1851	1,838
				225	90.0	298.0			250	462		165	1969	

DA - Dairy, FD - Feeder, GF - Grainfed, PR - Processor, LE - Live Export, PC - Pastoral Cattle, PT - PTIC, RS - Restocker

Learn more about coming changes to MLA Market Information by going to [www.mla.com.au/update](http://www.mla.com.au/update)

**Disclaimer:**

© MLA 2019. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.

