

## Detailed Saleyard Report - Cattle

Market information provided by MLA's National Livestock Reporting Service

### CQLX Gracemere

report date 13/12/2019

Yarding 3254  
 Change -994

comparison date 06/12/2019

Gracemere agents penned 3,254 head at the last CQLX sale for 2019. This was a decrease of 994 head from last week's sale. The majority of the cattle were drawn from Central Queensland as far north as Collinsville. There was a noticeable increase in the number of light, drought stressed stock in the yarding and this was reflected in prices recorded. The buying panel was also somewhat limited, although best bred yearling classes and the finished cows showed increases on last week's sale results.

Calves topped at 222c to average 186c to 220c/kg for the best bred pens. Restockers purchased the main runs of vealer steers to a top of 256c to average 223c/kg. Vealer heifers eased - relative to quality - to record averages from 154c to 163c/kg. Light yearling steers returned averages from 225c to 237c for well bred pens whilst the very poor conditioned pens averaged 175c/kg. Medium weight yearling steers averaged from 260c to 268c with heavy weights averaging 280c/kg. Light yearling heifers averaged 163c to 178c for the best and 139c to 146c/kg for light store conditioned lots. Medium and heavy yearling heifers improved to average from 225c to 247c/kg.

Grown steers selling to feed topped at 284c and averaged 249c to 262c/kg. A large sample of grown heifers to feed averaged 207c, selling to 257c/kg on occasions. Those to the trade made to 240c to average 225c/kg. Cow classes gained to reach 188c for 2 scores to feed and average 169c with a light yarding of heavy 4 score cows averaging 200c and selling to 205c/kg. Light supplies of heavy bulls sold to 230c and averaged 220c/kg. Good quality pens of British breed cross cows and calves made from \$720 to \$860/unit with lesser quality pens much easier.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Calves</b>														
80+	FD	D	2	17	130.0	168.0	139.4	18	-	-	-	208	286	229
	RS	C	2	27	179.0	212.0	202.0	-20	-	-	-	313	392	374
	RS	D	1	36	130.0	222.0	186.3	N/Q	-	-	-	221	400	295
	RS	D	2	50	134.0	202.0	162.3	-3	-	-	-	181	347	262
				130	130.0	222.0			0	0		181	400	
<b>Vealer Steer</b>														
200-280	RS	C	2	104	188.0	256.0	223.0	-6	-	-	-	423	627	518
	RS	D	1	8	238.0	238.0	238.0	N/Q	-	-	-	478	478	478
	RS	D	2	73	180.0	256.0	216.1	7	-	-	-	386	550	466
				185	180.0	256.0			0	0		386	627	
<b>Vealer Heifer</b>														
0-200	FD	D	1	25	120.0	134.0	130.4	N/Q	-	-	-	222	255	244
	RS	D	2	3	140.0	168.0	158.7	51	-	-	-	273	319	304
200-280	FD	C	2	1	200.0	200.0	200.0	N/C	-	-	-	500	500	500
	FD	D	2	14	140.0	140.0	140.0	-25	-	-	-	329	329	329
	PR	C	2	6	158.0	164.0	159.0	-32	304	315	306	369	419	410
	RS	C	2	32	162.0	166.0	163.1	N/C	-	-	-	336	415	367
	RS	D	2	36	140.0	168.0	154.1	-11	-	-	-	295	378	348
				117	120.0	200.0			304	315		222	500	
<b>Yearling Steer</b>														
200-280	FD	C	2	10	227.0	240.0	236.7	10	-	-	-	598	660	645
	FD	D	2	13	200.0	254.0	225.4	22	-	-	-	500	635	588
	RS	C	2	32	180.0	242.0	226.9	-2	-	-	-	441	638	561
	RS	D	1	23	160.0	194.0	175.4	N/Q	-	-	-	386	450	410

Category	Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head	
						Low	High	Avg	Change	Low	High	Avg	Low	High
280-330	RS	D	2	94	160.0	250.0	230.2	17	-	-	-	392	638	581
	FD	C	2	38	230.0	279.0	260.5	16	-	-	-	748	893	818
	FD	D	2	13	222.0	240.0	230.3	-6	-	-	-	633	792	699
330-400	RS	C	2	36	234.0	270.0	262.0	28	-	-	-	714	837	778
	FD	C	2	12	254.0	276.0	267.8	-6	-	-	-	927	1063	1,003
400+	RS	D	2	11	265.0	265.0	265.0	-8	-	-	-	901	901	901
	FD	C	2	16	275.0	285.0	280.0	40	-	-	-	1154	1169	1,162
				298	160.0	285.0			0	0		386	1169	
Yearling Heifer														
0-200	RS	D	2	16	178.0	178.0	178.0	N/Q	-	-	-	338	338	338
200-280	FD	C	2	24	140.0	182.0	173.9	-38	-	-	-	385	495	459
	FD	D	1	44	110.0	210.0	145.5	N/Q	-	-	-	286	557	379
	FD	D	2	75	120.0	214.0	169.7	30	-	-	-	306	589	438
	PR	C	2	2	132.0	160.0	146.0	-22	254	308	281	323	400	362
	PR	C	3	3	180.0	180.0	180.0	N/Q	340	340	340	468	468	468
	PR	D	2	14	160.0	170.0	168.6	33	308	327	324	408	434	430
	RS	C	2	72	140.0	256.0	164.3	-32	-	-	-	329	666	405
	RS	D	1	45	118.0	142.0	138.5	N/Q	-	-	-	307	327	324
	RS	D	2	196	125.0	234.0	202.2	34	-	-	-	256	655	531
280-330	FD	C	2	22	194.0	248.0	225.8	1	-	-	-	584	794	713
	FD	D	2	96	160.0	250.0	215.1	5	-	-	-	488	813	680
	FD	E	2	5	150.0	150.0	150.0	N/Q	-	-	-	458	458	458
	PR	C	2	3	206.0	206.0	206.0	9	396	396	396	680	680	680
	RS	C	2	21	230.0	248.0	241.1	12	-	-	-	719	759	734
	RS	D	2	57	218.0	234.0	224.8	12	-	-	-	621	749	682
330-400	FD	C	2	72	220.0	257.0	242.0	-3	-	-	-	748	914	858
	FD	C	3	14	246.0	254.0	246.6	29	-	-	-	902	923	921
	FD	D	2	17	230.0	230.0	230.0	45	-	-	-	805	851	813
	PR	C	3	8	210.0	210.0	210.0	N/Q	404	404	404	746	746	746
	PR	D	3	4	190.0	190.0	190.0	N/Q	358	358	358	637	637	637
	RS	C	2	1	234.0	234.0	234.0	-10	-	-	-	807	807	807
	RS	D	2	1	194.0	194.0	194.0	-44	-	-	-	679	679	679
400+	RS	C	3	1	230.0	230.0	230.0	N/Q	-	-	-	966	966	966
				813	110.0	257.0			254	404		256	966	
Grown Steer														
0-400	FD	D	2	5	262.0	262.0	262.0	23	-	-	-	917	917	917
	RS	D	1	22	166.0	232.0	200.8	N/Q	-	-	-	465	650	562
	RS	D	2	7	249.0	249.0	249.0	14	-	-	-	884	884	884
400-500	FD	C	3	26	228.0	284.0	245.5	N/Q	-	-	-	1060	1406	1,132
	FD	D	2	11	281.0	281.0	281.0	11	-	-	-	1138	1138	1,138
	LE	D	2	13	244.0	254.0	250.9	-9	-	-	-	1130	1196	1,150
500-600	PR	C	3	5	260.0	282.0	270.4	30	491	522	503	1365	1580	1,506
600-750	PR	C	4	1	270.0	270.0	270.0	9	491	491	491	1958	1958	1,958

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	PR	D	3	4	240.0	240.0	240.0	N/Q	444	444	444	1488	1488	1,488
				94	166.0	284.0			444	522		465	1958	
<b>Grown Heifer</b>														
0-540	FD	C	2	49	238.0	257.0	252.9	18	-	-	-	869	1016	942
	FD	C	3	4	215.0	230.0	226.3	-15	-	-	-	882	966	945
	FD	D	2	239	156.0	246.0	208.3	10	-	-	-	429	1015	711
	FD	D	3	9	202.0	254.0	226.4	-2	-	-	-	880	1194	1,001
	PR	C	3	2	230.0	234.0	232.0	N/Q	434	442	438	1012	1030	1,021
	PR	D	2	10	150.0	232.0	161.8	-35	313	446	330	555	940	606
	PR	D	3	21	198.0	240.0	216.6	-3	374	462	414	743	936	868
	PR	D	4	4	202.0	234.0	224.5	N/Q	381	433	419	980	1182	1,098
	RS	C	2	12	238.0	252.0	249.7	N/Q	-	-	-	881	945	934
	RS	D	2	59	184.0	218.0	198.6	-24	-	-	-	497	818	642
	RS	D	3	2	206.0	206.0	206.0	N/Q	-	-	-	834	834	834
				411	150.0	257.0			313	462		429	1194	
<b>Manufacturing Steer</b>														
0-540	PR	E	1	5	88.0	88.0	88.0	N/Q	210	210	210	334	334	334
				5	88.0	88.0			210	210		334	334	
<b>Cows</b>														
0-400	FD	D	1	17	80.0	95.0	91.5	-46	-	-	-	284	366	347
	FD	D	2	16	120.0	146.0	126.0	-21	-	-	-	432	548	464
	FD	D	3	1	194.0	194.0	194.0	N/Q	-	-	-	747	747	747
	PR	D	1	2	112.0	112.0	112.0	N/Q	267	267	267	431	431	431
	PR	D	2	35	100.0	156.0	137.7	1	227	339	308	360	593	515
	RS	D	1	66	70.0	124.0	112.9	33	-	-	-	259	459	394
	RS	D	2	21	110.0	124.2	120.2	-10	-	-	-	379	418	392
400-520	FD	D	2	62	148.0	188.0	169.2	N/C	-	-	-	607	855	744
	FD	D	3	6	160.0	183.0	171.0	-13	-	-	-	760	851	802
	PR	D	2	44	136.0	178.0	159.5	7	296	385	351	583	780	685
	PR	D	3	66	164.0	198.0	186.8	14	342	413	388	754	1010	896
	PR	E	2	1	152.0	152.0	152.0	N/Q	345	345	345	707	707	707
	RS	D	1	2	128.0	128.0	128.0	N/Q	-	-	-	531	531	531
	RS	D	2	20	128.0	166.0	150.3	N/C	-	-	-	538	706	633
	RS	E	2	1	244.0	244.0	244.0	N/Q	-	-	-	1135	1135	1,135
520+	FD	D	2	1	165.0	165.0	165.0	N/Q	-	-	-	891	891	891
	PR	D	3	10	190.0	195.0	191.0	21	396	406	398	998	1043	1,007
	PR	D	4	9	199.0	205.0	199.7	5	394	398	398	1076	1085	1,084
				380	70.0	244.0			227	413		259	1135	
<b>Bulls</b>														
0-450	FD	C	2	1	220.0	220.0	220.0	-21	-	-	-	616	616	616
	FD	D	1	44	70.0	180.0	113.9	N/Q	-	-	-	242	522	342
	FD	D	2	8	120.0	170.0	143.8	-64	-	-	-	230	332	286
	FD	D	3	1	125.0	125.0	125.0	N/Q	-	-	-	563	563	563

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	LE	C	2	2	210.0	210.0	210.0	-51	-	-	-	557	557	557
	LE	D	2	11	200.0	218.0	214.7	30	-	-	-	550	670	646
	PR	D	2	4	140.0	140.0	140.0	-23	269	269	269	336	336	336
	RS	C	2	6	190.0	296.0	213.0	-3	-	-	-	437	814	536
	RS	D	1	116	70.0	210.0	157.3	N/Q	-	-	-	153	494	307
	RS	D	2	24	120.0	203.0	180.7	3	-	-	-	288	548	449
450-600	FD	C	3	3	228.0	228.0	228.0	N/Q	-	-	-	1060	1060	1,060
	FD	D	1	3	100.0	100.0	100.0	N/Q	-	-	-	485	485	485
	FD	D	2	1	140.0	140.0	140.0	N/Q	-	-	-	658	658	658
600+	FD	C	2	1	180.0	180.0	180.0	N/Q	-	-	-	1233	1233	1,233
	FD	C	3	1	180.0	180.0	180.0	N/Q	-	-	-	1512	1512	1,512
	FD	D	2	1	140.0	140.0	140.0	N/Q	-	-	-	903	903	903
	PR	C	3	2	176.0	210.0	193.0	-44	320	382	351	1329	1859	1,594
	RS	C	3	3	200.0	230.0	220.0	-26	-	-	-	1308	1714	1,578
				232	70.0	296.0			269	382		153	1859	

DA - Dairy, FD - Feeder, GF - Grainfed, PR - Processor, LE - Live Export, PC - Pastoral Cattle, PT - PTIC, RS - Restocker

Learn more about coming changes to MLA Market Information by going to [www.mla.com.au/update](http://www.mla.com.au/update)

Disclaimer:

© MLA 2019. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.

