

Detailed Saleyard Report - Cattle

Market information provided by MLA's National Livestock Reporting Service

Toowoomba

report date 01/07/2019

Yarding 814
 Change 85

comparison date 24/06/2019

Numbers lifted by 85 head to 814, and the usual panel of buyers was present and operating. Young cattle were in the largest numbers, along with a few pens of heavy grown steers and bullocks, and a fair sample of mixed quality cows. Light weight yearling steers returning to the paddock experienced very little change in price, while yearling steers to feed for the domestic market averaged 2c to 5c/kg dearer. A better quality penning of light weight yearling heifers improved in price and medium weight yearling heifers to feed averaged 3c/kg dearer. A very good quality line up of heavy grown steers and bullocks sold to very strong competition. Plain condition cows averaged 5c to 7c/kg better, while good heavy cows received very little change in price.

Steer calves returning to the paddock made to the occasional 280c, with majority close to 240c and heifer calves averaged 157c/kg. A single vealer steer with show ring potential made to 300c and vealer heifers to the trade made to 250c/kg. Light weight yearling steers sold to restockers at an average of 229c, with sales to 251.2c/kg. Yearling steers to feed for the domestic market made to 270c to average 249c and medium weights to feed averaged 267c and made to 287.2c/kg. The occasional heavy weight yearling steer to the trade made to 325.2c, with a few others close to 284c/kg. Light weight yearling heifers made to 220c, with most to processors making 187c/kg. Medium weight yearling heifers to feed averaged 242c and sold to 261.2c/kg. Heavy weight yearling heifers to the trade made to 290.2c to average 260c/kg.

Heavy grown steers to export processor made to 308.2c and bullocks reached 307.2c to average 306c and a couple of bullocks sold to the local trade market at 321.2c/kg. Medium weight 2 score cows averaged 174c and made to 184.2c/kg. Good heavy cows sold to 211.2c to average 205c/kg. Heavy bulls made to 258.2c/kg.

Category	Sale Weight	Muscle Prefix	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+	PR	D	2	7	180.2	180.2	180.2	N/Q	340	340	340	333	333	333
	RS	B	2	1	280.0	280.0	280.0	N/Q	-	-	-	532	532	532
	RS	C	2	14	239.2	240.2	239.8	-20	-	-	-	443	444	444
	RS	D	2	55	120.2	176.2	156.8	-2	-	-	-	104	315	255
				77	120.2	280.0			340	340		104	532	
Vealer Steer														
200-280	RS	B	2	2	300.0	300.0	300.0	N/Q	-	-	-	735	735	735
				2	300.0	300.0			0	0		735	735	
Vealer Heifer														
200-280	PR	C	2	9	221.2	244.2	236.5	N/Q	410	452	438	586	684	651
	PR	C	3	13	250.0	250.0	250.0	N/Q	463	463	463	663	663	663
280-330	PR	C	2	6	207.2	214.2	208.4	N/Q	384	397	386	610	622	620
				28	207.2	250.0			384	463		586	684	
Yearling Steer														
0-200	RS	C	2	9	190.0	212.2	194.9	N/Q	-	-	-	352	424	368
	RS	D	2	11	100.0	200.2	175.5	N/Q	-	-	-	154	370	315
	RS	E	1	10	70.0	80.0	77.0	N/Q	-	-	-	130	160	151
200-280	FD	D	2	7	167.2	167.2	167.2	N/Q	-	-	-	460	460	460
	PR	C	2	15	205.2	230.2	225.2	24	373	419	409	544	610	597
	RS	C	2	49	200.0	251.2	229.4	-1	-	-	-	460	666	586
	RS	D	2	2	156.2	156.2	156.2	-7	-	-	-	367	367	367
280-330	FD	C	2	64	224.2	270.0	248.8	2	-	-	-	673	810	747
	FD	D	2	2	200.2	200.2	200.2	N/C	-	-	-	601	601	601
	PR	D	1	5	120.0	120.0	120.0	N/Q	218	218	218	360	360	360

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
330-400	FD	C	2	15	252.2	- 278.2	266.6	5	-	-	-	871	- 971	904
	PR	C	2	6	237.2	- 237.2	237.2	N/Q	431	- 431	431	830	- 830	830
	PR	C	3	4	260.2	- 294.2	270.7	N/C	473	- 535	492	885	- 1133	950
400+	PR	B	3	1	325.2	- 325.2	325.2	N/Q	542	- 542	542	1724	- 1724	1,724
	PR	C	3	3	278.2	- 287.2	284.2	-2	506	- 522	517	1182	- 1292	1,256
				203	70.0	325.2			218	542		130	1724	
Yearling Heifer														
0-200	PR	E	1	7	64.2	- 64.2	64.2	N/Q	119	- 119	119	119	- 119	119
	RS	D	1	1	100.0	- 100.0	100.0	N/Q	-	-	-	185	- 185	185
	RS	D	2	3	108.2	- 108.2	108.2	-62	-	-	-	200	- 200	200
200-280	FD	C	2	8	169.2	- 220.0	186.9	8	-	-	-	398	- 539	456
	PR	C	2	46	160.0	- 208.2	187.4	12	296	- 386	347	409	- 543	479
	PR	D	2	1	100.0	- 100.0	100.0	-52	185	- 185	185	235	- 235	235
	RS	C	2	4	216.2	- 216.2	216.2	58	-	-	-	595	- 595	595
	RS	D	2	6	120.0	- 150.0	125.0	-26	-	-	-	300	- 353	309
280-330	FD	C	2	1	214.2	- 214.2	214.2	17	-	-	-	643	- 643	643
	PR	C	2	13	171.2	- 209.2	184.4	-16	317	- 387	342	514	- 628	553
330-400	FD	C	2	19	225.2	- 261.2	242.0	3	-	-	-	820	- 940	868
	FD	C	3	5	248.2	- 248.2	248.2	N/Q	-	-	-	956	- 956	956
	FD	D	2	1	210.0	- 210.0	210.0	-1	-	-	-	767	- 767	767
	PR	C	3	3	250.2	- 250.2	250.2	-1	463	- 463	463	851	- 851	851
400+	FD	C	2	5	239.2	- 259.2	255.2	N/Q	-	-	-	1017	- 1102	1,085
	FD	C	3	1	249.2	- 249.2	249.2	-11	-	-	-	1059	- 1059	1,059
	FD	D	2	1	205.2	- 205.2	205.2	N/Q	-	-	-	872	- 872	872
	PR	C	2	1	220.2	- 220.2	220.2	N/Q	408	- 408	408	936	- 936	936
	PR	C	3	5	243.2	- 290.2	260.2	9	450	- 528	480	1094	- 1582	1,237
	PR	D	3	5	220.0	- 220.0	220.0	N/Q	407	- 407	407	957	- 957	957
				136	64.2	290.2			119	528		119	1582	
Grown Steer														
0-400	PR	D	1	2	121.2	- 121.2	121.2	N/Q	220	- 220	220	406	- 406	406
400-500	PR	D	2	1	120.0	- 120.0	120.0	N/Q	218	- 218	218	510	- 510	510
	RS	D	2	2	180.2	- 180.2	180.2	N/Q	-	-	-	730	- 730	730
500-600	PR	C	4	7	308.2	- 308.2	308.2	9	550	- 550	550	1818	- 1818	1,818
600-750	PR	B	3	2	321.2	- 321.2	321.2	8	535	- 535	535	1930	- 1930	1,930
	PR	C	4	15	306.2	- 307.2	306.7	-1	547	- 549	548	1874	- 1898	1,887
				29	120.0	321.2			218	550		406	1930	
Grown Heifer														
0-540	PR	C	3	4	251.2	- 264.2	261.0	N/Q	483	- 498	495	1321	- 1344	1,327
	PR	D	1	11	98.2	- 114.2	105.5	N/Q	213	- 248	229	417	- 427	423
	PR	D	2	1	153.2	- 153.2	153.2	N/Q	333	- 333	333	590	- 590	590
	PR	D	3	13	218.2	- 231.2	220.0	N/C	420	- 445	422	1006	- 1107	1,021
	PR	E	1	2	70.0	- 84.2	77.1	N/Q	152	- 183	168	252	- 282	267
	RS	D	2	3	96.2	- 96.2	96.2	N/Q	-	-	-	274	- 274	274

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	RS	E	1	5	70.2	70.2	70.2	-18	-			207	207	207
				39	70.0	264.2				152	498	207	1344	
Cows														
0-400	DA	D	1	1	128.2	128.2	128.2	N/Q	-			513	513	513
	PR	D	1	28	103.2	132.2	111.4	3	235	300	253	372	485	429
	PR	E	1	9	30.2	87.2	63.6	-26	69	198	145	121	321	236
400-520	DA	D	1	5	120.0	156.2	141.7	4	-			540	726	652
	PR	D	1	33	117.2	145.2	127.1	-15	266	330	289	516	653	558
	PR	D	2	44	149.2	184.2	174.4	5	324	400	379	656	921	843
	PR	D	3	11	189.2	199.2	194.2	7	386	407	396	856	966	924
	PR	D	4	11	200.2	204.2	201.7	-2	393	400	395	1001	1021	1,008
	PR	E	1	1	70.0	70.0	70.0	N/Q	159	159	159	308	308	308
	RS	D	2	4	190.0	190.0	190.0	N/Q	-			922	922	922
520+	DA	D	1	2	160.0	160.0	160.0	N/Q	-			936	936	936
	DA	D	2	1	189.2	189.2	189.2	N/Q	-			1249	1249	1,249
	PR	D	2	7	172.2	181.2	177.8	7	364	394	376	921	1060	968
	PR	D	3	23	192.2	202.2	198.2	7	389	413	403	1076	1341	1,165
	PR	D	4	40	199.2	211.2	205.5	N/C	391	414	403	1082	1545	1,186
				220	30.2	211.2			69	414		121	1545	
Bulls														
0-450	FD	C	2	6	208.2	233.2	229.0	N/Q	-			760	991	953
	FD	C	3	3	251.2	256.2	252.9	N/Q	-			1068	1089	1,075
	PR	C	3	1	250.0	250.0	250.0	N/Q	455	455	455	1125	1125	1,125
	PR	D	2	7	100.0	180.2	168.6	-19	182	328	307	369	477	451
	RS	C	2	1	214.2	214.2	214.2	N/Q	-			503	503	503
	RS	D	2	18	141.2	164.2	151.8	40	-			233	300	269
450-600	FD	C	2	1	163.2	163.2	163.2	N/Q	-			840	840	841
	PR	C	3	2	220.0	234.2	227.1	N/Q	393	426	409	1210	1323	1,267
600+	PR	C	3	14	215.2	258.2	239.4	23	384	461	428	1345	2724	1,894
	RS	C	3	1	246.2	246.2	246.2	N/Q	-			1822	1822	1,822
				54	100.0	258.2			182	461		233	2724	

DA - Dairy, FD - Feeder, GF - Grainfed, PR - Processor, LE - Live Export, PC - Pastoral Cattle, PT - PTIC, RS - Restocker

Disclaimer:

© MLA 2019. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.

