

Detailed Saleyard Report - Cattle

Market information provided by MLA's National Livestock Reporting Service

Toowoomba

report date 22/07/2019

Yarding 758
 Change -153

comparison date 15/07/2019

Numbers reduced by 153 head to 758. Mixed quality young cattle were in the largest numbers, along with a few pens of very well presented heavy grown steers, and there was a wide variation in the standard of the fair supply of cows. The usual panel of buyers was present and most were operating. Similar to other markets, plain condition light weight cattle experienced limited support. However, most other classes were in demand and sold to a dearer trend. Medium and heavy weight yearling steers to feed averaged 15c to 20c/kg better. Medium weight yearling heifers to feed lifted in price by 11c/kg. Heavy grown steers to export process received strong competition. Good heavy cows sold to a market 14c/kg better.

The occasional vealer steer made to 290.2c and the best of the vealer heifers sold to the trade at an isolated 304.2c/kg. Light weight yearling steers returned to the paddock at an average of 225c, with some to 242.2c/kg. Medium weight yearling steers to feed averaged 281c and made to 290.2c, with the occasional sale to the trade at 318.2c/kg. Heavy weight yearling steers to feed averaged 295c and sold to 300c, as one heavy weight yearling steer ex the show ring sold to local butchers at 325.2c/kg. Light weight yearling heifers primarily sold close to 204c, with some to 242.2c/kg. Medium weight yearling heifers to feed averaged 250c and made to 260.2c, with isolated sales to the trade at 300.2c/kg.

Heavy grown steers to export process averaged 305c, with sales to 313.2c/kg. Light weight poor condition cows averaged 148c and medium weight 2 scores averaged 189c and sold to 207.2c/kg. Good heavy cows mainly sold for approximately 245c, with the occasional pen making to 259.2c/kg. Heavy bulls made to 278.2c/kg.

Category	Sale Weight	Muscle Prefix	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+	PR	D	2	4	181.2	181.2	181.2	8	342	342	342	299	299	299
	RS	C	2	3	236.2	236.2	236.2	-7				437	437	437
	RS	D	2	11	120.0	140.0	129.6	-25				150	245	193
				18	120.0	236.2			342	342		150	437	
Vealer Steer														
200-280	RS	C	2	5	259.2	259.2	259.2	N/Q				687	687	687
280-330	RS	C	2	1	290.2	290.2	290.2	N/Q				856	856	856
				6	259.2	290.2			0	0		687	856	
Vealer Heifer														
200-280	FD	C	2	6	226.2	240.0	237.7	8				509	660	635
	PR	C	2	4	226.2	230.0	227.1	N/Q	419	426	421	509	541	517
	PR	C	3	1	240.0	240.0	240.0	N/Q	444	444	444	660	660	660
	RS	C	2	5	245.2	245.2	245.2	N/Q				613	613	613
280-330	PR	C	3	6	240.0	250.2	243.4	N/Q	444	463	451	684	713	694
330+	PR	C	3	1	304.2	304.2	304.2	6	585	585	585	1019	1019	1,019
				23	226.2	304.2			419	585		509	1019	
Yearling Steer														
200-280	RS	C	2	22	209.2	242.2	225.1	-14				492	622	560
	RS	D	2	5	131.2	201.2	155.0	-21				308	473	364
280-330	FD	C	2	16	230.2	286.2	275.5	15				691	823	802
	PR	C	2	1	210.0	210.0	210.0	N/Q	382	382	382	630	630	630
	PR	D	2	3	157.2	157.2	157.2	N/Q	286	286	286	472	472	472
	RS	C	2	19	240.0	269.2	251.8	N/Q				727	808	759
	RS	D	2	2	204.2	204.2	204.2	N/Q				653	653	653

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
330-400	FD	C	2	50	268.2	290.2	281.4	22	-	-	-	932	1093	982
	PR	B	3	1	318.2	318.2	318.2	N/Q	530	530	530	1114	1114	1,114
	PR	C	3	4	270.0	300.0	287.9	-16	491	545	523	991	1050	1,031
	PR	D	2	3	154.2	154.2	154.2	N/Q	280	280	280	517	517	517
	RS	C	2	6	283.2	283.2	283.2	N/Q	-	-	-	991	991	991
400+	FD	C	2	28	285.0	300.0	295.0	15	-	-	-	1211	1350	1,318
	PR	B	3	1	325.2	325.2	325.2	N/Q	542	542	542	1756	1756	1,756
	PR	C	2	1	285.2	285.2	285.2	N/Q	519	519	519	1283	1283	1,283
	PR	C	3	14	292.2	300.2	296.2	-7	531	536	534	1315	1462	1,403
				176	131.2	325.2			280	545		308	1756	
Yearling Heifer														
200-280	FD	C	2	29	180.0	235.2	203.7	-7	-	-	-	410	588	506
	PR	C	2	3	200.0	225.0	208.3	18	370	417	386	450	619	506
	PR	D	2	3	158.2	158.2	158.2	N/Q	293	293	293	372	372	372
	RS	C	2	15	196.2	242.2	215.9	N/C	-	-	-	471	666	531
	RS	D	2	12	129.2	144.2	139.3	14	-	-	-	313	355	328
280-330	FD	C	2	5	220.2	231.2	229.0	-1	-	-	-	661	694	687
	PR	C	2	1	200.2	200.2	200.2	-23	371	371	371	601	601	601
	RS	D	2	9	133.2	133.2	133.2	N/Q	-	-	-	400	400	400
330-400	FD	C	2	30	245.0	260.2	249.9	11	-	-	-	821	976	870
	FD	C	3	8	243.2	257.2	250.5	N/Q	-	-	-	851	990	944
	FD	D	2	9	200.2	208.2	204.6	-13	-	-	-	718	771	742
	PR	B	3	3	299.2	300.2	299.5	N/Q	534	536	535	1021	1122	1,088
	PR	C	3	7	240.0	240.0	240.0	-3	444	444	444	924	924	924
400+	FD	C	2	2	249.2	249.2	249.2	7	-	-	-	1059	1059	1,059
	FD	C	3	2	261.2	261.2	261.2	N/Q	-	-	-	1110	1110	1,110
	FD	D	2	1	217.2	217.2	217.2	-3	-	-	-	923	923	923
	PR	C	3	6	250.2	259.2	256.2	-26	463	480	474	1102	1213	1,139
				145	129.2	300.2			293	536		313	1213	
Grown Steer														
0-400	RS	D	1	7	149.2	149.2	149.2	N/Q	-	-	-	574	574	574
400-500	FD	C	2	14	260.0	290.2	282.5	N/Q	-	-	-	1105	1306	1,226
	PR	C	3	1	272.2	272.2	272.2	N/Q	495	495	495	1157	1157	1,157
	PR	C	4	1	292.2	292.2	292.2	-12	522	522	522	1183	1183	1,183
500-600	FD	D	2	2	246.2	246.2	246.2	N/Q	-	-	-	1256	1256	1,256
	PR	C	3	7	276.2	287.2	283.5	18	502	522	515	1450	1663	1,610
	PR	C	4	20	290.2	313.2	304.7	-4	518	559	544	1556	1662	1,598
	PR	D	2	3	216.2	216.2	216.2	N/Q	393	393	393	1135	1135	1,135
600-750	PR	D	2	1	209.2	209.2	209.2	N/Q	380	380	380	1318	1318	1,318
				56	149.2	313.2			380	559		574	1663	
Grown Heifer														
0-540	DA	D	1	4	181.2	181.2	181.2	N/Q	-	-	-	897	897	897
	FD	D	2	6	150.2	150.2	150.2	N/Q	-	-	-	563	563	563

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
540+	FD	D	3	3	231.2	- 241.2	237.9	-12	-			1040	- 1085	1,070
	PR	C	4	1	250.2	- 250.2	250.2	N/Q	472	- 472	472	1213	- 1213	1,214
	PR	D	2	9	185.2	- 211.2	197.6	-15	386	- 440	412	861	- 982	932
	PR	D	3	8	238.2	- 257.2	244.7	17	449	- 495	463	1012	- 1273	1,132
	PR	C	3	1	262.2	- 262.2	262.2	N/Q	495	- 495	495	1481	- 1481	1,481
	PR	D	5	25	230.2	- 233.2	231.6	N/Q	443	- 448	445	1370	- 1388	1,378
				57	150.2	262.2			386	495		563	1481	
Manufacturing Steer														
0-540	PR	D	3	2	240.2	- 240.2	240.2	N/Q	437	- 437	437	1273	- 1273	1,273
540+	PR	C	4	1	276.2	- 276.2	276.2	N/Q	502	- 502	502	1795	- 1795	1,795
				3	240.2	276.2		437	502		1273	1795		
Cows														
0-400	DA	D	1	9	120.0	- 149.2	136.2	N/Q	-			439	- 574	514
	DA	D	2	1	172.2	- 172.2	172.2	N/Q	-			629	- 629	629
400-520	PR	D	1	25	144.2	- 153.2	147.9	N/Q	328	- 348	336	555	- 613	581
	DA	D	1	7	140.0	- 173.2	155.9	15	-			567	- 866	746
	DA	D	2	2	198.2	- 202.2	200.2	N/Q	-			892	- 930	911
	DA	D	3	2	199.2	- 199.2	199.2	N/Q	-			896	- 896	896
	PR	D	1	12	157.2	- 174.2	165.5	17	357	- 396	376	719	- 776	750
	PR	D	2	39	175.2	- 207.2	189.2	-5	381	- 450	411	745	- 966	864
520+	PR	D	3	6	205.2	- 214.2	212.0	4	419	- 437	433	893	- 996	976
	PR	D	4	5	217.2	- 247.2	230.8	16	426	- 485	453	1080	- 1201	1,113
	RS	D	1	14	173.2	- 173.2	173.2	N/Q	-			805	- 805	805
	DA	D	1	1	173.2	- 173.2	173.2	16	-			1031	- 1031	1,031
	DA	D	2	7	183.2	- 210.2	199.9	N/Q	-			993	- 1593	1,256
	PR	D	2	21	189.2	- 207.2	201.9	N/Q	411	- 450	439	1070	- 1225	1,131
	PR	D	3	17	212.2	- 228.2	218.3	N/C	433	- 466	446	1135	- 1355	1,215
	PR	D	4	35	225.2	- 259.2	245.0	14	442	- 497	476	1261	- 1947	1,535
	PR	D	6	1	141.2	- 141.2	141.2	N/Q	288	- 288	288	847	- 847	847
					204	120.0	259.2			288	497		439	1947
Bulls														
0-450	FD	C	2	6	268.2	- 275.2	270.2	45	-			1033	- 1170	1,077
	FD	C	3	1	252.2	- 252.2	252.2	N/Q	-			971	- 971	971
	FD	D	2	3	200.0	- 200.0	200.0	21	-			600	- 600	600
	PR	C	3	1	235.2	- 235.2	235.2	N/Q	428	- 428	428	1000	- 1000	1,000
	RS	D	2	1	184.2	- 184.2	184.2	N/Q	-			433	- 433	433
600+	PR	C	2	3	195.5	- 213.2	204.3	-8	355	- 388	371	1327	- 1866	1,537
	PR	C	3	8	236.2	- 278.2	264.1	12	422	- 497	472	1535	- 2838	2,172
	PR	D	2	1	185.2	- 185.2	185.2	N/Q	337	- 337	337	1158	- 1158	1,158
					24	184.2	278.2			337	497		433	2838

Disclaimer:

© MLA 2019. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.

