

## Detailed Saleyard Report - Cattle

Market information provided by MLA's National Livestock Reporting Service

### Toowoomba

report date 29/07/2019

Yarding 835  
 Change 77

comparison date 22/07/2019

The supply of stock remained close to the previous week's level at 835 head. There was a wide variation in the quality of the young cattle, and only a small selection of heavy grown steers and bullocks and a fair sample of cows. Buyer representation was not as good as the previous sale. Very light weight drought affected young cattle experienced very limited support. However a lift in the quality of the yearling steers to restockers increased average prices by 40c/kg. Medium weight yearling steers to feed averaged 6c/kg dearer, and heavy weights were also in demand. Light weight yearling heifers to feed averaged 18c dearer and medium weight yearling heifers to feed improved in price by 3c/kg. The small sample of heavy grown steers and bullocks to export processors received strong competition. Cows varied in price with medium weight plain condition classes from 2c to 7c dearer, however good heavy cows averaged 7c/kg easier.

Light weight yearling steers returning to the paddock averaged 266c and made to 286.2c/kg. Medium weight yearling steers to feed made to 300c, averaging 287c/kg. Heavy weight yearling steers to feed made to 300.2c, to average 293c/kg. Light weight yearling heifers to feed averaged 222c, with one pen making to 240c/kg. Medium weight yearling heifers to feed averaged 253c and sold to 264.2c, while a few yearlings to the trade made to 284.2c/kg. Heavy weight yearling heifers to feed made to 278.2c to average 244c, with the occasional sale to the trade at 280.2c/kg.

A handful of four tooth medium weight steers to feed made to 300.2c/kg. Heavy grown steers to export processing made to 317.2c, with the bullocks selling to 318.2c/kg. Medium weight poor condition cows averaged 163c, and the better 2 scores made to 207.2c, to average 197c/kg. Heavy 3 score cows averaged 221c, and good heavy cows made to 247.2c to average 238c/kg. Heavy bulls made to 276.2c/kg.

Category	Sale Weight	Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
						Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Calves</b>															
80+	RS	C	2	11	220.0	274.2	254.5	18	-	-	-	407	502	467	
	RS	D	1	1	100.2	100.2	100.2	N/Q	-	-	-	165	165	165	
	RS	D	2	5	116.2	176.2	132.2	3	-	-	-	215	326	239	
				17	100.2	274.2			0	0		165	502		
<b>Vealer Heifer</b>															
200-280	FD	C	2	1	230.0	230.0	230.0	-8	-	-	-	610	610	610	
				1	230.0	230.0			0	0		610	610		
<b>Yearling Steer</b>															
0-200	RS	D	2	1	125.0	125.0	125.0	N/Q	-	-	-	206	206	206	
	RS	E	1	6	80.0	118.2	105.5	N/Q	-	-	-	132	219	190	
200-280	PR	D	2	5	212.2	212.2	212.2	N/Q	386	386	386	584	584	584	
	RS	C	2	49	230.0	286.2	266.6	42	-	-	-	560	778	693	
	RS	D	2	10	126.2	200.0	152.4	-3	-	-	-	297	490	345	
280-330	FD	C	2	18	244.2	296.2	279.7	4	-	-	-	702	889	822	
	RS	D	2	1	168.2	168.2	168.2	-36	-	-	-	479	479	479	
330-400	FD	C	2	48	270.0	300.0	287.0	6	-	-	-	905	1118	1,015	
	FD	D	2	3	200.0	240.0	226.7	N/Q	-	-	-	690	900	822	
400+	FD	C	2	17	284.2	300.2	293.3	-2	-	-	-	1163	1294	1,222	
	FD	C	3	1	299.2	299.2	299.2	N/Q	-	-	-	1302	1302	1,302	
	FD	D	1	1	208.2	208.2	208.2	N/Q	-	-	-	843	843	843	
	FD	D	2	4	279.2	280.2	279.7	N/Q	-	-	-	1131	1191	1,161	
	PR	C	3	6	299.2	307.2	303.0	7	544	553	549	1272	1797	1,393	
				170	80.0	307.2			386	553		132	1797		

### Yearling Heifer

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
0-200	PR	E	1	5	98.2	- 98.2	98.2	N/Q	182	- 182	182	182	- 182	182
	RS	E	1	11	70.0	- 78.2	72.2	N/Q	-	-	-	116	- 145	124
200-280	FD	C	2	46	170.0	- 240.0	222.2	18	-	-	-	459	- 660	586
	PR	C	2	4	172.2	- 172.2	172.2	-36	319	- 319	319	474	- 474	474
	PR	D	2	5	108.2	- 150.0	141.6	-17	200	- 278	262	222	- 353	326
	RS	C	2	4	198.2	- 198.2	198.2	-18	-	-	-	486	- 486	486
	RS	D	1	3	214.2	- 214.2	214.2	N/Q	-	-	-	525	- 525	525
	RS	D	2	30	116.2	- 206.2	135.6	-4	-	-	-	273	- 423	325
	RS	E	2	1	70.0	- 70.0	70.0	N/Q	-	-	-	165	- 165	165
280-330	FD	C	2	9	215.2	- 238.2	233.1	4	-	-	-	646	- 715	699
	FD	D	2	2	178.2	- 178.2	178.2	N/Q	-	-	-	579	- 579	579
	PR	C	3	1	235.2	- 235.2	235.2	N/Q	436	- 436	436	706	- 706	706
330-400	FD	C	2	26	231.2	- 264.2	253.2	3	-	-	-	801	- 914	881
	FD	D	2	10	172.2	- 213.2	188.6	-16	-	-	-	594	- 778	668
	PR	C	2	14	219.2	- 239.2	234.9	N/Q	406	- 443	435	734	- 897	862
	PR	C	3	3	230.2	- 284.2	261.5	22	426	- 517	481	886	- 1037	956
	PR	D	3	4	236.2	- 236.2	236.2	N/Q	437	- 437	437	909	- 909	909
400+	FD	C	2	4	230.0	- 230.0	230.0	-19	-	-	-	978	- 978	978
	FD	C	3	15	233.2	- 278.2	244.4	-17	-	-	-	991	- 1182	1,042
	PR	C	3	2	271.2	- 280.2	275.7	20	502	- 519	511	1180	- 1303	1,241
				199	70.0	284.2			182	519		116	1303	
Grown Steer														
400-500	FD	C	2	7	293.2	- 300.2	297.2	15	-	-	-	1207	- 1246	1,224
500-600	FD	D	2	1	214.2	- 214.2	214.2	-32	-	-	-	1125	- 1125	1,125
	PR	C	4	7	317.2	- 317.2	317.2	13	598	- 598	598	1659	- 1659	1,659
	PR	D	3	4	239.2	- 239.2	239.2	N/Q	435	- 435	435	1351	- 1351	1,352
600-750	PR	C	4	8	318.2	- 318.2	318.2	N/Q	568	- 568	568	1979	- 1979	1,979
				27	214.2	318.2			435	598		1125	1979	
Grown Heifer														
0-540	FD	C	3	4	265.2	- 269.2	268.2	N/Q	-	-	-	1193	- 1252	1,237
	FD	D	2	1	209.2	- 209.2	209.2	59	-	-	-	816	- 816	816
	PR	C	4	5	270.0	- 273.2	272.6	22	509	- 515	514	1270	- 1462	1,322
	PR	D	2	3	150.0	- 230.0	176.7	-21	313	- 479	368	638	- 1070	782
	PR	D	3	10	235.0	- 257.2	241.3	-3	443	- 495	457	905	- 1286	1,064
	RS	D	2	4	136.2	- 136.2	136.2	N/Q	-	-	-	409	- 409	409
				27	136.2	273.2			313	515		409	1462	
Manufacturing Steer														
540+	PR	C	4	7	262.2	- 262.2	262.2	-14	468	- 468	468	1699	- 1699	1,699
				7	262.2	262.2			468	468		1699	1699	
Cows														
0-400	DA	D	1	2	110.0	- 123.2	116.6	-20	-	-	-	440	- 451	446
	PR	D	1	13	146.2	- 151.2	148.1	N/C	332	- 344	337	555	- 585	573
	PR	D	2	7	175.0	- 188.2	178.3	N/Q	380	- 409	388	620	- 753	688

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400-520	PR	E	1	13	80.0	- 120.2	98.6	N/Q	182	- 273	224	268	- 463	358
	DA	D	1	7	168.2	- 188.2	176.8	21	-	-	-	870	- 913	888
	PR	D	1	38	140.0	- 171.2	163.0	-2	318	- 389	370	609	- 750	711
	PR	D	2	44	171.2	- 207.2	196.6	7	372	- 450	427	798	- 1021	919
	PR	D	3	44	205.2	- 227.2	214.3	2	419	- 464	437	927	- 1053	1,015
	PR	D	4	1	224.2	- 224.2	224.2	-7	440	- 440	440	1121	- 1121	1,121
520+	PR	E	3	3	188.2	- 188.2	188.2	N/Q	384	- 384	384	875	- 875	875
	RS	D	1	6	188.2	- 188.2	188.2	15	-	-	-	819	- 819	819
	DA	D	1	10	159.2	- 184.2	171.7	-1	-	-	-	853	- 1022	938
	PR	D	2	15	180.2	- 206.2	198.0	-4	392	- 448	430	968	- 1227	1,127
	PR	D	3	31	211.2	- 230.2	220.9	3	431	- 470	451	1125	- 1370	1,268
	PR	D	4	27	228.2	- 247.2	238.1	-7	447	- 485	467	1289	- 1891	1,455
				261	80.0	247.2			182	485		268	1891	
<b>Bulls</b>														
0-450	FD	C	2	5	225.2	- 263.2	245.4	-25	-	-	-	676	- 1013	873
	PR	C	2	8	201.2	- 201.2	201.2	N/Q	366	- 366	366	604	- 604	604
	PR	D	2	1	148.2	- 148.2	148.2	N/Q	269	- 269	269	393	- 393	393
	RS	C	2	2	234.2	- 234.2	234.2	N/Q	-	-	-	703	- 703	703
	RS	D	2	2	126.2	- 196.2	161.2	-23	-	-	-	334	- 540	437
450-600	FD	C	3	1	275.2	- 275.2	275.2	N/Q	-	-	-	1541	- 1541	1,541
600+	FD	C	2	1	195.2	- 195.2	195.2	N/Q	-	-	-	1484	- 1484	1,484
	PR	C	2	1	185.2	- 185.2	185.2	-19	337	- 337	337	1639	- 1639	1,639
	PR	C	3	7	228.2	- 276.2	263.3	-1	408	- 493	470	1483	- 2312	1,876
	PR	D	1	1	102.2	- 102.2	102.2	N/Q	189	- 189	189	639	- 639	639
				29	102.2	276.2			189	493		334	2312	

DA - Dairy, FD - Feeder, GF - Grainfed, PR - Processor, LE - Live Export, PC - Pastoral Cattle, PT - PTIC, RS - Restocker

Disclaimer:

© MLA 2019. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.

