

Detailed Saleyard Report - Cattle

Market information provided by MLA's National Livestock Reporting Service

Warwick

report date 02/07/2019

Yarding 1437
 Change -293

comparison date 25/06/2019

Warwick agents yarded 1,437 head, which was a reduction of close to 300 compared to last weeks sale. The yarding consisted of a good supply of young cattle, while cows dominated the grown cattle section. The yarding of young cattle consisted of a good supply of yearlings and a fair penning of weaners. Quality was mixed in the young cattle with some well finished 3 score yearlings that were supplementary fed and some good runs of well bred cattle, however there was also a fair number of plain conditioned steers and heifers through the sale.

The market varied with well bred weaner steers selling to a top of 279c for a average of 242c, while weaner heifers to restockers sold to 203c to average 164c/kg. Medium weight feeder steers were slightly dearer selling to 290c to average 265c, and restockers to 250c/kg. Trade yearlings struggled to hold firm with yearling steers ranging from 275c to 301c and heifers sold to 307c/kg. Feeder heifers gained 5c selling to 237c for a average of 225c/kg.

The yarding of export cattle was made up mainly of cows, along with only a few pens of grown steers and a fair penning of heifers. Quality improved in a market that saw grown steers sell slightly easier topping at 307c, and the heifers sold to a top of 291c/kg. The cow market varied with not all the usual buyers operating, as a result the better end of the 3 and 4 score cows were down by 10c and more in places, however the plainer grade cows were less affected. Medium weight 2 score cows averaged 168c, while the 3 scores averaged 200c, and heavy cows sold to a top of 223c/kg.

Category	Sale Weight	Muscle Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
						Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves															
80+	RS	C	1	13	120.0	220.0	168.5	N/Q	-	-	-	168	396	276	
	RS	C	2	15	141.2	240.0	174.1	-27	-	-	-	254	480	329	
	RS	D	2	28	110.0	151.0	141.8	-18	-	-	-	176	285	254	
				56	110.0	240.0			0	0		168	480		
Vealer Steer															
200-280	RS	C	2	109	198.2	279.2	242.7	N/Q	-	-	-	515	768	609	
				109	198.2	279.2			0	0		515	768		
Vealer Heifer															
200-280	PR	C	2	60	141.2	203.2	178.5	-27	266	376	331	311	508	424	
	RS	C	2	48	133.2	203.2	164.3	N/Q	-	-	-	320	549	403	
	RS	D	2	25	118.2	150.2	138.6	N/Q	-	-	-	272	345	313	
				133	118.2	203.2			266	376		272	549		
Yearling Steer															
200-280	RS	C	2	75	180.0	250.0	230.5	13	-	-	-	468	700	634	
280-330	RS	C	2	21	200.0	300.0	231.4	N/C	-	-	-	580	900	685	
330-400	FD	C	2	64	225.2	290.0	265.7	3	-	-	-	856	1137	1,021	
	PR	C	2	3	250.0	250.0	250.0	-9	455	455	455	950	950	950	
400+	FD	C	2	6	270.0	270.0	270.0	N/Q	-	-	-	1134	1134	1,134	
	FD	C	3	18	275.0	295.0	287.0	N/Q	-	-	-	1180	1375	1,272	
	PR	C	3	39	275.0	301.0	283.2	-4	500	547	515	1176	1375	1,288	
				226	180.0	301.0			455	547		468	1375		
Yearling Heifer															
200-280	PR	C	2	14	167.2	200.0	186.1	18	310	370	345	451	560	516	
	RS	C	2	23	161.0	210.2	185.7	-1	-	-	-	386	568	479	
	RS	D	2	6	130.0	130.0	130.0	-3	-	-	-	299	299	299	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
280-330	PR	C	3	4	240.0	240.0	240.0	N/Q	444	444	444	720	720	720	
	RS	D	2	9	158.2	158.2	158.2	N/Q	-	-	-	506	506	506	
330-400	FD	C	2	56	204.2	237.2	225.0	5	-	-	-	715	901	826	
	PR	C	2	6	213.2	267.2	240.2	5	402	495	449	853	962	907	
	PR	C	3	15	231.2	266.2	255.0	3	428	502	478	925	1065	1,020	
400+	FD	C	2	4	233.2	233.2	233.2	N/Q	-	-	-	979	979	979	
	PR	C	3	67	234.2	307.2	257.8	-11	434	559	477	984	1490	1,166	
				204	130.0	307.2			310	559		299	1490		
Grown Steer															
500-600	PR	C	4	44	252.0	308.2	280.7	-21	458	560	510	1429	1726	1,593	
				44	252.0	308.2			458	560		1429	1726		
Grown Heifer															
0-540	PR	C	2	18	204.2	216.0	212.5	N/Q	389	430	412	817	968	903	
	PR	C	3	45	247.2	273.2	263.0	8	466	506	493	1142	1475	1,225	
	PR	D	2	16	147.2	170.0	157.3	-25	307	354	328	530	680	622	
540+	PR	C	4	5	291.2	291.2	291.2	31	539	539	539	1642	1642	1,642	
				84	147.2	291.2			307	539		530	1642		
Cows															
0-400	DA	E	1	9	117.2	136.0	124.9	N/Q	-	-	-	451	544	478	
	PR	D	1	7	145.2	157.2	155.5	34	323	349	346	581	597	595	
	PR	D	2	13	167.2	170.2	168.4	N/Q	356	362	358	669	681	673	
	PR	E	1	32	115.2	225.2	144.3	73	303	593	370	392	766	516	
	RS	D	1	6	144.2	174.2	164.2	14	-	-	-	577	697	657	
	RS	D	2	12	117.2	162.0	139.6	N/Q	-	-	-	422	616	519	
	RS	E	1	16	128.2	148.0	145.5	79	-	-	-	462	518	511	
	400-520	DA	D	1	10	150.0	161.0	157.4	N/Q	-	-	-	630	721	680
		DA	D	2	8	160.0	177.2	171.3	N/Q	-	-	-	736	886	819
		DA	E	1	2	147.2	147.2	147.2	N/Q	-	-	-	736	736	736
PR		D	1	21	145.2	161.2	154.8	9	316	349	337	624	725	681	
PR		D	2	76	160.0	185.0	168.5	-8	347	394	360	721	851	772	
PR		D	3	68	190.0	218.2	200.8	6	396	455	416	855	1031	956	
PR		D	4	47	201.0	216.2	209.7	-8	402	428	418	1025	1124	1,078	
RS		D	2	7	178.2	178.2	178.2	N/Q	-	-	-	820	820	820	
520+	DA	D	2	8	170.0	179.2	174.6	-9	-	-	-	986	1190	1,088	
	PR	D	3	2	191.2	191.2	191.2	-12	398	398	398	1052	1052	1,052	
	PR	D	4	75	205.0	223.2	213.3	-10	406	436	422	1109	1652	1,274	
				419	115.2	225.2			303	593		392	1652		
Bulls															
450-600	PR	C	2	7	190.0	282.2	257.7	N/Q	352	513	469	950	1693	1,519	
	PR	D	1	1	160.2	160.2	160.2	N/Q	314	314	314	801	801	801	
600+	PR	C	1	1	171.2	171.2	171.2	N/Q	317	317	317	1198	1198	1,198	
	PR	C	2	8	218.2	261.2	230.6	60	399	466	420	1569	2171	1,770	
	PR	C	3	4	230.0	250.2	235.6	-6	399	439	419	1965	2324	2,199	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
				21	160.2	282.2			314	513		801	2324	

DA - Dairy, FD - Feeder, GF - Grainfed, PR - Processor, LE - Live Export, PC - Pastoral Cattle, PT - PTIC, RS - Restocker

Disclaimer:

© MLA 2019. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.

