

Detailed Saleyard Report - Cattle

Market information provided by MLA's National Livestock Reporting Service

Warwick

report date 03/09/2019

Yarding 1327

comparison date 27/08/2019

Change 203

Numbers increased by 203 head to 1327. Mixed quality young cattle dominated the selling pens, and only a handful of heavy grown steers and bullocks were penned, along with a larger number of cows. The usual panel of buyers was present and operating across all classes. Drought affected young cattle received very limited support. Light weight yearling steers returning to the paddock averaged 12c to 23c/kg less. The better quality medium weight yearling steers to feed and the trade averaged 10c to 15c/kg dearer, and heavy weight yearling steers to the trade also received very strong support. Light weight yearling heifers averaged 18c cheaper, while the medium weights to the trade averaged 10c/kg better. Medium weight plain condition cows to processors or restockers averaged 10c to 15c/kg dearer, and good heavy cows experienced a small improvement in price.

A handful of vealer heifers sold to local butchers at 260c to average 251c/kg. Light weight yearling steers returning to the paddock made to 257.2c to average 230c, and poor quality lines averaged 187c/kg. Medium weight yearling steers to the trade made to the occasional 322.2c, and the feeder classes averaged 290c and made to 310c/kg. Heavy weight yearling steers to the trade made to 319.2c to average 311c/kg. Light weight yearling heifers mostly sold around 185c with some to 225.2c, and poor quality lines averaged 140c/kg. Medium weight yearling heifers to feed averaged 228c, and local trade lines made to 298.2c to average 268c/kg. Heavy weight yearling heifers to the trade made to the occasional 319.2c, and feeder classes averaged 154c/kg.

A couple of heavy grown steers to export slaughter made to 318.2c, and the occasional bullock made to 330.2c/kg. Medium weight 2 score cows returning to the paddock made to 202.2c to average 188c, and slaughter lines also averaged 188c and made to 198.2c/kg. Good heavy cows averaged 234c, with the occasional sale to 245.2c/kg. Heavy bulls made to 279.2c/kg.

Category	Sale Weight	Muscle Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
						Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves															
80+	PR	D	2	1	150.2	150.2	150.2	4	283	283	283	278	278	278	
	RS	C	2	9	168.2	200.0	171.7	-79	-	-	-	311	370	318	
	RS	D	2	15	149.2	190.0	167.5	-46	-	-	-	128	342	272	
				25	149.2	200.0			283	283		128	370		
Vealer Heifer															
200-280	PR	C	2	3	225.2	225.2	225.2	N/Q	417	417	417	619	619	619	
	PR	C	3	1	250.0	250.0	250.0	N/Q	463	463	463	688	688	688	
280-330	FD	C	2	3	239.2	239.2	239.2	N/Q	-	-	-	706	706	706	
	PR	C	3	5	245.2	260.0	251.1	N/Q	454	481	465	699	780	731	
				12	225.2	260.0			417	481		619	780		
Yearling Steer															
0-200	RS	D	1	21	150.2	184.2	168.6	-5	-	-	-	180	332	284	
	RS	D	2	3	187.2	187.2	187.2	N/Q	-	-	-	346	346	346	
	RS	E	1	3	138.2	138.2	138.2	N/Q	-	-	-	173	173	173	
200-280	FD	C	2	1	247.2	247.2	247.2	N/Q	-	-	-	618	618	618	
	PR	C	2	2	215.2	215.2	215.2	N/Q	391	391	391	484	484	484	
	PR	D	2	2	207.2	207.2	207.2	N/Q	377	377	377	425	425	425	
	RS	C	2	68	200.2	257.2	229.7	-12	-	-	-	473	682	552	
	RS	D	2	29	130.0	210.0	187.3	-23	-	-	-	358	578	449	
280-330	FD	C	2	7	230.0	250.0	241.4	N/Q	-	-	-	690	750	724	
	FD	D	2	1	219.2	219.2	219.2	N/Q	-	-	-	658	658	658	
	PR	C	2	5	190.2	190.2	190.2	N/Q	346	346	346	571	571	571	
	PR	C	3	10	240.2	240.2	240.2	N/Q	437	437	437	721	721	721	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head				
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg		
330-400	RS	C	2	10	246.2	246.2	246.2	12	-	-	-	739	739	739		
	FD	C	2	26	250.0	310.0	288.9	15	-	-	-	879	1194	1,088		
	FD	D	2	12	232.2	251.2	239.5	48	-	-	-	788	967	852		
	PR	B	3	2	322.2	322.2	322.2	N/Q	556	556	556	1279	1279	1,279		
	PR	C	3	22	270.0	310.0	291.5	10	491	564	530	945	1194	1,085		
	PR	D	2	2	170.0	170.0	170.0	-65	309	309	309	570	570	570		
	RS	C	2	16	264.2	265.2	264.8	N/Q	-	-	-	991	995	993		
400+	RS	D	2	3	195.2	228.2	211.1	N/Q	-	-	-	654	856	773		
	FD	C	2	1	270.0	270.0	270.0	-25	-	-	-	1337	1337	1,337		
	FD	D	2	6	213.2	265.0	224.7	-15	-	-	-	906	1312	990		
	PR	C	3	30	284.2	319.2	310.8	N/Q	517	580	564	1295	1563	1,409		
					282	130.0	322.2					309	580		173	1563
Yearling Heifer																
0-200	RS	D	1	13	100.0	158.2	153.7	N/Q	-	-	-	120	261	250		
	RS	D	2	3	159.2	159.2	159.2	N/Q	-	-	-	263	263	263		
	RS	E	1	7	81.2	132.2	117.6	N/Q	-	-	-	69	245	194		
200-280	PR	C	2	1	190.0	190.0	190.0	-6	352	352	352	523	523	523		
	RS	C	2	83	161.2	225.2	185.0	-18	-	-	-	330	592	460		
	RS	D	1	11	131.2	139.2	133.4	N/Q	-	-	-	295	313	300		
280-330	RS	D	2	24	129.2	156.2	140.2	-11	-	-	-	267	361	320		
	FD	C	2	44	210.0	250.2	228.0	7	-	-	-	630	751	684		
	PR	C	3	6	239.2	254.2	246.7	11	435	471	453	763	765	764		
330-400	RS	D	2	2	155.0	155.0	155.0	-22	-	-	-	465	465	465		
	FD	C	2	35	221.2	238.2	228.2	-5	-	-	-	758	917	845		
	FD	C	3	5	240.0	240.0	240.0	-13	-	-	-	816	816	816		
	FD	D	2	1	220.0	220.0	220.0	N/C	-	-	-	847	847	847		
	PR	C	2	2	225.0	225.0	225.0	-6	417	417	417	754	754	754		
	PR	C	3	18	249.2	298.2	268.5	10	461	552	497	835	1029	911		
	PR	D	2	5	205.2	205.2	205.2	2	380	380	380	708	708	708		
400+	RS	E	1	1	100.2	100.2	100.2	N/Q	-	-	-	351	351	351		
	FD	C	2	37	252.2	254.2	253.6	12	-	-	-	1072	1080	1,078		
	FD	D	2	4	240.0	240.0	240.0	3	-	-	-	1020	1020	1,020		
	PR	B	3	2	319.2	319.2	319.2	N/Q	570	570	570	1347	1347	1,347		
	PR	C	3	18	250.2	295.2	269.3	-6	463	547	499	1063	1579	1,198		
				322	81.2	319.2					352	570		69	1579	
Grown Steer																
400-500	FD	D	2	1	230.2	230.2	230.2	N/Q	-	-	-	1001	1001	1,001		
	PR	D	2	2	213.2	213.2	213.2	N/Q	388	388	388	863	863	864		
500-600	PR	C	4	3	318.2	318.2	318.2	N/C	568	568	568	1721	1721	1,722		
	PR	D	2	5	208.2	208.2	208.2	N/Q	379	379	379	1114	1114	1,114		
600-750	PR	C	4	1	330.2	330.2	330.2	15	590	590	590	2212	2212	2,212		
					12	208.2	330.2					379	590		863	2212
Grown Heifer																

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
0-540	FD	C	2	11	234.2	239.2	238.3	N/Q	-	-	-	703	1112	1,038
	PR	C	3	1	236.2	236.2	236.2	-9	446	446	446	1004	1004	1,004
	PR	C	4	14	260.2	284.2	280.2	21	491	536	529	1132	1421	1,361
	PR	D	2	9	201.2	224.2	208.3	42	419	487	451	715	1087	819
	PR	D	3	2	246.2	246.2	246.2	10	473	473	473	1317	1317	1,317
	PR	E	1	2	113.2	113.2	113.2	N/Q	246	246	246	396	396	396
	RS	D	2	5	170.0	198.2	182.9	-16	-	-	-	791	961	866
	RS	E	1	4	119.2	137.2	128.2	N/Q	-	-	-	417	480	449
540+	PR	C	4	3	278.2	283.2	280.2	-8	525	534	529	1536	1699	1,635
				51	113.2	284.2			246	536		396	1699	
Manufacturing Steer														
540+	PR	C	3	2	247.2	247.2	247.2	N/Q	449	449	449	1545	1545	1,545
				6	277.2	277.2	277.2	-22	504	504	504	1733	1733	1,733
				8	247.2	277.2			449	504		1545	1733	
Cows														
0-400	DA	E	1	1	100.0	100.0	100.0	N/Q	-	-	-	400	400	400
				5	111.2	130.0	122.5	-11	253	295	278	445	455	451
				3	167.2	167.2	167.2	N/Q	363	363	363	669	669	669
				2	80.0	85.2	82.6	6	182	194	188	280	311	296
				22	120.2	158.2	138.5	11	-	-	-	397	633	548
				7	118.2	118.2	118.2	N/Q	-	-	-	431	431	431
				1	100.0	100.0	100.0	30	-	-	-	365	365	365
				1	100.0	100.0	100.0	30	-	-	-	365	365	365
400-520	DA	D	2	6	181.2	181.2	181.2	N/Q	-	-	-	906	906	906
				1	127.2	127.2	127.2	N/Q	-	-	-	572	572	572
				17	130.0	145.2	143.2	3	295	330	325	585	653	637
				55	170.0	198.2	188.0	10	370	431	409	791	961	875
				13	200.0	205.2	204.8	N/C	408	419	418	1000	1026	1,024
				3	228.2	228.2	228.2	10	447	447	447	1141	1141	1,141
				30	127.2	177.2	149.5	-1	-	-	-	572	824	661
				56	174.2	202.2	188.5	15	-	-	-	784	910	848
520+	DA	D	1	25	157.2	188.2	168.4	5	-	-	-	888	1129	1,000
				9	187.2	194.2	190.8	N/Q	-	-	-	1183	1330	1,291
				2	206.2	209.2	207.7	N/Q	-	-	-	1308	1340	1,324
				8	188.2	207.2	200.8	9	409	450	437	1007	1225	1,154
				27	202.2	218.2	212.7	-1	419	445	435	1082	1366	1,183
				36	217.2	245.2	234.0	1	426	481	459	1211	1853	1,461
				4	180.2	180.2	180.2	2	-	-	-	1036	1036	1,036
				333	80.0	245.2			182	481		280	1853	
Bulls														
0-450	FD	D	2	1	180.0	180.0	180.0	15	-	-	-	720	720	720
				14	130.2	130.2	130.2	N/Q	-	-	-	241	241	241
				6	120.0	180.0	144.7	-55	-	-	-	246	513	310
				2	80.0	80.0	80.0	10	-	-	-	108	108	108

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
450-600	FD	C	2	2	210.0	- 210.0	210.0	N/Q	-			1019	- 1019	1,019
	FD	C	3	1	240.0	- 240.0	240.0	N/Q	-			1188	- 1188	1,188
	FD	D	2	4	165.2	- 165.2	165.2	N/Q	-			801	- 801	801
	PR	C	2	6	170.0	- 220.2	211.8	2	309	- 400	385	961	- 1178	1,142
	PR	D	1	1	150.0	- 150.0	150.0	N/Q	273	- 273	273	870	- 870	870
600+	PR	C	2	4	109.2	- 209.2	175.6	-24	199	- 380	319	710	- 1743	1,244
	PR	C	3	29	220.0	- 279.2	242.5	-3	393	- 499	433	1383	- 2806	1,804
	PR	D	1	1	153.2	- 153.2	153.2	2	279	- 279	279	996	- 996	996
				71	80.0	279.2			199	499		108	2806	

DA - Dairy, FD - Feeder, GF - Grainfed, PR - Processor, LE - Live Export, PC - Pastoral Cattle, PT - PTIC, RS - Restocker

Disclaimer:

© MLA 2019. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.

