

Detailed Saleyard Report - Cattle

Market information provided by MLA's National Livestock Reporting Service

Warwick

report date 06/08/2019

Yarding 1707

comparison date 30/07/2019

Change 273

Numbers increased by 271 head to 1,707 head at Warwick. Cows dominated the grown cattle, along with a small selection of heavy grown steers and bullocks plus grown heifers, however virtually no very good heavy steers and bullocks were penned. A fair panel of buyers was present nevertheless, however some of the buyers of the previous week were absent from the buying panel. Drought affected steer and heifer calves were very hard to sell and averaged from 32c to 45c/kg less than previous weeks. Light weight yearling steers returning to the paddock averaged 9c/kg cheaper. Medium weight yearling steers to feed remained close to the previous week, and heavy weight yearling steers to feed received only quality related price changes. Most categories of yearling heifers sold to fair demand for the quality penned. All classes of cows sold to a much cheaper trend with losses from 13c to 17c and over 20c/kg in places.

Steer calves made to the occasional 228c with most averaging 218c, while mixed sex calves averaged 152c/kg. A handful of well presented vealer heifers to the trade sold to 296c/kg. There was a wide variation in the quality of the light weight yearling steers returning to the paddock, and this was also reflected in price with sales to 304c, with most averaging 254c/kg. Medium weight yearling steers to feed made to 312c to average 294c, while the heavy weight yearling steers to feed made to 313c to average 300c/kg. Light weight yearling heifers averaged 196c and made to 228c, with the medium weight yearling heifers to feed averaging 249c, and the better lines selling to 268c/kg. The occasional heavy weight yearling heifer sold to the trade for 312c/kg.

A handful of heavy grown steers made to 292c, to average 290c/kg. Medium weight poor condition cows averaged 145c, and the better 2 scores averaged 175c, to sell to 187c/kg. Good heavy cows made to 238c, to average 230c, while heavy bulls made to 266c/kg.

Category	Sale Weight	Muscle Prefix	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+	PR	D	1	1	130.0	130.0	130.0	N/Q	245	245	245	215	215	215
	PR	D	2	5	120.0	150.2	138.1	N/Q	226	283	261	210	248	233
	RS	C	1	15	225.0	225.0	225.0	N/Q	-	-	-	304	304	304
	RS	C	2	40	180.0	228.2	218.5	-32	-	-	-	308	394	364
	RS	D	2	47	123.2	170.2	152.4	-45	-	-	-	124	303	236
				108	120.0	228.2			226	283		124	394	
Vealer Steer														
200-280	RS	C	2	1	240.0	240.0	240.0	N/Q	-	-	-	636	636	636
				1	240.0	240.0			0	0		636	636	
Vealer Heifer														
200-280	PR	D	2	2	207.2	207.2	207.2	N/Q	384	384	384	466	466	466
	RS	C	2	3	210.2	248.2	235.5	-21	-	-	-	431	658	582
280-330	PR	C	3	5	279.2	296.2	284.4	9	517	549	527	824	874	839
				10	207.2	296.2			384	549		431	874	
Yearling Steer														
0-200	RS	E	1	4	70.0	70.0	70.0	-30	-	-	-	95	140	106
200-280	PR	C	2	3	200.0	200.0	200.0	-20	364	364	364	470	470	470
	PR	D	2	3	180.0	180.0	180.0	N/Q	327	327	327	423	423	423
	RS	C	2	118	199.2	304.2	254.5	-9	-	-	-	468	721	619
	RS	D	1	6	104.2	140.0	118.8	-36	-	-	-	234	329	274
	RS	D	2	26	112.2	219.2	179.7	-18	-	-	-	264	470	392
280-330	FD	C	2	55	240.0	270.0	258.6	-27	-	-	-	720	810	776
	FD	D	2	3	199.2	199.2	199.2	-25	-	-	-	588	588	588
	RS	C	2	28	240.2	308.2	262.4	11	-	-	-	697	946	785

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
330-400	RS	D	2	11	160.0	214.2	195.3	N/Q	-	-	-	480	643	586
	FD	C	2	122	267.2	312.2	294.5	-3	-	-	-	895	1117	1,028
	FD	D	2	5	230.0	255.2	245.1	N/Q	-	-	-	771	893	844
	PR	D	2	3	170.0	170.0	170.0	N/Q	309	309	309	595	595	595
400+	RS	D	1	1	120.0	120.0	120.0	N/Q	-	-	-	402	402	402
	FD	C	2	54	285.0	313.2	300.6	-6	-	-	-	1211	1441	1,280
	FD	D	2	13	255.2	270.0	260.9	1	-	-	-	1148	1225	1,195
	PR	C	3	6	288.0	288.2	288.1	-15	524	524	524	1297	1382	1,354
				461	70.0	313.2			309	524		95	1441	
Yearling Heifer														
0-200	RS	D	1	20	100.0	118.2	100.9	-31	-	-	-	165	195	183
	RS	D	2	8	120.0	120.0	120.0	N/Q	-	-	-	222	222	222
200-280	PR	C	2	19	163.2	218.2	181.3	-23	302	404	336	384	473	422
	PR	D	2	1	140.0	140.0	140.0	-20	259	259	259	329	329	329
	RS	C	2	114	166.2	228.2	195.7	-3	-	-	-	341	578	476
280-330	RS	D	2	7	120.0	132.2	121.7	-8	-	-	-	246	311	255
	FD	C	2	20	200.2	232.2	220.0	-4	-	-	-	601	697	660
	PR	C	2	6	239.0	239.0	239.0	35	443	443	443	765	765	765
	PR	D	2	1	140.0	140.0	140.0	N/Q	259	259	259	420	420	420
330-400	RS	C	2	7	215.2	215.2	215.2	N/Q	-	-	-	613	613	613
	FD	C	2	38	224.2	266.2	249.0	-3	-	-	-	785	1025	913
	FD	C	3	10	257.2	268.2	263.8	-1	-	-	-	900	1019	972
	FD	D	2	2	183.2	183.2	183.2	N/Q	-	-	-	614	614	614
400+	PR	C	3	1	281.2	281.2	281.2	7	521	521	521	1083	1083	1,083
	RS	D	2	3	215.2	215.2	215.2	N/Q	-	-	-	721	721	721
	FD	C	2	9	240.0	247.2	246.4	-29	-	-	-	1020	1051	1,047
	PR	B	3	1	312.2	312.2	312.2	N/Q	538	538	538	1358	1358	1,358
	PR	C	3	3	282.2	282.2	282.2	-5	523	523	523	1355	1355	1,355
	PR	D	2	2	177.2	177.2	177.2	N/Q	322	322	322	948	948	948
				272	100.0	312.2			259	538		165	1358	
Grown Steer														
400-500	PR	D	2	3	175.2	175.2	175.2	N/Q	319	319	319	815	815	815
500-600	PR	C	3	8	246.2	274.2	270.7	2	448	499	492	1317	1610	1,573
	PR	C	4	12	288.2	292.2	289.6	-23	515	522	517	1563	1718	1,668
	PR	D	2	3	225.2	225.2	225.2	N/Q	409	409	409	1272	1272	1,272
600-750	RS	D	2	1	214.2	214.2	214.2	N/Q	-	-	-	1146	1146	1,146
	PR	D	2	7	207.2	221.2	209.2	N/Q	377	402	380	1295	1383	1,308
				34	175.2	292.2			319	522		815	1718	
Grown Heifer														
0-540	FD	C	3	4	250.0	250.0	250.0	N/Q	-	-	-	1088	1088	1,088
	FD	D	2	11	191.2	214.2	201.7	-11	-	-	-	755	910	826
	PR	C	4	1	275.2	275.2	275.2	N/Q	519	519	519	1376	1376	1,376
	PR	D	2	12	146.2	219.2	205.4	-12	305	457	428	709	1098	1,021

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	PR	D	3	10	227.2	251.2	244.5	5	437	474	464	1056	1256	1,199
	RS	D	1	2	160.2	160.2	160.2	-38	-	-	-	617	617	617
	RS	D	2	13	190.2	190.2	190.2	N/Q	-	-	-	808	808	808
540+	PR	D	3	1	238.2	238.2	238.2	N/Q	458	458	458	1346	1346	1,346
				54	146.2	275.2			305	519		617	1376	
Manufacturing Steer														
540+	PR	D	2	12	204.2	214.2	213.4	N/Q	371	389	388	1276	1360	1,353
				12	204.2	214.2			371	389		1276	1360	
Cows														
0-400	DA	E	1	2	102.2	102.2	102.2	9	-	-	-	409	409	409
	DA	E	2	1	123.2	123.2	123.2	N/Q	-	-	-	493	493	493
	PR	D	1	21	109.2	140.2	122.9	-22	248	319	279	402	561	483
	PR	D	2	6	150.2	150.2	150.2	-31	327	327	327	601	601	601
	PR	E	1	4	100.0	100.0	100.0	25	227	227	227	400	400	400
	RS	D	1	24	125.0	147.2	131.3	-19	-	-	-	500	589	525
	RS	E	1	3	70.0	70.0	70.0	N/Q	-	-	-	277	277	277
400-520	DA	D	1	3	120.0	138.2	126.1	-49	-	-	-	540	691	590
	DA	E	2	1	130.0	130.0	130.0	N/Q	-	-	-	605	605	605
	PR	D	1	68	130.2	156.2	145.4	-17	296	355	331	566	753	643
	PR	D	2	115	155.0	187.2	174.6	-23	337	407	378	674	884	819
	PR	D	3	32	190.0	208.2	195.1	-23	388	425	398	827	968	929
	PR	D	4	1	216.2	216.2	216.2	-16	424	424	424	1049	1049	1,049
	RS	D	2	20	158.2	181.2	170.5	-18	-	-	-	719	879	811
520+	DA	D	1	7	150.2	169.2	160.1	N/Q	-	-	-	804	1184	976
	DA	D	2	5	164.2	199.2	192.2	N/Q	-	-	-	985	1394	1,313
	PR	C	3	1	227.2	227.2	227.2	N/Q	454	454	454	1216	1216	1,216
	PR	D	2	10	180.0	189.2	184.7	-33	391	411	401	963	1069	1,021
	PR	D	3	68	200.2	220.2	208.1	-22	409	449	425	1087	1288	1,158
	PR	D	4	27	219.2	238.2	230.4	-13	430	467	452	1315	1513	1,395
	PR	D	5	1	198.2	198.2	198.2	-36	404	404	404	1060	1060	1,060
	PR	D	6	1	140.0	140.0	140.0	N/Q	286	286	286	840	840	840
	RS	D	1	5	173.2	173.2	173.2	-33	-	-	-	927	927	927
	RS	D	2	10	185.2	185.2	185.2	N/Q	-	-	-	991	991	991
				436	70.0	238.2			227	467		277	1513	
Bulls														
0-450	FD	C	3	2	240.0	245.0	242.5	1	-	-	-	840	1103	971
	FD	D	2	1	152.2	152.2	152.2	N/Q	-	-	-	556	556	556
	PR	C	2	1	195.2	195.2	195.2	-15	355	355	355	752	752	752
	PR	C	3	3	235.0	235.0	235.0	N/Q	427	427	427	823	823	823
	RS	C	2	15	200.0	217.2	210.9	2	-	-	-	270	576	490
	RS	E	1	2	40.0	79.2	59.6	N/Q	-	-	-	34	131	82
450-600	PR	C	2	1	189.2	189.2	189.2	-32	344	344	344	1069	1069	1,069
	PR	C	3	1	240.0	240.0	240.0	20	436	436	436	1164	1164	1,164

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
600+	PR	C	2	2	200.0	- 200.0	200.0	-17	364	- 364	364	1300	- 1300	1,300
	PR	C	3	17	205.2	- 266.2	246.2	-13	366	- 475	440	1450	- 2529	1,982
	PR	D	1	1	105.2	- 105.2	105.2	N/Q	191	- 191	191	721	- 721	721
	PR	D	2	4	173.2	- 174.2	173.7	N/Q	315	- 317	316	1083	- 1089	1,086
				50	40.0	266.2			191	475		34	2529	

DA - Dairy, FD - Feeder, GF - Grainfed, PR - Processor, LE - Live Export, PC - Pastoral Cattle, PT - PTIC, RS - Restocker

Disclaimer:

© MLA 2019. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.

