

## Detailed Saleyard Report - Cattle

Market information provided by MLA's National Livestock Reporting Service

### Warwick

report date 10/09/2019

Yarding 1391  
 Change 64

comparison date 03/09/2019

Numbers experienced very little change at 1,391 head. Overall quality continues to be very mixed across most categories. A fair panel of buyers was present and operating, however some exporters of the previous week were absent. Very light weight drought affected young cattle received limited support, however well presented lines experienced fair demand. A lift in the standard of the light weight yearling steers returning to the paddock improved average prices. Medium and heavy weight yearling steers to feed generally sold to strong demand to experience only quality related price changes. Most classes of yearling heifers followed a similar trend. The small selection of heavy grown steers and bullocks sold to solid demand. Plain condition cows to restockers improved in price, while slaughter classes sold to within a few cents either way of the previous week.

Well bred steer calves returning to the paddock averaged 266.2c, while drought affected lines mostly sold around 148c, and heifer calves made to 201.2c to average 170c/kg. A handful of vealer heifers sold to local butchers at 265c/kg. Light weight yearling steers returning to the paddock made to the occasional 272.2c with a large sample averaging 243c/kg. Medium weight yearling steers to feed made to 320.2c to average 271c, and local trade lines made to 309.2c/kg. A small selection of heavy weight yearling steers to feed made to 321.2c to average 280c, with local trade lines reaching 316.2c/kg. Drought affected light weight yearling heifers averaged 129c, while the better classes averaged 213c and made to 234.2c/kg. Medium weight yearling heifers to the trade made to 288c to average 254c, and heavy weight yearling heifers made to 295.2c to average 262c/kg.

Heavy grown steers to export slaughter averaged 316c, and the bullock portion made to 328.2c/kg. Poor condition cows returning to the paddock averaged 160c and made to 170.2c, while slaughter classes averaged 156c/kg. Medium weight 2 score cows averaged 186c and made to 191.2c/kg. Good heavy cows made to 242.2c, with most around 230c/kg. Heavy bulls made to 260.2c/kg.

Category	Sale Weight	Muscle Prefix	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Calves</b>														
0-80	PR	E	1	2	32.2	32.2	32.2	N/Q	61	61	61	6	6	6
	RS	D	2	15	131.2	151.2	144.5	N/Q	-	-	-	33	53	46
80+	PR	D	1	2	149.2	149.2	149.2	N/Q	282	282	282	201	201	201
	RS	C	2	22	266.2	266.2	266.2	94	-	-	-	479	479	479
	RS	D	1	27	130.0	166.2	148.2	N/Q	-	-	-	111	274	190
	RS	D	2	51	110.2	201.2	170.3	3	-	-	-	94	342	279
				119	32.2	266.2			61	282		6	479	
<b>Vealer Heifer</b>														
280-330	FD	C	3	1	240.0	240.0	240.0	N/Q	-	-	-	684	684	684
	PR	C	3	4	247.2	265.0	256.1	5	458	491	474	705	755	730
				5	240.0	265.0			458	491		684	755	
<b>Yearling Steer</b>														
0-200	RS	D	1	33	160.0	191.2	183.2	15	-	-	-	296	344	334
200-280	PR	D	2	3	181.2	181.2	181.2	-26	329	329	329	399	399	399
	RS	C	2	142	219.2	272.2	242.7	13	-	-	-	513	716	607
	RS	D	2	14	142.2	215.2	177.5	-10	-	-	-	312	592	408
280-330	FD	C	2	13	241.2	274.2	263.4	22	-	-	-	724	781	765
	FD	D	2	2	225.2	225.2	225.2	6	-	-	-	676	676	676
	RS	C	2	4	257.2	257.2	257.2	11	-	-	-	772	772	772
330-400	FD	C	2	124	250.0	320.2	271.4	-18	-	-	-	848	1210	991
	FD	C	3	3	270.0	270.0	270.0	N/Q	-	-	-	1040	1040	1,040
	FD	D	2	15	220.2	240.0	237.4	-2	-	-	-	738	924	842
	PR	C	2	2	256.2	256.2	256.2	N/Q	466	466	466	986	986	986

Category	Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
						Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		PR	C	3	17	264.2	309.2	288.6	-3	480	562	525	898	1190	1,078
		PR	D	2	2	200.0	200.0	200.0	30	364	364	364	790	790	790
		RS	D	2	6	203.2	240.0	209.3	-2	-	-	-	782	804	786
400+		FD	C	2	14	271.2	321.2	280.4	10	-	-	-	1153	1365	1,240
		FD	D	2	3	250.0	260.0	256.7	32	-	-	-	1088	1170	1,143
		PR	C	3	24	277.2	316.2	295.1	-16	504	575	535	1162	1534	1,364
		PR	D	2	1	248.2	248.2	248.2	N/Q	451	451	451	1080	1080	1,080
					422	142.2	321.2			329	575		296	1534	
Yearling Heifer															
0-200		RS	D	1	45	100.0	145.2	128.9	-25	-	-	-	150	254	213
		RS	E	1	7	94.2	94.2	94.2	-23	-	-	-	80	80	80
200-280		FD	C	2	31	200.0	234.2	213.5	N/Q	-	-	-	484	644	552
		PR	C	2	11	176.2	205.2	196.2	6	326	380	363	388	544	474
		PR	D	2	4	155.0	162.2	157.1	N/Q	287	300	291	411	430	416
		RS	C	2	17	170.2	216.2	206.6	22	-	-	-	426	526	511
		RS	D	1	17	120.0	134.2	131.7	-2	-	-	-	275	318	283
		RS	E	1	2	100.0	100.0	100.0	N/Q	-	-	-	265	265	265
280-330		FD	C	2	8	217.2	245.0	224.1	-4	-	-	-	652	735	672
		PR	C	2	9	219.2	238.2	225.5	N/Q	406	441	418	658	715	677
330-400		FD	C	2	15	220.0	240.0	228.7	0	-	-	-	737	840	783
		FD	C	3	25	253.2	253.2	253.2	13	-	-	-	886	886	886
		FD	D	2	3	203.2	203.2	203.2	-17	-	-	-	701	701	701
		PR	C	3	82	230.2	288.0	254.5	-14	426	533	471	786	1037	893
		PR	D	2	4	197.2	222.2	205.9	1	365	411	381	690	855	758
400+		FD	C	2	1	231.2	231.2	231.2	-22	-	-	-	1006	1006	1,006
		PR	C	2	5	241.2	259.2	253.2	N/Q	447	480	469	1025	1112	1,089
		PR	C	3	35	240.0	295.2	262.1	-7	444	547	485	1020	1333	1,149
		PR	D	2	1	204.2	204.2	204.2	N/Q	378	378	378	868	868	868
					322	94.2	295.2			287	547		80	1333	
Grown Steer															
0-400		PR	D	2	1	223.2	223.2	223.2	N/Q	406	406	406	815	815	815
400-500		PR	C	3	1	270.2	270.2	270.2	N/Q	491	491	491	1148	1148	1,148
		RS	D	2	1	238.2	238.2	238.2	N/Q	-	-	-	1012	1012	1,012
500-600		PR	C	3	2	258.2	270.2	264.2	N/Q	469	491	480	1381	1419	1,400
		PR	C	4	13	315.2	316.2	315.9	-2	563	565	564	1661	1828	1,776
600-750		PR	C	3	1	288.2	288.2	288.2	N/Q	524	524	524	1801	1801	1,801
		PR	C	4	5	324.2	328.2	325.0	-5	579	586	580	1986	2292	2,231
					24	223.2	328.2			406	586		815	2292	
Grown Heifer															
0-540		DA	D	1	1	147.2	147.2	147.2	N/Q	-	-	-	736	736	736
		PR	C	4	1	260.2	260.2	260.2	-20	491	491	491	1301	1301	1,301
		PR	D	1	10	122.2	169.2	141.0	N/Q	266	368	307	481	846	585
		PR	D	2	13	180.0	225.2	205.4	-3	375	469	429	837	1204	990

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	PR	D	3	16	225.0	247.2	236.7	-9	433	466	453	1046	1323	1,152
	PR	E	1	3	60.0	60.0	60.0	-53	130	130	130	225	225	225
	RS	E	1	10	58.2	73.2	70.2	-58				154	282	256
540+	DA	D	2	3	199.2	199.2	199.2	N/Q				1125	1125	1,126
	PR	C	4	3	266.2	266.2	266.2	-14	512	512	512	1504	1504	1,504
	PR	D	2	8	210.2	210.2	210.2	N/Q	438	438	438	1188	1188	1,188
	PR	D	3	4	247.2	249.2	248.2	N/Q	470	475	473	1397	1458	1,427
				72	58.2	266.2			130	512		154	1504	
Manufacturing Steer														
540+	PR	C	2	1	250.2	250.2	250.2	N/Q	455	455	455	1414	1414	1,414
	PR	C	4	2	266.2	266.2	266.2	-11	475	475	475	2148	2148	2,148
	PR	D	2	2	233.2	233.2	233.2	N/Q	424	424	424	1318	1318	1,318
				5	233.2	266.2			424	475		1318	2148	
Cows														
0-400	DA	D	1	1	123.2	123.2	123.2	N/Q				493	493	493
	DA	E	1	3	50.0	80.0	70.0	-30				175	300	258
	PR	D	1	44	110.0	151.2	137.8	15	250	344	313	424	605	544
	PR	D	2	1	145.2	145.2	145.2	-22	316	316	316	581	581	581
	PR	E	1	9	95.2	100.0	96.8	14	216	227	220	365	367	366
	RS	D	1	7	114.2	127.2	125.3	-13				457	464	463
400-520	DA	D	1	1	131.2	131.2	131.2	N/Q				656	656	656
	DA	D	2	1	159.2	159.2	159.2	-22				740	740	740
	PR	D	1	54	135.0	178.2	156.1	13	307	405	355	608	876	732
	PR	D	2	28	170.0	191.2	186.3	-2	370	416	405	808	956	877
	PR	D	3	8	200.0	213.2	205.6	1	408	435	420	950	1066	1,009
	PR	D	4	1	218.0	218.0	218.0	-10	427	427	427	1014	1014	1,014
	RS	D	1	43	141.2	170.2	159.7	10				614	825	735
520+	DA	D	1	12	162.2	188.2	173.5	5				933	1132	1,048
	DA	D	2	17	179.2	185.2	183.1	-8				1012	1158	1,054
	PR	D	1	12	169.2	180.0	170.7	N/Q	385	409	388	905	1080	972
	PR	D	2	35	178.2	201.2	192.1	-9	387	437	418	1030	1233	1,113
	PR	D	3	26	205.2	217.2	212.7	N/C	419	443	434	1108	1351	1,239
	PR	D	4	44	219.2	242.2	230.4	-4	430	475	452	1250	1565	1,399
				347	50.0	242.2			216	475		175	1565	
Bulls														
0-450	FD	C	3	2	260.0	260.0	260.0	N/Q				949	949	949
450-600	FD	C	3	1	243.2	243.2	243.2	3				1180	1180	1,180
600+	PR	C	2	7	197.2	215.2	206.0	30	359	391	375	1301	1736	1,421
	PR	C	3	13	231.2	260.2	249.5	7	413	465	446	1533	2522	2,205
				23	197.2	260.2			359	465		949	2522	

Disclaimer:

© MLA 2019. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.

