

## Detailed Saleyard Report - Cattle

Market information provided by MLA's National Livestock Reporting Service

### Warwick

report date 11/06/2019

Yarding 1779  
 Change 265

comparison date 04/06/2019

Numbers increased by 265 head to 1,779, and mixed quality cows continued to dominate the grown cattle section. Buyer attendance was generally good and all were operating across all classes. Light weight poor quality lines experienced limited demand, however the better end of the light weight yearling steers returning to the paddock averaged 7c/kg dearer. Medium and heavy weight yearling steers to feed improved in price. Yearling heifers experienced only quality related price changes. The short supply of heavy grown steers and bullocks sold to stronger demand. The large number of cows generally improved in price, with gains of 2c to 8c/kg.

Steer calves returning to the paddock averaged 239c and made to 255.2c, and mixed sex calves averaged 180c/kg. A small number of well presented vealer heifers sold to local butchers at 249.2c/kg. Light weight yearling steers sold to restockers at an average of 235c, with some to 260c, and poor quality lines averaged 168c/kg. Medium weight yearling steers to feed made to 268.2c to average 257c and a small selection of heavy weight yearling steers to feed averaged 286c/kg. Heavy weight yearling steers to the trade averaged 295c, with sales to 311.2c/kg. The largest numbers of light weight yearling heifers averaged from 170c to 186c and poor quality lines averaged 137c/kg. Yearling heifers weighing 280-330kg to feed made to 234.2c, with a good sample making close to 225c/kg.

A small number of bullocks made to 308.2c to average 294c/kg. Medium weight poor condition cows averaged 134c, and the better 2 scores averaged 174c/kg. Good heavy cows made to 228.2c, with a fair sample close to 214c/kg. Heavy bulls made to 276.2c/kg.

Category	Sale Weight	Muscle Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
						Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Calves</b>															
80+	PR	D	2	3	170.2	170.2	170.2	N/C	321	321	321	306	306	306	
	RS	C	2	63	200.2	255.2	239.1	23	-	-	-	290	472	428	
	RS	D	1	3	123.2	123.2	123.2	-34	-	-	-	154	154	154	
	RS	D	2	87	140.2	200.0	180.0	9	-	-	-	145	370	305	
				156	123.2	255.2			321	321		145	472		
<b>Vealer Heifer</b>															
200-280	FD	C	2	8	210.0	217.2	211.8	-13	-	-	-	543	578	569	
280-330	FD	C	2	11	222.2	227.2	224.9	N/Q	-	-	-	633	648	641	
	PR	C	3	4	249.2	249.2	249.2	15	461	461	461	748	748	748	
				23	210.0	249.2			461	461		543	748		
<b>Yearling Steer</b>															
0-200	RS	D	1	15	138.2	146.2	142.5	N/Q	-	-	-	228	241	235	
	RS	D	2	12	170.0	178.2	173.4	N/Q	-	-	-	289	321	302	
200-280	PR	C	2	16	188.2	217.2	201.9	N/Q	342	395	367	400	597	503	
	PR	D	2	4	160.0	187.2	177.1	-7	291	340	322	360	440	412	
	RS	C	2	223	197.2	260.0	234.9	7	-	-	-	458	689	600	
	RS	D	1	32	120.2	183.2	177.6	59	-	-	-	269	504	456	
	RS	D	2	28	145.2	200.0	168.3	-7	-	-	-	341	500	434	
280-330	FD	C	2	33	233.2	243.2	238.2	10	-	-	-	665	712	690	
	RS	C	2	9	245.2	245.2	245.2	N/Q	-	-	-	699	699	699	
	RS	D	2	5	137.2	160.2	146.4	N/Q	-	-	-	412	457	430	
330-400	FD	C	2	43	233.2	268.2	257.0	17	-	-	-	781	995	912	
	FD	D	2	2	210.0	210.0	210.0	2	-	-	-	735	735	735	
	PR	C	3	15	240.0	275.0	246.8	-15	436	500	449	834	1059	855	
400+	FD	C	2	11	282.2	287.2	286.3	30	-	-	-	1221	1417	1,256	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	FD	D	2	1	169.2	- 169.2	169.2	-74	-			702	- 702	702
	PR	C	2	1	261.2	- 261.2	261.2	N/Q	475	- 475	475	1110	- 1110	1,110
	PR	C	3	30	277.2	- 311.2	294.7	6	504	- 566	536	1178	- 1509	1,309
	RS	D	2	1	195.2	- 195.2	195.2	N/Q	-			849	- 849	849
				481	120.2	311.2			291	566		228	1509	
Yearling Heifer														
0-200	RS	D	1	2	99.2	- 99.2	99.2	N/Q	-			174	- 174	174
	RS	D	2	6	138.2	- 138.2	138.2	N/Q	-			256	- 256	256
200-280	FD	C	2	29	187.2	- 190.0	188.9	N/Q	-			496	- 504	501
	PR	C	2	64	175.0	- 200.2	186.1	11	324	- 371	345	411	- 530	478
	PR	D	2	3	150.0	- 150.0	150.0	N/Q	278	- 278	278	398	- 398	398
	RS	C	2	69	160.2	- 179.2	170.6	-13	-			328	- 454	393
	RS	D	1	4	138.2	- 138.2	138.2	N/Q	-			283	- 283	283
	RS	D	2	53	120.0	- 154.2	137.2	-6	-			263	- 386	322
280-330	FD	C	2	60	192.2	- 234.2	224.6	5	-			577	- 716	664
	PR	C	2	18	181.2	- 210.0	198.4	15	336	- 389	367	544	- 609	584
	RS	D	2	1	139.2	- 139.2	139.2	N/Q	-			397	- 397	397
330-400	FD	C	2	19	216.2	- 225.2	222.9	-4	-			748	- 766	760
	PR	C	3	6	230.2	- 249.2	242.9	N/C	426	- 461	450	825	- 886	845
	PR	D	2	4	180.0	- 190.2	185.1	5	333	- 352	343	612	- 647	629
	RS	D	2	3	121.2	- 121.2	121.2	N/Q	-			479	- 479	479
400+	PR	C	2	4	225.2	- 259.2	243.2	23	417	- 480	450	957	- 1283	1,139
	PR	C	3	9	256.2	- 280.0	266.6	12	474	- 519	494	1127	- 1372	1,223
	PR	D	2	7	128.2	- 157.2	136.5	N/Q	237	- 291	253	545	- 652	576
				361	99.2	280.0			237	519		174	1372	
Grown Steer														
500-600	PR	C	3	12	258.2	- 267.2	265.7	-10	469	- 486	483	1510	- 1536	1,514
	PR	C	4	6	279.2	- 307.2	288.5	N/Q	499	- 549	515	1661	- 1834	1,719
600-750	PR	C	3	18	248.2	- 285.0	273.5	N/Q	451	- 518	497	1576	- 1793	1,712
	PR	C	4	8	285.0	- 308.2	293.7	N/Q	509	- 550	524	1781	- 1991	1,860
				44	248.2	308.2			451	550		1510	1991	
Grown Heifer														
0-540	PR	C	3	4	155.0	- 155.0	155.0	N/Q	292	- 292	292	698	- 698	698
	PR	C	4	1	275.2	- 275.2	275.2	15	519	- 519	519	1472	- 1472	1,472
	PR	D	1	2	110.0	- 140.0	125.0	N/Q	239	- 304	272	479	- 609	544
	PR	D	2	21	159.2	- 221.2	189.5	13	332	- 461	395	613	- 1023	810
	PR	D	3	5	230.0	- 230.0	230.0	-5	434	- 434	434	1070	- 1070	1,070
	RS	D	1	10	117.2	- 117.2	117.2	-5	-			510	- 510	510
540+	PR	C	4	2	275.2	- 275.2	275.2	N/Q	519	- 519	519	1500	- 1500	1,500
	PR	D	3	3	229.2	- 230.2	229.9	N/Q	432	- 434	434	1370	- 1433	1,391
				48	110.0	275.2			239	519		479	1500	
Cows														
0-400	PR	D	1	20	100.0	- 131.2	122.5	-1	227	- 298	278	400	- 525	490

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400-520	PR	D	2	19	135.2	150.0	139.0	-4	294	326	302	521	600	550
	PR	E	1	7	60.0	77.2	74.7	-15	136	175	170	240	282	276
	RS	D	1	29	106.2	121.2	112.0	-21	-	-	-	402	480	436
	RS	E	1	6	30.0	87.2	43.7	-30	-	-	-	120	349	174
	DA	D	1	10	100.0	140.0	119.8	N/Q	-	-	-	479	630	536
	DA	E	1	2	85.2	85.2	85.2	N/Q	-	-	-	371	371	371
	PR	D	1	53	110.0	146.2	134.0	-5	250	332	305	457	680	593
	PR	D	2	72	149.2	192.2	173.8	8	324	403	375	649	932	808
	PR	D	3	32	154.2	195.2	187.4	3	335	398	384	671	947	908
	PR	D	4	1	205.2	205.2	205.2	6	402	402	402	1016	1016	1,016
520+	RS	D	1	28	128.2	143.2	133.2	-7	-	-	-	532	681	587
	RS	D	2	32	158.2	170.2	162.3	-2	-	-	-	696	808	753
	DA	D	1	13	130.0	153.2	145.3	-15	-	-	-	791	973	895
	DA	D	2	6	164.2	172.2	169.5	N/Q	-	-	-	921	1043	962
	PR	D	1	1	144.2	144.2	144.2	-16	328	328	328	815	815	815
	PR	D	2	20	170.2	182.0	178.9	1	370	396	389	959	1007	970
	PR	D	3	61	183.2	201.2	192.8	2	374	411	393	991	1240	1,122
	PR	D	4	89	199.2	228.2	213.7	4	391	447	419	1114	1677	1,293
	PR	D	5	1	179.2	179.2	179.2	N/Q	366	366	366	1075	1075	1,075
					502	30.0	228.2					136	447	120
Bulls														
0-450	FD	C	3	3	236.2	236.2	236.2	N/Q	-	-	-	1004	1004	1,004
	PR	D	1	2	113.2	113.2	113.2	N/Q	206	206	206	509	509	509
	PR	D	2	1	171.2	171.2	171.2	N/Q	311	311	311	659	659	659
	RS	D	1	5	105.2	117.2	107.6	N/Q	-	-	-	247	451	288
	RS	D	2	25	120.0	191.2	153.9	N/Q	-	-	-	282	449	362
450-600	PR	C	2	4	165.2	184.2	169.9	10	300	335	309	933	1041	960
600+	PR	C	2	12	171.2	197.2	183.8	16	311	359	334	1157	1812	1,295
	PR	C	3	15	200.2	276.2	229.6	6	358	493	410	1301	2449	1,769
	PR	D	1	4	120.2	129.2	124.7	1	219	235	227	751	808	779
	PR	D	2	1	148.2	148.2	148.2	-17	269	269	269	926	926	926
	RS	C	2	1	169.2	169.2	169.2	N/Q	-	-	-	1100	1100	1,100
				73	105.2	276.2					206	493	247	2449

DA - Dairy, FD - Feeder, GF - Grainfed, PR - Processor, LE - Live Export, PC - Pastoral Cattle, PT - PTIC, RS - Restocker

Disclaimer:

© MLA 2019. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.

