Detailed Saleyard Report - Cattle Market information provided by MLA's National Livestock Reporting Service



Warwi	ck	MEAT BULVESIU	report date	12/05/2020
Yarding	632		comparison date	05/05/2020
Change	-308			

Numbers at Warwick reduced by 308 head to 632. A full panel of export buyers was present and all were operating, along with the usual feeder operators and trade buyers. However there was an increased number of southern restocker buyers included in the lineup. The market for young light weight cattle was reported to be dearer pushed on by the Southern buyers. Cows experienced a very solid market with some small improvements in places.

Mixed sex calves returning to the paddock averaged 410c, and steer calves made to 453.2c/kg. Vealer heifers were in demand and made to 384c, with a good sample averaging 365c/kg. Southern restockers purchased the largest numbers of light weight yearling steers at an average of 413c with sales to 454.2c/kg. Yearling steers to feed for the domestic market averaged 370c and made to 427c/kg. Heavy weight yearling steers to feed made to 401c to average 354c, and a handful to the trade made to 388c/kg. Yearling heifers to feed for the domestic market averaged from 349c to 352c, and made to 370c/kg.

A handful of grown steers and bullocks made to 349.2c to average 327c/kg. Medium weight cows to restockers made to 259c to average 248c/kg. Medium weights to processors made to 274c to average 252c/kg. A fair sample of heavy cows made to 285.2c to average 259c/kg. Heavy bulls made to 313c/kg.

Category Weight	Sale Prefix	Muscle Score *	Fat Score*					Estimated \$/Head							
				W AUSTRALIA	Low	High	Avg	Change	Low		High	Avg	Low	High	Avg
Calves 0-80															
	RS	N/A	N/A	1	385.0 -	385.0	385.0	N/Q	N/A	-	N/A	N/A	212 -	212	212
80+															
	RS	N/A	N/A	47	330.0 -	453.0	410.3	47	N/A	-	N/A	N/A	342 -	861	625
				48	330.0	453.0							212	861	
Vealer He	ifer														
200-280															
	FD	N/A	N/A	64	348.0 -		365.3	30	N/A	-	N/A	N/A	713 -	1001	855
280-330	PR	N/A	N/A	16 OCK AUSTRALIA	357.0 -	372.0	361.7	N/Q	N/A	-	N/A	N/A	853 -	1023	955
	PR	N/A	N/A	2	370.0 -	370.0	370.0	-6	N/A	-	N/A	N/A	1191 -	1191	1,191
				82	348.0	384.0							713	1191	
Yearling S	Steer														
0-200															
	RS	N/A	N/A	1	350.0 -		350.0	38	N/A	-	N/A	N/A	543 -	543	543
200-280	50	N1 / A		0				N/0			Me		001	001	004
	FD	N/A	N/A	2	329.0 -		329.0	N/Q	N/A	-	N/A	N/A	921 -	921	921
	RS	N/A	N/A	76	320.0 -	454.2	413.2	40	N/A	-	N/A	N/A	727 -	1176	1,015
280-330	50	N1 / A	NUA		2/1.0	407.0	20/ 4		NUA		N1 / A	N1 / A	1101	1070	1.001
	FD	N/A	N/A	36	361.0 -		396.4	46	N/A	-	N/A	N/A	1101 -		1,201
	RS	N/A	N/A	7	383.0 -	417.0	387.9	N/Q	N/A	-	N/A	N/A	1134 🗤 🎫	1251	1,150
330-400			NI / A	20	210.0	410.0	270.0	21			N1 / A		1005	1(0)	1 240
100	FD	N/A	N/A	39	310.0 -	418.0	370.9	31	N/A	-	N/A	N/A	1085 -	1603	1,340
400+	FD	N/A	N/A	31	320.0 -	101.0	354.7	5	N/A	-	N/A	N/A	1296 -	1887	1,572
	PR														
	MRK	N/A	N/A	6	361.0 -		365.5	-18	N/A	-	N/A	N/A	1708 -	1746	1,714
				198	310.0	454.2							543	1887	

Low High Avg Change Low High Avg Low High Yearling Heifer 0-200 RS N/A N/A 1 320.0 320.0 320.0 20 N/A N/A N/A N/A 560 560 200-200 RS N/A N/A 3 360.0 361.0 360.7 N/Q N/A N/A N/A 966 957 280-330 FD N/A N/A 25 318.0 368.0 349.0 18 N/A N/A N/A 1024 1065 330-400 FD N/A N/A 2 320.0 351.7 25 N/A N/A 1022 1422 400+ FD N/A N/A 2 370.0 370.0 371.0 46 N/A N/A 1410 1802 60 N/A N/A 2 207.0 267.0 N/A N/A N/A 1411 1602	k
0-200 RS N/A N/A N/A 1 200 - 3200 3200 20 N/A - N/A N/A 50 - 560 200-280 RS N/A N/A 22 287.0 - 351.0 360.7 N/Q N/A - N/A N/A 936 - 957 RS N/A N/A 22 287.0 - 353.0 335.2 13 N/A - N/A N/A 969 - 1185 R N/A N/A 22 3200 - 338.0 329.0 41 N/A - N/A N/A 1022 - 1422 PR N/A N/A 22 320.0 - 338.0 329.0 41 N/A - N/A N/A 1022 - 1422 PR N/A N/A 22 370.0 - 370.0 351.7 25 N/A - N/A N/A 1022 - 1422 PR N/A N/A 22 370.0 - 374.0 374.0 46 N/A - N/A N/A 1022 - 1422 PR N/A N/A 2 370.0 - 374.0 374.0 46 N/A - N/A N/A 1022 - 1422 PR N/A N/A 2 370.0 - 370.0 351.7 25 N/A - N/A N/A 141 - 1802 PR N/A N/A 2 370.0 - 370.0 370.0 50 N/A - N/A N/A 141 - 1802 PR N/A N/A 2 370.0 - 370.0 370.0 50 N/A - N/A N/A 141 - 1802 PR N/A N/A 2 207.0 - 267.0 7.0 N/Q N/A - N/A N/A 141 - 1802 PR N/A N/A 2 207.0 - 270.0 267.0 N/Q N/A - N/A N/A 141 - 1802 PR N/A N/A 2 207.0 - 270.0 267.0 N/Q N/A - N/A N/A 141 - 1802 PR N/A N/A 2 207.0 - 270.0 267.0 N/Q N/A - N/A N/A 141 - 1802 PR N/A N/A 2 207.0 - 270.0 267.0 N/Q N/A - N/A N/A 141 - 1802 PR N/A N/A 2 207.0 - 270.0 267.0 N/Q N/A - N/A N/A 141 - 1802 PR N/A N/A 2 207.0 - 270.0 27.0 N/Q N/A - N/A N/A 141 - 1802 PR N/A N/A 4 238.0 - 238.0 238.0 N/Q N/A - N/A N/A 141 - 1802 PR N/A N/A 4 238.0 - 238.0 238.0 N/Q N/A - N/A N/A 141 - 191 PR N/A N/A 4 238.0 - 238.0 238.0 N/Q N/A - N/A N/A 1277 - 171 40-500 FD N/A N/A 2 207.0 - 247.0 -32.0 N/Q N/A - N/A N/A 1277 - 121 PR N/A N/A 141 - 120 PR N/A N/A 14 - 238.0 - 238.0 238.0 N/Q N/A - N/A N/A 1277 - 121 PR N/A N/A 14 - 238.0 - 238.0 238.0 N/Q N/A - N/A N/A 1277 - 121 PR N/A N/A 141 - 200.0 - 345.0 327.0 61 N/A - N/A N/A 1277 - 121 PR N/A N/A 141 - 200.0 - 345.0 327.0 61 N/A - N/A N/A 1265 - 2235 Grown Helfer O-500 PR N/A N/A 18 209.0 - 266.0 259.3 N/C N/A - N/A N/A 1865 - 1235 FO N/A N/A 186 209.0 - 266.0 259.3 N/C N/A - N/A N/A 1865 - 1235 FO N/A N/A 186 209.0 - 266.0 259.3 N/C N/A - N/A N/A 1865 - 1235 FO N/A N/A 186 209.0 - 266.0 259.3 N/C N/A - N/A N/A 1665 - 1235 FO N/A N/A 186 209.0 - 266.0 259.3 N/C N/A - N/A N/A 1665 - 1235 FO N/A	Avg
RS N/A N/A 1 320.0 320.0 320.0 N/A N/A N/A 560 - 560 200-260 FD N/A N/A 3 360.0 - 361.0 360.7 N/Q N/A - N/A N/A 971 971 280-300 FD N/A N/A 22 287.0 - 353.0 352.2 13 N/A - N/A N/A 660 - 971 280-300 FD N/A N/A 22 320.0 - 368.0 349.0 18 N/A - N/A N/A 1022 - 1422 330-000 FD N/A N/A 28 280.0 - 374.0 374.0 374.0 460 N/A N/A 1022 - 1422 400 - PR N/A N/A 2 374.0 - 374.0 27 N/A N/A N/A 141 - 1422 400 - PR N/A N/A 2 374.0<	
1000000000000000000000000000000000000	560
FD N/A N/A 3 360.0 361.0 360.7 N/Q N/A i. N/A N/A 96 i. 971 280-330 FD N/A N/A N/A 22 287.0 3 335.2 13 N/A i. N/A 60 6 971 280-330 FD N/A N/A N/A 1.0 368.0 349.0 1.8 N/A i.4 N/A 60 i.1 1.0 i.1 i.1 i.1 1.0 i.1	500
RS N/A N/A 22 287.0 353.0 352.0 13 N/A - N/A N/A 660 - 971 280-330 FD N/A N/A 25 318.0 - 368.0 349.0 18 N/A - N/A N/A N/A 1024 - 1055 330-400 FD N/A N/A N/A 22 374.0 374.0 351.7 25 N/A - N/A N/A 1022 - 1422 400+ FD N/A N/A 6 334.0 - 374.0 374.0 25 N/A N/A N/A 141 - 1422 400+ FD N/A N/A 6 334.0 - 374.0 374.0 25 N/A N/A N/A 141 - 1422 400+ FD N/A N/A 2 370.0 374.0 267.0 N/A N/A N/A 141 - 1402 400+ FD N/A N/A	950
280-330 FD N/A N/A 25 318.0 2 368.0 349.0 18 N/A N/A N/A 102 2 105 330-400 FD N/A N/A 1/A 2 320.0 2 370.0 351.7 25 N/A 2 N/A N/A 1022 2 1422 400+ PR N/A N/A 1/A 2 370.0 371.0 370.0 50 N/A 2 N/A N/A 1410 2 1410 400+ PR N/A N/A 6 330.0 370.0 370.0 50 N/A 2 N/A 1410 2 1410 2 1410 2 1410 2 1410 2 1410 2 1410 2 1410 2 1410 1410 2 1410 1410 2 1410 2 1410 1410 2 1410 1410 1410 1410 1410 1410 1410 1410 1410 1410 1410 1410 1410	825
PR N/A N/A 2 320.0 338.0 329.0 41 N/A 2 N/A 1024 2 1065 330-400 FD N/A N/A 28 280.0 2 370.0 351.7 25 N/A 2 N/A N/A 1022 2 122 PR N/A N/A 2 374.0 374.0 374.0 26 N/A 2 N/A N/A 110 2 122 400+ FD N/A N/A 6 334.0 364.0 346.0 27 N/A 2 N/A 1410 2 120 400+ PR N/A N/A 6 334.0 364.0 370.0 20 N/A N/A 1411 2 120 971 280.0 374.0 77 N/A 7 N/A N/A 141 2 121 610000 N/A N/A 2 267.0 267.0 267.0 N/A N/A N/A 141 2 121	
330-400 FD N/A N/A 28 280.0 374.0 351.7 25 N/A N/A 10.2 2 1422 400+ PR N/A N/A 2 374.0 374.0 374.0 46 N/A 2 N/A 1412 1412 2 1422 400+ PR N/A N/A 100 2 374.0 374.0 374.0 46 N/A 2 1422 1410 2 1422 1410 2 1422 1410 2 1410 2 1410 2 1410 2 1410 2 1410 2 1410 2 1410 2 1410 2 1410 2 1410 2 1410 2 1410 2 1410 2 1410 2 1410 2 1410 2 1410 2 1410 2 1410 2 1410 2 1410 2 1410 2 1410 2 1410 2 1410 2 1410 2 1410 2 <td< td=""><td>1,084</td></td<>	1,084
FD N/A N/A 28 280. ° 370. ° 351.7 25 N/A · N/A 102 - 1422 A00 + PR N/A N/A 2 374.0 374.0 374.0 46 N/A · N/A 1410 - 1410 - 1410 - 1410 - 1410 - 1410 - 1410 - 1410 - 1410 - 1410 - 1410 - 1410 - 1410 - 1410 - 1410 - 1410 - 1410 - 1410 - 1410 - 1410 - 1410 - 1410 - 1410 - 1410 - 1410 - 1410 - 1410 - 1410 - 1410 - 1410 - 1410 - 1410 - 1410 - 1410 - 1410 - 1410 - 1410 - 1410 - 1410 - 1410 - 1410 <t< td=""><td>1,044</td></t<>	1,044
A00+ PR N/A N/A 2 374.0 374.0 374.0 46 N/A . N/A 1410 . 1410 FD N/A N/A 6 334.0 - 364.0 374.0 2 N/A 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
400+ FD N/A N/A 6 334.0 364.0 370.0 50 N/A 7 N/A 7 N/A N/A 1441 7 1802 PR N/A N/A N/A 2 370.0 370.0 370.0 50 N/A 7 N/A N/A 1441 7 1802 PR N/A N/A 12 370.0 370.0 370.0 50 N/A 7 N/A N/A 1461 560 1501 Grown Ster - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -	1,262
FD N/A N/A 6 334.0 364.0 27 N/A a N/A 1441 b 1802 PR N/A N/A N/A 2 370.0 370.0 50 N/A a N/A 1461 a 1561 50 17 N/A a N/A 1561 50 1802 Grown Ster FD N/A N/A 2 267.0 267.0 267.0 N/Q N/A a N/A 921 a 921 FD N/A N/A 2 267.0 267.0 267.0 170 N/A a N/A 921 a 921 FD N/A N/A 2 267.0 267.0 267.0 170 N/A a N/A 431 a 431	1,410
PR N/A N/A 2 370.0 370.0 370.0 50 N/A r. N/A 1561 r. 1801 Grown Ster 0.00 FD N/A N/A 2 267.0 267.0 267.0 N/Q N/A r. N/A N/A 921 - 921 FD N/A N/A 2 267.0 267.0 267.0 71 N/A r. N/A N/A 921 - 921 RS N/A N/A 2 208.0 208.0 71 N/A r. N/A 141 4 431 - 431 RS N/A N/A 4 238.0 238.0 N/A N/A 161 162 171 400-500 PR N/A N/A 2 287.0 247.0 247.0 328.0 N/A N/A 162 162 162 500-600 PR N/A N/A 2 267.0 345.0 327.0 61 N/A 7 N/A 165 2	
670000 FD N/A N/A 2 267.0 267.0 267.0 N/A N/A N/A 921 - 921 FD N/A N/A 2 267.0 267.0 267.0 N/A N/A - N/A N/A 921 - 921 - 921 - 921 - 921 - 921 - 921 - 921 - 921 - 921 - 921 - 921 - 921 - 921 - 921 - 921 - 921 - 921 - 921 - 921 - 921 - 921 - 921 - 921 - 921 - 921 - 921 - 921 - 921 - 921 - 921 - 921 - 921 - 921 - 921 - 921 - 921 - 921 - 921 - 921 - 921 - 921 -<	1,558
Grown Ster FD N/A N/A 2 267.0 267.0 267.0 N/Q N/A - N/A N/A 921 - 921 PR N/A N/A 2 208.0 208.0 208.0 -71 N/A - N/A N/A 431 - 431 RS N/A N/A 4 238.0 238.0 238.0 N/Q N/A - N/A N/A 431 - 431 400-500 FD N/A N/A 2 287.0 290.0 288.5 N/C N/A - N/A 1277 - 1271 - 1271 - 1271 - 1271 - 1271 - 1271 - 1271 - 1271 - 1271 - 1271 - 1271 - 1271 - 1271 - 1271 - 1271 - 1271 - 1271 - 1271 - 1271 - 1271 - 1271 - 1271 1271	1,561
0-0400 FD N/A N/A 2 267.0 267.0 267.0 N/C N/A 2 N/A N/A 21 208.0 208.0 208.0 -71 N/A 2 N/A N/A 21 2 431 RS N/A N/A 2 208.0 208.0 208.0 -71 N/A 2 N/A N/A 431 2 431 RS N/A N/A 2 238.0 238.0 N/C N/A 2 N/A N/A 1277 2 1291 PR N/A N/A 2 247.0 247.0 247.0 32 N/A 2 N/A N/A 1277 2 1291 PR N/A N/A 2 247.0 345.0 327.0 61 N/A 2 N/A N/A 1292 2 1002 500-600 PR N/A N/A 2 290.0 345.0 327.0 61 N/A 2 N/A N/A 1785 2 2000 PR N/A N/A 2 290.0 345.0 327.0 61 N/A 2 N/A N/A 1785 2 2000 PR N/A N/A 1785 2 2000 345.0 327.0 61 N/A 2 N/A N/A 1785 2 2000 FD N/A N/A 1785 2 2000 345.0 327.0 61 N/A 2 N/A N/A 1785 2 2000 FD N/A N/A 1785 2 2000 345.0 327.0 71 N/A 2 N/A N/A 1785 2 100 FD N/A N/A 18 208.0 349.2 2000 10 N/A 100 10 N/A 100 10 10 10 10 10 10 10 10 10 10 10 10	
FD N/A N/A 2 267.0 267.0 N/Q N/A - N/A N/A 921 - 921 PR N/A N/A 2 208.0 208.0 208.0 71 N/A - N/A N/A 431 - 431 A00-500 FD N/A N/A 4 287.0 - 290.0 288.5 N/C N/A - N/A N/A 127 - 1291 400-500 FD N/A N/A 2 287.0 - 290.0 288.5 N/C N/A - N/A 1277 - 1291 400-500 FD N/A N/A 2 247.0 - 247.0 -220.0 288.5 N/C N/A N/A N/A 1207 - 1291 500-600 FR N/A N/A 12 247.0 - 347.0 - 29 N/A - N/A 1865 - 2050 600-750 FR N/A N/A A	
PR N/A N/A 2 208.0 208.0 208.0 71 N/A r. N/A A/A 431 r. 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7<	921
RS N/A N/A 4 238.0 238.0 N/Q N/A 5 N/A N/A 757 5 757 400-500 FD N/A N/A 2 287.0 290.0 288.5 N/C N/A 5 N/A N/A 1277 5 1291 PR N/A N/A 2 247.0 247.0 247.0 -32 N/A 5 N/A N/A 1297 5 1092 500-600 PR N/A N/A 4 300.0 5 345.0 327.0 61 N/A 5 N/A 1785 5 205.0 600-750 PR N/A N/A 4 300.0 349.2 322.6 29 N/A 5 N/A 1865 235.0 25 29 N/A 5 N/A 1865 2235 600-750 PR N/A N/A 5 265.0 275.0 267.0 7 N/A 7 N/A N/A N/A 145 235.0 215.0 214.0	431
400-500 FD N/A N/A 2 287.0 290.0 288.5 N/C N/A - N/A N/A 1277 - 1291 PR N/A N/A 2 247.0 247.0 -247.0 -32 N/A - N/A N/A N/A 1092 - 1092 500-600 PR N/A N/A 4 300.0 - 345.0 327.0 61 N/A - N/A 1785 - 2070 600-750 PR N/A N/A 4 300.0 - 349.2 322.6 29 N/A - N/A 1785 - 2235 600-750 PR N/A N/A 4 208.0 349.2 322.6 29 N/A - N/A 1865 - 2235 6rown Her FD N/A N/A 5 265.0 275.0 267.0 7 N/A N/A N/A 935 - 1141 PR N/A N/A 5 265.0	757
PR N/A N/A 2 247.0 247.0 247.0 -32 N/A - N/A N/A 1092 - 1092 - 1092 - 1092 - 1092 - 1092 - 1092 - 1092 - 1092 - 1092 - 1092 - 1092 - 1092 - 1092 - 1092 - 1092 - 1092 - 1092 - 1092 - 1092 - 1092 - 1092 - 1092 - 1092 - 1092 - 1092 - 1092 - 1092 - 1092 - 1092 - 1092 - 1092 - 1092 - 1092 - 1092 - 1092 - 1092 - 1092 - 1092 - 1092 1092 1092 1092 1092 1092 1092 1092 1092 1092 1092 1092 1092 1092 1092 <th1092< th=""> 1092 1092</th1092<>	
500-600 PR N/A N/A 4 300.0 - 345.0 327.0 61 N/A - N/A 1785 - 207.0 600-750 PR N/A N/A 2 296.0 - 349.2 322.6 29 N/A - N/A 1865 - 2235 600-750 PR N/A N/A 2 296.0 - 349.2 322.6 29 N/A - N/A 1865 - 2235 Grown Heifer - - 260.0 - 349.2 349.2 322.6 29 N/A - N/A 1865 - 2235 Grown Heifer - - - - - - - - 1141 PR N/A N/A 18 209.0 - 286.0 259.3 N/C N/A N/A N/A 935 - 1141 PR N/A N/A 18 209.0 - 266.0 239.5 -2 N/A N/A N/A	1,284
PR N/A N/A 4 300.0 345.0 327.0 61 N/A r. N/A 1785 r. 2070 600-750 PR N/A N/A 2 296.0 349.2 322.6 29 N/A r. N/A 1865 r. 2235 A18 208.0 349.2 349.2 322.6 29 N/A r. N/A 1865 r. 2235 Grown Heroson FD N/A N/A 5 265.0 275.0 267.0 7 N/A r. N/A 935 r. 1141 PR N/A N/A 5 265.0 275.0 267.0 7 N/A r. N/A 935 r. 1141 PR N/A N/A 18 209.0 286.0 259.3 N/C N/A r. N/A 817 r. 1487 FM N/A N/A 4 216.0 239.5 r.2 N/A r. N/A 817 r. 1165 FM+	1,092
600-750 PR N/A N/A 2 296.0 349.2 322.6 29 N/A P N/A N/A 1865 2235 Grown Heifer 0-540 FD N/A N/A 5 265.0 2 267.0 7 N/A P N/A N/A 935 2 141 PR N/A N/A 5 265.0 2 267.0 7 N/A P N/A N/A 935 2 1411 PR N/A N/A 18 209.0 256.0 259.3 N/C N/A P N/A N/A 935 2 1487 RS N/A N/A 18 209.0 256.0 239.5 -2 N/A N/A N/A 704 4 1487 RS N/A N/A 4 216.0 256.0 239.5 -2 N/A N/A N/A 817 4 1165 540+ PR N/A N/A 6 260.0 278.2 3 N/A a N/A	
PR N/A N/A 2 296.0 - 349.2 322.6 29 N/A - N/A N/A 1865 - 2235 Grown Heifer 0-540 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - 1487 - - 1487 - 1487 - 1487 - <td< td=""><td>1,909</td></td<>	1,909
Image: Barry Stress of the	
Grown Heifer 0-540 FD N/A N/A 5 265.0 275.0 267.0 7 N/A a N/A 935 a 1141 PR N/A N/A 18 209.0 - 286.0 259.3 N/C N/A a N/A 704 a 1487 Store N/A N/A 18 209.0 - 286.0 259.3 N/C N/A a N/A 704 a 1487 Store N/A N/A 18 209.0 - 259.3 N/C N/A a N/A 704 a 1487 Store N/A N/A 4 216.0 239.5 -2 N/A a N/A 817 a 1165 540+ PR N/A N/A 6 260.0 278.2 3 N/A a N/A 1469 a 1980	2,050
0-540 FD N/A N/A 5 265.0 - 275.0 267.0 7 N/A - N/A N/A 935 - 1141 PR N/A N/A 18 209.0 - 286.0 259.3 N/C N/A - N/A N/A 704 - 1487 RS N/A N/A 4 216.0 - 256.0 239.5 -2 N/A - N/A N/A 817 - 1165 540+ PR N/A N/A 6 260.0 - 300.0 278.2 3 N/A - N/A N/A 1469 - 1980	
FD N/A N/A 5 265.0 - 275.0 267.0 7 N/A - N/A N/A 935 - 1141 PR N/A N/A 18 209.0 - 286.0 259.3 N/C N/A - N/A N/A 704 - 1487 RS N/A N/A 4 216.0 - 259.5 -2 N/A - N/A N/A 817 - 1487 540+ PR N/A N/A 6 260.0 - 300.0 278.2 3 N/A - N/A N/A 1469 - 1980	
PR N/A N/A 18 209.0 - 286.0 259.3 N/C N/A - N/A N/A 704 - 1487 S40+ PR N/A N/A A 216.0 - 256.0 239.5 -2 N/A - N/A N/A 817 - 1165 540+ PR N/A N/A 6 260.0 - 300.0 278.2 3 N/A - N/A N/A 1469 - 1980	977
RS N/A N/A 4 216.0 239.5 -2 N/A N/A N/A 817 - 1165 540+ PR N/A N/A 6 260.0 - 300.0 278.2 3 N/A - N/A 1469 - 1980	977
540+ PR N/A N/A 6 260.0 - 300.0 278.2 3 N/A - N/A N/A 1469 - 1980	900 979
PR N/A N/A 6 260.0 - 300.0 278.2 3 N/A - N/A N/A 1469 - 1980	7/7
	1,696
Manufacturing Steer 0-540	
PR N/A N/A 4 247.0 - 279.0 271.0 N/Q N/A - N/A N/A 1092 - 1473	1,378
4 247.0 279.0 1092 1473	·
Cows 0-400	
PR N/A N/A 18 163.0 - 247.0 222.2 7 N/A - N/A N/A 619 - 980	825
400-520 west surface	
DA N/A N/A 3 259.0 - 259.0 259.0 N/Q N/A - N/A N/A 1308 - 1308	1,308

© 2020 Meat and Livestock Australia Limited

Category Weight	Sale M Prefix Se	luscle core '		Head	L	ive Wei	ight c/kg				ited Ca ght c/ł				stimate \$/Heac	
	1				Low	High	Avg	Change	Low		High	Avg	Low		High	Avg
	PR	N/A	N/A	30	191.0 -	274.0	252.5	10	N/A	-	N/A	N/A	898	-	1384	1,227
	RS	N/A	N/A	27	227.0 -	259.0	248.3	24	N/A	-	N/A	N/A	1046	-	1263	1,196
520+ MENT BI																
	PR	N/A	N/A	52	218.0 -	285.2	258.8	4	N/A	-	N/A	N/A	1264	-	2380	1,547
	RS	N/A	N/A	3	220.0 -	230.0	226.7	-12	N/A	-	N/A	N/A	1208	-	1287	1,234
				133	163.0	285.2							619		2380	
Bulls																
0-450																
	FD	N/A	N/A	3	282.0 -	300.0	294.0	-2	N/A	-	N/A	N/A	960	-	1185	1,049
	PR	N/A	N/A	1	206.0 -	206.0	206.0	-71	N/A	-	N/A	N/A	793	-	793	793
	RS	N/A	N/A	1	347.0 -	347.0	347.0	16	N/A	-	N/A	N/A	902	-	902	902
450-600																
	FD	N/A	N/A	1	305.0 -	305.0	305.0	N/Q	N/A	-	N/A	N/A	1510	-	1510	1,510
	PR	N/A	N/A	1	310.0 -	310.0	310.0	85	N/A	-	N/A	N/A	1752	-	1752	1,752
600+																
	PR	N/A	N/A	9	277.0 -	313.0	297.0	26	N/A	-	N/A	N/A	1838	-	3359	2,647
	RS	N/A	N/A	12	215.0 -	215.0	215.0	N/Q	N/A	-	N/A	N/A	1860	-	1860	1,860
				17	206.0	347.0							793		3359	

DA - Dairy, FD - Feeder, GF - Grainfed, PR - Processor, LE - Live Export, PC - Pastoral Cattle, PT - PTIC, RS - Restocker

* Fields populated with N/A indicate the unavailability of animal assessment at the time of publishing

12 .12

© MLA 2020. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication. Information contained in this publication.







Disclaimer:











