

## Detailed Saleyard Report - Cattle

Market information provided by MLA's National Livestock Reporting Service

### Warwick

report date 14/05/2019

Yarding 2247  
 Change 272

comparison date 07/05/2019

The trend of larger numbers continued, with supply increasing by 272 head to 2,247. A fair panel of buyers covering all classes was present and operating. Light weight yearling steers returning to the paddock averaged 12c/kg less. Medium and heavy weight yearling steers to feed experienced only quality related price changes. Medium and heavy weight yearling heifers to feed followed a similar trend. Light weight yearling heifers varied in price, with the better restocker or background classes receiving fair demand, however processor lines averaged 13c/kg cheaper. All classes of cows were cheaper, with decreases of 12c to 21c/kg.

Steer calves returning to the paddock made to 240.2c to average 224c, while heifer calves averaged 179c and made to 207.2c/kg. A small number of vealer heifers sold the trade at an average of 249c, with sales to 265c/kg. A large selection of light weight yearling steers returned to the paddock at an average of 232c, with sales to 268.2c, as poor quality lines averaged 151c/kg. Medium weight yearling steers to feed averaged 267c and made to 276.2c, as some to the trade made to 285c/kg. Heavy weight yearling steers to feed made to 290c to average 281c and local trade lines made to 296.2c/kg. Light weight yearling heifers mainly sold close to the late 170c/kg range to 182c, with sales to 207.2c/kg. Medium weight yearling heifers to feed averaged 236c, with sales to 206.2c/kg. Heavy weight yearling heifers to feed made to 264.2c to average 250c, the occasional sale to the trade at 293.2c/kg.

The occasional B muscle bullock made to 308.2c, with a few others at 289c/kg. Medium weight poor condition cows average 132c and the better 2 scores averaged 169c, making to 179.2c/kg. Good heavy cows mainly sold for approximately 217c, the occasional sale to 230.2c/kg. Heavy bulls made to 249.2c/kg.

Category	Sale Weight	Muscle Prefix	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Calves</b>														
0-80	RS	D	2	6	157.2	161.2	159.2	-31	-	-	-	71	105	88
80+	PR	D	2	4	140.0	140.0	140.0	N/Q	264	264	264	259	259	259
	RS	C	2	23	200.0	240.2	224.5	-7	-	-	-	275	409	371
	RS	D	1	6	195.2	195.2	195.2	125	-	-	-	244	244	244
	RS	D	2	73	137.2	207.2	179.6	-3	-	-	-	240	361	306
				112	137.2	240.2			264	264		71	409	
<b>Vealer Steer</b>														
280-330	FD	C	2	7	251.2	251.2	251.2	N/Q	-	-	-	716	716	716
				7	251.2	251.2			0	0		716	716	
<b>Vealer Heifer</b>														
200-280	FD	C	2	19	212.2	223.2	219.0	-6	-	-	-	515	547	535
	PR	C	2	14	207.2	230.0	222.6	2	384	426	412	456	610	560
	PR	C	3	7	238.2	261.2	248.7	N/Q	441	484	461	631	718	663
	PR	D	2	5	150.0	157.2	154.3	N/Q	278	291	286	330	346	340
280-330	FD	C	2	7	223.2	223.2	223.2	N/Q	-	-	-	670	670	670
	PR	C	3	12	240.2	265.0	248.6	N/Q	445	491	460	698	861	749
				64	150.0	265.0			278	491		330	861	
<b>Yearling Steer</b>														
0-200	RS	D	1	5	140.0	140.0	140.0	-2	-	-	-	189	189	189
	RS	D	2	8	140.0	180.2	165.1	N/Q	-	-	-	259	297	283
200-280	RS	C	2	235	191.2	268.2	232.5	-12	-	-	-	402	738	553
	RS	D	1	2	140.0	141.2	140.6	N/Q	-	-	-	308	332	320
	RS	D	2	56	130.0	176.2	150.9	-35	-	-	-	267	370	325
280-330	FD	C	2	32	225.2	265.2	249.7	-10	-	-	-	670	782	729

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
330-400	RS	C	2	16	275.2	- 275.2	275.2	55	-	-	-	826	- 826	826
	RS	D	2	5	151.2	- 225.2	195.6	-34	-	-	-	454	- 676	587
	FD	C	2	75	254.2	- 277.2	267.5	-9	-	-	-	854	- 1056	944
	FD	C	3	4	276.2	- 276.2	276.2	N/Q	-	-	-	939	- 939	939
	FD	D	2	7	244.2	- 244.2	244.2	9	-	-	-	830	- 830	830
400+	PR	C	3	15	275.0	- 285.0	279.0	-12	500	- 518	507	938	- 1097	997
	FD	C	2	48	268.2	- 290.0	280.9	-5	-	-	-	1086	- 1388	1,204
	PR	C	3	24	264.2	- 296.2	278.6	-10	480	- 539	506	1158	- 1262	1,219
	RS	D	2	6	174.2	- 174.2	174.2	N/Q	-	-	-	740	- 740	740
				538	130.0	296.2			480	539		189	1388	
Yearling Heifer														
200-280	FD	C	2	31	165.2	- 195.2	177.1	-16	-	-	-	405	- 509	450
	PR	C	2	37	160.0	- 207.2	182.0	-13	296	- 384	337	336	- 549	426
	PR	D	2	2	139.2	- 139.2	139.2	N/Q	258	- 258	258	341	- 341	341
	RS	C	2	39	159.2	- 200.2	176.9	-1	-	-	-	336	- 480	419
	RS	D	1	4	80.2	- 80.2	80.2	N/Q	-	-	-	180	- 180	180
	RS	D	2	19	100.2	- 150.0	128.9	-21	-	-	-	245	- 377	306
280-330	FD	C	2	10	184.2	- 238.2	205.8	-26	-	-	-	553	- 679	603
	FD	D	2	3	159.2	- 159.2	159.2	-22	-	-	-	478	- 478	478
	PR	D	2	13	144.6	- 170.0	168.0	N/Q	268	- 315	311	434	- 510	504
	RS	D	2	7	147.2	- 147.2	147.2	-18	-	-	-	442	- 442	442
330-400	FD	C	2	104	220.0	- 260.2	236.2	-1	-	-	-	737	- 937	825
	FD	D	2	8	193.2	- 210.2	202.1	16	-	-	-	700	- 744	713
	PR	C	2	2	250.2	- 270.2	260.2	N/Q	463	- 500	482	901	- 973	937
	PR	C	3	21	240.2	- 269.2	256.2	-21	445	- 499	474	847	- 1023	926
	PR	D	2	1	190.0	- 190.0	190.0	N/Q	352	- 352	352	665	- 665	665
	RS	C	2	1	238.2	- 238.2	238.2	N/Q	-	-	-	834	- 834	834
400+	RS	D	2	5	140.0	- 140.0	140.0	N/Q	-	-	-	490	- 490	490
	FD	C	2	40	237.2	- 264.2	250.2	N/Q	-	-	-	961	- 1110	1,040
	FD	C	3	3	249.2	- 249.2	249.2	-13	-	-	-	1059	- 1059	1,059
	PR	C	3	13	249.2	- 293.2	264.7	-6	461	- 543	490	1009	- 1422	1,159
					363	80.2	293.2			258	543		180	1422
Grown Steer														
400-500	FD	C	2	7	281.2	- 281.2	281.2	N/Q	-	-	-	1223	- 1223	1,223
	PR	D	2	1	150.0	- 150.0	150.0	-41	273	- 273	273	638	- 638	638
	RS	D	1	4	101.2	- 101.2	101.2	-62	-	-	-	430	- 430	430
500-600	PR	B	3	3	295.0	- 303.2	297.7	N/Q	509	- 523	513	1652	- 1652	1,652
	PR	C	3	3	271.2	- 271.2	271.2	-2	493	- 493	493	1532	- 1532	1,532
	PR	C	4	2	285.2	- 285.2	285.2	-10	509	- 509	509	1526	- 1526	1,526
600-750	PR	B	3	1	308.2	- 308.2	308.2	N/Q	531	- 531	531	2019	- 2019	2,019
	PR	C	4	8	289.2	- 289.2	289.2	-10	516	- 516	516	1851	- 1851	1,851
					29	101.2	308.2			273	531		430	2019
Grown Heifer														

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
0-540	PR	D	1	12	133.2	170.0	161.6	N/Q	290	370	351	513	723	678
	PR	D	2	21	150.2	210.2	167.9	7	313	457	362	638	914	719
	PR	D	3	3	228.2	248.2	238.2	-6	439	477	458	1198	1274	1,225
	RS	D	1	5	123.2	150.2	129.6	-13	-	-	-	468	563	528
540+	PR	C	4	3	251.2	263.6	259.3	-20	474	497	489	1507	1579	1,543
				44	123.2	263.6	-	290	497	-	468	1579	-	
Manufacturing Steer														
540+	PR	C	3	1	249.2	249.2	249.2	N/C	453	453	453	1682	1682	1,682
				1	249.2	249.2	-	453	453	-	1682	1682	-	
Cows														
0-400	PR	D	1	67	95.2	131.2	113.6	-12	216	298	258	335	497	439
	PR	D	2	48	106.2	149.2	131.6	-29	241	324	288	425	597	526
	PR	E	1	30	45.2	93.2	61.5	4	103	212	140	170	350	223
	RS	D	1	59	95.2	120.0	106.2	N/Q	-	-	-	335	469	419
400-520	DA	D	1	5	115.2	115.2	115.2	15	-	-	-	501	501	501
	PR	C	2	1	206.2	206.2	206.2	N/Q	412	412	412	1031	1031	1,031
	PR	D	1	65	109.2	150.0	132.0	-12	248	341	300	491	750	590
	PR	D	2	129	150.0	179.2	168.7	-15	326	390	367	645	876	787
	PR	D	3	52	185.2	199.2	189.9	-13	378	407	391	823	966	922
	PR	D	4	13	198.2	217.2	202.0	-17	389	426	396	936	1086	973
	PR	E	1	2	80.0	80.0	80.0	N/Q	182	182	182	360	360	360
	RS	D	1	43	111.2	137.2	123.9	N/C	-	-	-	489	617	551
	RS	D	2	4	137.2	137.2	137.2	N/Q	-	-	-	583	583	583
	520+	DA	D	1	2	120.0	120.0	120.0	-46	-	-	-	648	648
DA		D	2	6	167.2	185.2	179.2	N/Q	-	-	-	1087	1204	1,165
PR		D	2	65	168.2	192.2	183.4	-18	366	418	399	908	1083	993
PR		D	3	64	190.2	206.2	197.8	-14	388	421	404	1050	1250	1,117
PR		D	4	141	200.2	230.2	217.0	-21	393	451	425	1071	1462	1,283
					796	45.2	230.2	-	103	451	-	170	1462	-
Bulls														
0-450	FD	C	2	31	169.2	254.2	219.0	-4	-	-	-	735	1144	831
	FD	C	3	4	243.2	249.2	244.7	2	-	-	-	1058	1084	1,064
	FD	D	2	6	131.2	188.2	153.7	-28	-	-	-	459	630	533
	PR	C	2	2	227.2	241.2	234.2	N/Q	406	439	422	917	966	941
	PR	D	2	12	150.2	200.2	164.4	29	273	364	305	281	771	352
	RS	D	2	29	140.0	170.0	160.0	N/Q	-	-	-	280	468	382
450-600	PR	C	3	9	226.2	251.2	237.6	5	404	457	430	1256	1323	1,278
	PR	D	2	1	153.2	153.2	153.2	N/Q	279	279	279	896	896	896
600+	PR	C	2	4	178.2	189.2	184.2	N/Q	324	344	335	1217	1419	1,335
	PR	C	3	15	195.2	249.2	223.7	6	349	445	399	1269	2262	1,751
	PR	D	1	1	100.0	100.0	100.0	-20	182	182	182	625	625	625
	PR	D	2	1	160.0	160.0	160.0	10	291	291	291	1200	1200	1,200
				115	100.0	254.2	-	182	457	-	280	2262	-	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg

DA - Dairy, FD - Feeder, GF - Grainfed, PR - Processor, LE - Live Export, PC - Pastoral Cattle, PT - PTIC, RS - Restocker

Disclaimer:

© MLA 2019. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.

