

## Detailed Saleyard Report - Cattle

Market information provided by MLA's National Livestock Reporting Service

### Warwick

report date 16/04/2019

Yarding 1746  
 Change -683

comparison date 09/04/2019

There was a decline in numbers at Warwick sale today, with a yarding of 1,746 head, 683 head less than last week. The cattle came from a wide area of south eastern Queensland and northern New South Wales. There were fair numbers of light conditioned cows and yearling and vealer classes, as some vendors sold due to dwindling feed and water supplies. The buying panel was more selective, as there were fewer destinations for the numbers presented. Prices eased for most descriptions, excluding 4 score cows which saw improvements from 4c to 10c/kg.

Mixed sex calves sold to 215c, averaging from 148c to 168c/kg. Vealer steers made to 272c, to average 246c for the best bred pens, while vealer heifers averaged from 151c to 170c/kg. The best bred pens of light yearling steers averaged from 216c to 225c, while the heavier lines sold to 289c, averaging from 266c to 282c/kg, depending on quality. Better bred, medium and heavy weight yearling heifers sold to 299c, averaging from 250c to 273c/kg, relative to the quality and finish on offer. The plainer conditioned yearlings sold to an easier trend, averaging from 186c to 205c/kg.

Very few grown steers were penned. Grown heifers to the trade sold to 279c, to average 261c/kg. Plain 2 score cows sold predominately to processors, selling to a top of 228c, averaging 160c/kg. Heavy 4 score cows averaged 226c, selling to 239c/kg. Heavy bulls averaged 202c and made to a top of 240c/kg.

Category	Sale Weight	Muscle Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
						Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Calves</b>															
80+	PR	C	2	1	168.0	168.0	168.0	N/Q	323	323	323	319	319	319	
	RS	C	1	55	113.0	120.0	116.8	N/Q	-	-	-	153	180	168	
	RS	C	2	34	128.0	214.0	167.9	-62	-	-	-	205	396	278	
	RS	D	2	34	104.0	215.0	150.3	16	-	-	-	151	398	251	
				124	104.0	215.0			323	323		151	398		
<b>Vealer Steer</b>															
0-200	RS	D	1	2	115.0	115.0	115.0	N/Q	-	-	-	196	196	196	
200-280	FD	C	2	5	178.0	230.0	198.8	-51	-	-	-	418	598	490	
	RS	C	2	50	160.0	272.0	245.9	N/Q	-	-	-	368	639	581	
	RS	D	2	10	153.0	211.0	173.6	N/Q	-	-	-	348	496	395	
				67	115.0	272.0			0	0		196	639		
<b>Vealer Heifer</b>															
0-200	RS	D	2	8	105.0	130.0	122.8	N/Q	-	-	-	194	237	222	
200-280	FD	C	2	47	147.0	187.0	169.6	-67	-	-	-	338	505	430	
	PR	C	2	17	151.0	153.0	151.1	-72	290	294	291	347	378	366	
	PR	D	2	4	140.0	140.0	140.0	N/Q	269	269	269	350	350	350	
	RS	C	2	4	154.0	154.0	154.0	N/Q	-	-	-	339	339	339	
	RS	D	2	27	110.2	138.0	115.1	N/Q	-	-	-	222	304	234	
				107	105.0	187.0			269	294		194	505		
<b>Yearling Steer</b>															
200-280	FD	C	2	20	200.0	243.0	224.8	-20	-	-	-	511	636	590	
	FD	D	2	13	150.0	202.0	193.7	N/Q	-	-	-	398	545	519	
	PR	D	2	13	140.0	165.0	153.5	N/Q	269	317	295	350	416	385	
	RS	C	2	15	157.0	230.0	215.8	-37	-	-	-	369	616	576	
	RS	D	2	89	108.0	181.0	156.0	-26	-	-	-	254	462	373	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
280-330	FD	C	2	24	260.0	- 278.0	265.7	6	-	-	-	780	- 848	824
	FD	D	2	11	160.0	- 224.2	212.5	N/Q	-	-	-	504	- 650	624
	RS	C	2	7	173.0	- 173.0	173.0	-68	-	-	-	536	- 536	536
	RS	E	2	2	160.0	- 160.0	160.0	N/Q	-	-	-	456	- 456	456
330-400	FD	C	2	21	268.0	- 289.0	280.5	2	-	-	-	898	- 1040	989
	FD	D	2	17	182.0	- 257.0	246.0	N/Q	-	-	-	673	- 900	863
	FD	E	2	14	140.0	- 158.0	150.3	N/Q	-	-	-	476	- 545	516
	PR	D	3	1	219.0	- 219.0	219.0	N/Q	421	- 421	421	799	- 799	799
400+	FD	C	3	4	275.0	- 283.0	281.0	-7	-	-	-	1245	- 1334	1,267
	PR	C	4	1	280.0	- 280.0	280.0	N/Q	538	- 538	538	1414	- 1414	1,414
				252	108.0	289.0			269	538		254	1414	
Yearling Heifer														
200-280	FD	C	2	18	145.0	- 240.0	187.3	-8	-	-	-	341	- 672	489
	FD	D	2	2	160.0	- 160.0	160.0	1	-	-	-	416	- 416	416
	PR	D	2	13	130.0	- 155.0	144.3	-8	250	- 298	278	319	- 403	365
	RS	C	2	14	147.0	- 270.0	216.6	29	-	-	-	382	- 756	585
	RS	D	2	49	80.0	- 139.0	111.1	-34	-	-	-	200	- 340	275
280-330	FD	C	2	40	183.0	- 279.0	247.2	13	-	-	-	604	- 921	796
	FD	C	3	5	259.0	- 259.0	259.0	N/Q	-	-	-	855	- 855	855
	FD	D	2	27	175.0	- 243.0	186.7	-4	-	-	-	499	- 753	570
	FD	D	3	3	205.0	- 205.0	205.0	N/Q	-	-	-	666	- 666	666
	PR	C	2	1	102.0	- 102.0	102.0	-125	196	- 196	196	291	- 291	291
	PR	D	3	3	200.0	- 205.0	201.7	N/Q	385	- 394	388	650	- 666	655
	RS	C	3	1	259.0	- 259.0	259.0	N/Q	-	-	-	816	- 816	816
	RS	D	2	16	148.0	- 240.0	192.8	26	-	-	-	422	- 768	593
330-400	FD	C	2	18	213.0	- 264.0	253.4	-5	-	-	-	735	- 1003	929
	FD	D	2	25	183.0	- 255.0	223.5	-4	-	-	-	650	- 880	762
	FD	D	3	12	260.0	- 260.0	260.0	N/Q	-	-	-	936	- 936	936
	PR	C	2	4	203.0	- 267.0	244.0	N/Q	390	- 513	469	731	- 894	845
	PR	C	3	9	230.0	- 299.0	237.7	-32	426	- 564	441	840	- 1017	859
	PR	D	2	1	182.0	- 182.0	182.0	N/Q	350	- 350	350	610	- 610	610
400+	FD	C	3	9	261.0	- 267.0	261.7	N/Q	-	-	-	1070	- 1121	1,076
	PR	C	3	35	219.0	- 282.0	272.4	3	413	- 522	509	964	- 1190	1,129
	PR	C	4	6	250.0	- 250.0	250.0	N/Q	463	- 463	463	1088	- 1088	1,088
				311	80.0	299.0			196	564		200	1190	
Grown Steer														
400-500	FD	C	2	7	275.0	- 275.0	275.0	N/Q	-	-	-	1293	- 1293	1,293
	FD	D	2	1	148.0	- 148.0	148.0	-74	-	-	-	681	- 681	681
500-600	PR	C	4	1	287.0	- 287.0	287.0	4	531	- 531	531	1622	- 1622	1,622
				9	148.0	287.0			531	531		681	1622	
Grown Heifer														
0-540	FD	C	2	1	145.0	- 145.0	145.0	N/Q	-	-	-	558	- 558	558
	FD	D	1	9	128.0	- 129.0	128.1	N/Q	-	-	-	422	- 432	424

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	FD	D	2	13	161.0	- 190.0	185.7	N/Q	-			531	- 694	661
	PR	C	2	2	192.0	- 192.0	192.0	N/Q	369	- 369	369	816	- 816	816
	PR	C	3	13	245.0	- 256.0	250.2	N/Q	457	- 481	471	963	- 1286	1,122
	PR	C	4	5	279.0	- 279.0	279.0	24	517	- 517	517	1451	- 1451	1,451
	PR	D	2	13	120.0	- 193.0	152.0	-33	261	- 375	318	426	- 828	598
	PR	D	3	2	160.0	- 160.0	160.0	-55	308	- 308	308	736	- 736	736
	PR	D	4	3	258.0	- 268.0	261.3	N/Q	478	- 496	484	1148	- 1246	1,181
	RS	D	2	18	153.0	- 161.0	157.6	N/Q	-			520	- 531	526
	RS	E	2	2	98.0	- 98.0	98.0	N/Q	-			201	- 201	201
				81	98.0	279.0			261	517		201	1451	
Cows														
0-400	FD	D	2	12	133.0	- 133.0	133.0	N/Q	-			492	- 492	492
	PR	D	1	65	80.0	- 141.0	120.4	N/C	190	- 336	287	268	- 508	426
	PR	D	2	107	100.0	- 178.0	140.9	1	227	- 387	315	268	- 643	507
	PR	D	3	1	170.0	- 170.0	170.0	N/Q	354	- 354	354	638	- 638	638
	PR	E	2	1	106.0	- 106.0	106.0	N/Q	241	- 241	241	371	- 371	371
	RS	D	1	17	88.0	- 128.0	123.6	23	-			307	- 486	448
400-520	FD	D	1	1	80.0	- 80.0	80.0	N/Q	-			352	- 352	352
	FD	D	3	4	203.0	- 203.0	203.0	N/Q	-			974	- 974	974
	PR	D	1	8	118.0	- 122.0	119.5	-23	277	- 281	280	484	- 512	495
	PR	D	2	142	120.0	- 228.0	160.9	-11	273	- 496	353	486	- 1026	731
	PR	D	3	80	170.0	- 216.0	194.8	-4	354	- 459	407	792	- 1086	934
	PR	D	4	25	208.0	- 232.0	217.6	11	416	- 464	435	1039	- 1160	1,083
	PR	E	2	4	93.0	- 132.0	105.3	N/Q	202	- 300	235	405	- 554	449
	PR	E	5	6	168.0	- 168.0	168.0	N/Q	365	- 365	365	823	- 823	823
	RS	E	2	14	80.0	- 80.0	80.0	N/Q	-			352	- 352	352
520+	PR	D	2	4	175.0	- 175.0	175.0	N/Q	380	- 380	380	919	- 919	919
	PR	D	3	18	189.0	- 214.0	202.3	-7	378	- 446	421	1029	- 1134	1,081
	PR	D	4	37	205.0	- 239.0	225.9	4	410	- 466	445	1076	- 1422	1,260
	PR	D	5	1	215.0	- 215.0	215.0	N/Q	430	- 430	430	1247	- 1247	1,247
	PR	E	3	4	191.0	- 191.0	191.0	N/Q	398	- 398	398	1156	- 1156	1,156
				551	80.0	239.0			190	496		268	1422	
Bulls														
0-450	FD	C	2	15	161.0	- 220.0	208.7	N/C	-			541	- 770	635
	FD	C	3	6	239.0	- 239.0	239.0	N/Q	-			1028	- 1028	1,028
	FD	D	2	1	171.0	- 171.0	171.0	N/Q	-			522	- 522	522
	PR	C	2	3	150.0	- 163.0	154.3	N/Q	288	- 308	295	338	- 432	382
	PR	D	2	2	160.0	- 165.0	162.5	N/Q	308	- 311	310	440	- 660	550
	RS	C	2	3	157.0	- 232.0	182.0	N/Q	-			369	- 568	435
	RS	D	2	3	148.0	- 148.0	148.0	5	-			407	- 407	407
450-600	FD	C	3	2	150.0	- 184.0	167.0	N/Q	-			705	- 902	803
	FD	D	3	1	193.0	- 193.0	193.0	N/Q	-			1013	- 1013	1,013
	PR	C	2	1	150.0	- 150.0	150.0	N/Q	283	- 283	283	848	- 848	848

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
600+	PR	C	2	2	150.0	- 160.0	155.0	-11	283	- 302	292	990	- 1056	1,023
	PR	C	3	11	180.0	- 240.0	202.4	-16	327	- 436	368	1217	- 1915	1,589
				50	148.0	240.0			283	436		338	1915	

DA - Dairy, FD - Feeder, GF - Grainfed, PR - Processor, LE - Live Export, PC - Pastoral Cattle, PT - PTIC, RS - Restocker

Disclaimer:

© MLA 2019. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.

