

Detailed Saleyard Report - Cattle

Market information provided by MLA's National Livestock Reporting Service

Warwick

report date 21/05/2019

Yarding 1809
 Change -438

comparison date 14/05/2019

Numbers reduced by 438 head, however still remained relatively high at 1,809. Overall quality was mixed, and cows dominated the grown cattle section. Buyer attendance was generally good and most were operating. Lightweight yearling steers returning to the paddock lost a further 5c/kg. Yearling steers to feed for the domestic market varied in price from firm to 6c/kg cheaper. Heavyweight yearling steers to feed experienced very little change in price. A lift in the quality of the medium weight yearling heifers to feed improved average prices by 4c/kg. Poor condition cows experienced very little change following the losses of the previous sale, while all other classes averaged 10c to 14c/kg cheaper.

Vealer heifers to the trade made to 261.2c, and feeder classes averaged 220c/kg. Lightweight yearling steers returning to the paddock made to the occasional 257.2c, with a large sample around 227c/kg. Yearling steers in the 280kg to 330kg range made to 277.2c to average 251c/kg. Medium weight yearling steers to feed made to 289.2c to average 261c, and some to the trade made to 296.2c/kg. Heavy weight yearling steers to feed made to 286.2c to average 281c/kg. Medium weight yearling heifers to feed averaged 240c and made to 256.2c, with trade descriptions reaching 278.2c/kg.

A small selection of heavy grown steers to export slaughter made to 285c/kg. Poor condition cows mostly sold around 132c, and the better 2 scores averaged 159c, and made to 176.2c/kg. Heavy 3 scores averaged 192c, and good heavy cows made to 209.2c to average 205c/kg. Heavy bulls made to 234.2c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80	PR	D	2	6	120.0	120.0	120.0	N/Q	226	226	226	96	96	96
	RS	D	1	1	70.0	70.0	70.0	N/Q	-	-	-	32	32	32
80+	RS	C	2	18	223.2	249.2	239.5	15	-	-	-	384	411	401
	RS	D	2	82	129.2	207.2	169.5	-10	-	-	-	120	363	272
				107	70.0	249.2			226	226		32	411	
Vealer Steer														
200-280	RS	C	2	1	233.2	233.2	233.2	N/Q	-	-	-	583	583	583
280-330	PR	C	2	1	248.2	248.2	248.2	N/Q	451	451	451	707	707	707
				2	233.2	248.2			451	451		583	707	
Vealer Heifer														
200-280	FD	C	2	73	195.2	230.0	220.0	1	-	-	-	451	644	578
	PR	C	2	39	180.0	230.2	208.9	-14	333	426	387	441	645	560
	PR	C	3	17	230.0	261.2	251.6	3	426	484	466	575	731	629
	RS	C	2	19	185.2	197.2	191.3	N/Q	-	-	-	459	463	461
280-330	FD	C	2	1	199.2	199.2	199.2	-24	-	-	-	578	578	578
	PR	C	3	5	260.0	260.0	260.0	11	481	481	481	780	780	780
				154	180.0	261.2			333	484		441	780	
Yearling Steer														
0-200	RS	D	1	11	169.2	169.2	169.2	29	-	-	-	313	313	313
	RS	D	2	2	120.0	120.0	120.0	-45	-	-	-	198	198	198
200-280	PR	C	2	4	202.2	202.2	202.2	N/Q	368	368	368	536	536	536
	RS	C	2	127	180.0	257.2	227.5	-5	-	-	-	369	663	551
	RS	D	2	4	160.0	180.0	165.0	14	-	-	-	376	468	399
280-330	FD	C	2	120	215.2	277.2	251.1	1	-	-	-	646	874	759

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
330-400	FD	D	2	6	147.2	210.0	178.6	N/Q	-	-	-	442	630	536
	RS	C	2	33	210.0	257.2	241.2	-34	-	-	-	599	778	729
	FD	C	2	83	230.0	289.2	261.7	-6	-	-	-	804	1041	950
	PR	C	3	19	270.2	296.2	279.0	N/C	491	539	507	1027	1111	1,056
	RS	C	2	6	250.2	250.2	250.2	N/Q	-	-	-	851	851	851
400+	FD	C	2	39	272.2	286.0	281.1	N/C	-	-	-	1157	1349	1,250
	FD	C	3	7	275.2	286.2	279.9	N/Q	-	-	-	1335	1417	1,370
	PR	C	3	11	270.2	287.2	285.3	7	491	522	519	1283	1393	1,366
				472	120.0	296.2			368	539		198	1417	
Yearling Heifer														
200-280	FD	C	2	2	163.2	163.2	163.2	-14	-	-	-	449	449	449
	PR	C	2	19	162.2	180.0	171.7	-10	300	333	318	381	451	417
	RS	C	2	10	168.2	177.2	174.1	-3	-	-	-	363	470	425
	RS	C	3	9	170.0	170.0	170.0	N/Q	-	-	-	400	400	400
	RS	D	1	11	100.0	128.2	110.3	30	-	-	-	265	353	297
	RS	D	2	10	100.0	150.0	115.0	-14	-	-	-	265	353	291
280-330	FD	C	2	25	199.2	222.2	206.4	N/C	-	-	-	598	667	619
	FD	D	2	5	110.2	110.2	110.2	-49	-	-	-	320	320	320
	PR	D	2	6	161.2	161.2	161.2	-7	299	299	299	484	484	484
	RS	C	2	17	210.0	225.0	221.5	N/Q	-	-	-	599	675	661
330-400	FD	C	2	111	210.0	256.2	239.9	4	-	-	-	735	893	823
	FD	D	2	12	190.2	190.2	190.2	-12	-	-	-	685	685	685
	PR	C	2	2	224.2	224.2	224.2	-36	415	415	415	751	751	751
	PR	C	3	11	231.2	278.2	253.3	-3	428	515	469	775	974	874
	PR	D	3	4	180.0	221.2	190.3	N/Q	333	410	352	693	852	733
	RS	C	2	1	230.0	230.0	230.0	-8	-	-	-	805	805	805
400+	RS	D	2	6	140.0	140.0	140.0	N/C	-	-	-	546	546	546
	PR	C	3	5	225.0	245.0	239.2	-25	417	454	443	979	1098	1,055
	PR	D	4	4	150.2	150.2	150.2	N/Q	278	278	278	653	653	653
					270	100.0	278.2			278	515		265	1098
Grown Steer														
0-400	FD	D	2	2	123.2	123.2	123.2	N/Q	-	-	-	370	370	370
400-500	FD	C	2	2	260.2	260.2	260.2	-21	-	-	-	1171	1171	1,171
	FD	C	3	1	267.2	267.2	267.2	N/Q	-	-	-	1296	1296	1,296
	FD	D	2	36	186.2	240.0	211.4	N/Q	-	-	-	855	1139	991
500-600	PR	C	3	6	255.2	277.2	258.9	-12	464	504	471	1442	1483	1,449
	PR	C	4	13	285.0	285.0	285.0	N/C	509	509	509	1636	1687	1,660
	PR	D	2	4	235.2	235.2	235.2	N/Q	428	428	428	1258	1258	1,258
600-750	PR	D	2	2	181.2	198.2	189.7	N/Q	329	360	345	1151	1259	1,205
					66	123.2	285.0			329	509		370	1687
Grown Heifer														
0-540	DA	D	2	5	187.2	187.2	187.2	N/Q	-	-	-	1002	1002	1,002
	PR	C	4	1	244.2	244.2	244.2	N/Q	470	470	470	1270	1270	1,270

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	PR	D	1	4	115.0	125.2	117.5	-44	250	272	256	443	545	468
	PR	D	2	2	150.0	150.0	150.0	-18	313	313	313	698	698	698
	PR	D	3	1	230.0	230.0	230.0	-8	451	451	451	1070	1070	1,070
	PR	E	1	2	70.2	70.2	70.2	N/Q	153	153	153	270	270	270
	RS	D	1	74	114.2	180.0	157.5	28	-	-	-	410	711	598
540+	PR	D	4	1	203.2	203.2	203.2	N/Q	391	391	391	1138	1138	1,138
				90	70.2	244.2			153	470		270	1270	
Manufacturing Steer														
0-540	PR	C	2	2	244.2	244.2	244.2	N/Q	444	444	444	1306	1306	1,307
540+	PR	C	3	2	264.2	264.2	264.2	15	480	480	480	1717	1717	1,717
				4	244.2	264.2			444	480		1306	1717	
Cows														
0-400	DA	D	1	1	107.2	107.2	107.2	N/Q	-	-	-	391	391	391
	PR	D	1	51	99.2	145.0	115.8	2	225	330	263	66	580	405
	PR	D	2	2	120.0	130.0	125.0	-7	261	283	272	438	514	476
	PR	E	1	11	50.0	70.0	55.5	-6	114	159	126	193	270	214
	RS	D	1	49	100.2	129.2	109.6	3	-	-	-	366	491	421
	RS	E	1	10	45.2	70.0	60.1	N/Q	-	-	-	172	266	228
400-520	DA	E	1	4	60.0	60.0	60.0	N/Q	-	-	-	270	270	270
	PR	D	1	55	110.0	145.2	131.9	N/C	250	330	299	479	726	585
	PR	D	2	58	140.0	176.2	158.9	-10	304	383	345	609	881	739
	PR	D	3	5	181.2	189.2	186.0	-4	370	386	380	879	880	879
	PR	D	5	2	161.2	161.2	161.2	N/Q	350	350	350	725	725	725
	PR	E	1	1	70.0	70.0	70.0	-10	159	159	159	305	305	305
	RS	D	1	15	110.0	110.0	110.0	-14	-	-	-	479	479	479
	RS	E	1	2	80.0	80.0	80.0	N/Q	-	-	-	348	348	348
520+	DA	D	1	5	136.2	136.2	136.2	16	-	-	-	865	865	865
	DA	D	2	3	175.2	175.2	175.2	-4	-	-	-	1051	1051	1,051
	PR	C	3	3	205.2	205.2	205.2	N/Q	395	395	395	1159	1159	1,159
	PR	D	2	20	150.2	184.2	169.0	-14	327	400	367	804	1105	914
	PR	D	3	47	182.2	201.2	192.4	-5	372	411	393	996	1368	1,089
	PR	D	4	32	199.2	209.2	205.5	-11	391	410	403	1082	1450	1,341
	PR	D	5	1	140.0	140.0	140.0	N/Q	286	286	286	840	840	840
				377	45.2	209.2			114	411		66	1450	
Bulls														
0-450	FD	C	2	7	220.0	230.0	221.8	3	-	-	-	803	1035	850
	PR	C	2	3	220.2	220.2	220.2	-14	400	400	400	958	958	958
	PR	D	1	1	130.0	130.0	130.0	N/Q	236	236	236	553	553	553
	RS	C	2	4	216.2	220.0	217.1	N/Q	-	-	-	940	957	945
	RS	D	1	11	110.0	138.2	112.6	N/Q	-	-	-	468	587	478
	RS	D	2	11	120.0	181.2	147.8	-12	-	-	-	240	480	349
450-600	FD	C	2	2	211.2	236.2	223.7	N/Q	-	-	-	982	1098	1,040
	FD	C	3	1	240.0	240.0	240.0	N/Q	-	-	-	1116	1116	1,116

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
600+	PR	C	2	16	173.2	- 209.2	183.7	N/C	315	- 374	333	1083	- 1778	1,203
	PR	C	3	10	199.2	- 234.2	214.4	-9	356	- 418	384	1301	- 2196	1,704
	PR	D	1	1	140.0	- 140.0	140.0	40	255	- 255	255	910	- 910	910
	RS	C	2	1	210.0	- 210.0	210.0	N/Q	-	-	-	1365	- 1365	1,365
	RS	C	3	3	219.2	- 220.0	219.5	N/Q	-	-	-	1425	- 1754	1,632
	RS	D	1	2	114.2	- 139.2	126.7	N/Q	-	-	-	714	- 870	792
				73	110.0	240.0			236	418		240	2196	

DA - Dairy, FD - Feeder, GF - Grainfed, PR - Processor, LE - Live Export, PC - Pastoral Cattle, PT - PTIC, RS - Restocker

Disclaimer:

© MLA 2019. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.

