

## Detailed Saleyard Report - Cattle

Market information provided by MLA's National Livestock Reporting Service

### Warwick

report date 24/09/2019

Yarding 1494  
 Change -215

comparison date 17/09/2019

The trend of reduced numbers continued with supply at Warwick falling by 215 head to 1,494. There was a wide variation in quality across most classes, with a number of drought affected lines included in the lineup. Buyer representation was generally good with some additional operators in the cow section. Light weight yearling steers and heifers continued to receive limited support from restockers, easing 6c to 12c/kg. However, medium and heavy weight yearling steers to feed experienced some small improvements of 1c to 3c/kg. The better quality penning of yearling heifers to the trade gained 18c/kg. Heavy grown steers to export slaughter sold to very solid competition. Most classes of cows improved in price with gains of 1c to 7c/kg.

Steer calves returning to the paddock made up to 219.2c, to average 194c, and heifer calves averaged 142c/kg. A handful of well bred vealer heifers sold to feeder operators at 274.2c/kg. Light weight yearling steers to restockers averaged 234c and made to the occasional 272.2c, and poor quality lines averaged 175c/kg. Medium weight yearling steers to feed made up to 287.2c, to average 273c, and heavy weights made up to 300c, to average 274c/kg. Heavy weight yearling steers to the trade made up to 307.2c, to average 287c/kg. Light weight yearling heifers to feed averaged 200c and processor classes averaged 189c and sold to 212.2c, with restocker lines mostly around 177c, and poor quality lines making 142c/kg. Medium weight yearling heifers to the trade made to 304.2c to average 270c, and heavy weights made to the occasional 309.2c/kg.

Heavy grown steers to export slaughter made to 315c to average 313c/kg. Light weight poor condition cows averaged 124c and medium weights averaged 140c/kg. Medium weight poor condition cows sold to restockers at an average of 154c, the occasional sale making up to 201.2c/kg. Medium weight 2 scores to processors averaged 187c/kg. Good heavy cows mostly sold around 233c with a few selling up to 242.2c/kg. Heavy bulls made up to 282.2c/kg.

Category	Sale Weight	Muscle Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
						Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Calves</b>															
0-80	RS	D	1	7	100.2	106.2	102.8	N/Q	-	36	45	39			
	RS	E	1	1	76.2	76.2	76.2	N/Q	-	34	34	34			
80+	RS	C	2	16	169.2	219.2	193.8	-18	-	254	395	328			
	RS	D	1	3	109.2	109.2	109.2	-18	-	93	93	93			
	RS	D	2	23	119.2	166.2	142.4	-6	-	161	299	239			
				50	76.2	219.2			0	0	34	395			
<b>Vealer Heifer</b>															
200-280	FD	C	2	2	224.2	224.2	224.2	4	-	527	527	527			
280-330	FD	C	2	4	274.2	274.2	274.2	N/Q	-	809	809	809			
					6	224.2	274.2		0	0	527	809			
<b>Yearling Steer</b>															
0-200	RS	D	1	1	110.2	110.2	110.2	N/Q	-	149	149	149			
200-280	PR	D	2	3	170.0	179.2	176.1	N/Q	309	326	320	451	475	467	
	RS	C	2	69	190.2	272.2	233.6	-12	-	447	721	578			
	RS	D	1	12	127.2	149.2	141.7	N/Q	-	261	351	313			
	RS	D	2	17	125.2	200.0	174.9	-27	-	279	450	399			
	RS	E	1	3	60.2	60.2	60.2	N/Q	-	138	138	139			
280-330	FD	C	2	21	220.0	265.0	239.5	-16	-	627	795	723			
	PR	D	2	1	170.0	170.0	170.0	N/Q	309	309	309	485	485	485	
	RS	C	2	54	197.2	265.0	236.0	-36	-	562	835	709			
	RS	D	2	2	160.0	160.0	160.0	N/Q	-	480	480	480			
330-400	FD	C	2	82	243.2	287.2	272.8	3	-	871	1106	1,024			
	FD	D	2	21	235.0	250.0	241.2	2	-	799	924	845			

Category	Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
						Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400+	RS	D	2	1	228.2	228.2	228.2	N/Q	-	-	-	833	833	833	
	RS	E	1	1	106.2	106.2	106.2	N/Q	-	-	-	372	372	372	
	FD	C	2	29	265.0	300.0	274.3	1	-	-	-	1073	1275	1,181	
	PR	C	3	20	276.2	307.2	286.9	-8	502	559	519	1190	1407	1,277	
	PR	D	2	1	225.2	225.2	225.2	N/Q	409	409	409	957	957	957	
	PR	D	3	1	238.2	238.2	238.2	N/Q	433	433	433	1012	1012	1,012	
				339	60.2	307.2			309	559		138	1407		
Yearling Heifer															
0-200	RS	E	1	5	94.2	94.2	94.2	26	-	-	-	104	104	104	
200-280	FD	C	2	30	169.2	211.2	199.9	-12	-	-	-	364	581	507	
	PR	C	2	82	150.0	212.2	189.2	-1	278	393	350	388	584	474	
	RS	C	2	40	150.2	194.2	177.2	-6	-	-	-	353	507	410	
	RS	D	1	8	132.2	139.2	133.9	N/Q	-	-	-	297	327	305	
	RS	D	2	39	118.2	155.0	142.5	-3	-	-	-	265	391	337	
	RS	E	1	2	80.0	80.0	80.0	-10	-	-	-	188	188	188	
280-330	FD	C	2	43	199.2	240.0	211.2	-7	-	-	-	598	720	623	
	PR	C	2	22	174.2	219.2	203.6	2	323	406	377	523	658	618	
	PR	D	2	3	167.2	180.0	171.5	N/Q	310	333	318	502	540	514	
	RS	C	2	51	187.2	212.2	194.6	N/Q	-	-	-	562	668	593	
	RS	D	1	5	154.2	154.2	154.2	N/Q	-	-	-	439	439	440	
	RS	D	2	5	199.2	199.2	199.2	N/Q	-	-	-	568	568	568	
330-400	FD	C	2	4	228.2	237.2	232.7	9	-	-	-	799	830	815	
	FD	C	3	8	245.2	275.0	257.4	7	-	-	-	821	921	862	
	FD	D	2	46	173.2	195.2	184.3	14	-	-	-	580	683	638	
	PR	C	2	4	218.2	239.8	223.6	-8	404	444	414	764	839	783	
	PR	C	3	15	249.2	304.2	269.8	18	461	563	500	835	1171	992	
	RS	D	2	17	150.0	183.2	174.9	N/Q	-	-	-	503	705	637	
	RS	E	1	1	98.2	98.2	98.2	N/Q	-	-	-	378	378	378	
400+	FD	C	2	6	233.2	240.0	238.9	7	-	-	-	1020	1049	1,025	
	FD	C	3	2	275.0	275.0	275.0	N/Q	-	-	-	1169	1169	1,169	
	PR	B	3	2	309.2	309.2	309.2	N/Q	573	573	573	1314	1314	1,314	
	PR	C	2	4	239.2	245.2	243.7	-17	443	454	451	1042	1076	1,051	
	PR	C	3	5	260.2	302.2	281.8	3	482	560	522	1171	1284	1,239	
				449	80.0	309.2			278	573		104	1314		
Grown Steer															
0-400	FD	D	2	1	200.0	200.0	200.0	N/Q	-	-	-	700	700	700	
	PR	E	1	1	70.0	70.0	70.0	N/Q	127	127	127	277	277	277	
	RS	D	1	1	156.2	156.2	156.2	N/Q	-	-	-	508	508	508	
400-500	FD	D	1	3	128.2	128.2	128.2	N/Q	-	-	-	545	545	545	
	FD	D	2	11	184.2	229.2	208.7	N/Q	-	-	-	829	980	924	
	PR	D	2	4	203.2	213.2	210.7	N/Q	369	388	383	904	1034	1,002	
500-600	FD	D	2	5	231.2	231.2	231.2	N/Q	-	-	-	1237	1237	1,237	
	PR	C	3	1	259.2	259.2	259.2	-11	471	471	471	1387	1387	1,387	

Category	Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
						Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		PR	C	4	14	311.2	315.0	312.8	1	556	563	559	1603	1680	1,647
					41	70.0	315.0			127	563		277	1680	
Grown Heifer															
0-540		PR	C	3	3	271.2	271.2	271.2	N/Q	522	522	522	1261	1261	1,261
		PR	D	1	6	126.2	126.2	126.2	-20	274	274	274	549	549	549
		PR	D	2	11	170.0	220.0	190.1	-8	354	458	396	791	1023	884
		PR	E	1	1	40.0	40.0	40.0	-81	87	87	87	130	130	130
		RS	D	1	17	127.2	165.2	141.9	10	-	-	-	490	768	597
		RS	D	2	7	157.2	189.2	176.6	2	-	-	-	701	757	737
540+		PR	C	4	1	277.2	277.2	277.2	9	523	523	523	1622	1622	1,622
					46	40.0	277.2			87	523		130	1622	
Cows															
0-400		DA	E	1	12	50.0	110.2	80.1	-3	-	-	-	170	441	305
		PR	D	1	27	109.2	159.2	124.1	8	248	362	282	399	581	480
		PR	E	1	28	30.0	101.2	78.6	-6	68	230	179	98	405	286
		RS	D	1	12	110.0	120.0	115.0	-13	-	-	-	402	438	420
		RS	E	1	5	60.0	107.2	93.4	5	-	-	-	231	385	352
400-520		DA	D	1	1	140.0	140.0	140.0	-23	-	-	-	700	700	700
		PR	D	1	28	120.0	158.2	139.7	1	273	360	318	522	750	640
		PR	D	2	31	170.0	197.2	187.2	5	370	429	407	827	986	923
		PR	D	3	10	206.2	206.2	206.2	7	421	421	421	1031	1031	1,031
		PR	D	4	2	228.2	228.2	228.2	N/Q	447	447	447	1141	1141	1,141
		RS	D	1	32	127.2	201.2	154.0	-4	-	-	-	553	1016	684
520+		DA	D	1	5	146.2	175.2	169.4	2	-	-	-	826	1139	1,076
		PR	D	1	8	160.0	188.2	174.3	6	364	428	396	856	1007	932
		PR	D	2	29	185.2	205.0	191.7	-7	403	446	417	991	1230	1,063
		PR	D	3	31	209.2	222.2	217.4	6	427	453	444	1125	1379	1,283
		PR	D	4	87	225.2	242.2	232.7	7	442	475	456	1238	1962	1,404
		PR	D	5	1	218.2	218.2	218.2	51	445	445	445	1364	1364	1,364
		RS	D	2	9	200.0	209.2	206.1	8	-	-	-	1070	1119	1,103
					358	30.0	242.2			68	475		98	1962	
Bulls															
0-450		FD	C	2	13	204.2	237.2	208.6	N/Q	-	-	-	649	1067	732
		FD	D	2	3	185.0	195.2	191.8	N/Q	-	-	-	517	805	613
		PR	C	2	1	231.2	231.2	231.2	N/Q	420	420	420	983	983	983
		PR	D	1	1	140.0	140.0	140.0	N/Q	259	259	259	609	609	609
		PR	D	2	3	160.0	166.2	162.1	N/Q	291	302	295	696	748	713
450-600		PR	C	2	1	211.2	211.2	211.2	N/Q	384	384	384	1193	1193	1,193
		PR	C	3	3	247.2	248.2	247.9	N/Q	441	443	443	1323	1402	1,376
		PR	D	2	1	175.2	175.2	175.2	22	319	319	319	937	937	937
		RS	C	3	1	278.2	278.2	278.2	N/Q	-	-	-	1433	1433	1,433
600+		PR	C	2	8	122.2	225.2	201.9	N/Q	222	409	367	855	1760	1,401
		PR	C	3	22	227.2	282.2	249.1	1	406	504	445	1477	2682	1,785

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
RS	D	1		2	159.2	159.2	159.2	N/Q	-			1035	1035	1,035
				59	122.2	282.2			222	504		517	2682	

DA - Dairy, FD - Feeder, GF - Grainfed, PR - Processor, LE - Live Export, PC - Pastoral Cattle, PT - PTIC, RS - Restocker

Learn more about coming changes to MLA Market Information by going to [www.mla.com.au/update](http://www.mla.com.au/update)

Disclaimer:

© MLA 2019. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.

