

## Detailed Saleyard Report - Cattle

Market information provided by MLA's National Livestock Reporting Service

### Warwick

report date 25/06/2019

Yarding 1730

comparison date 18/06/2019

Change 181

The supply of stock lifted by 181 head to 1,730, and once again a large number of mixed quality cows were penned. Buyer attendance was generally good and most were operating. Drought affected light weight young cattle were hard to sell, and light weight yearling steers to restockers averaged 11c cheaper, while the heifer portion eased approximately 20c/kg. However, medium and heavy weight yearling steers and heifers sold to strong demand for the quality penned. Despite the large number of cows available, export and restocker buyers were able to absorb the large supply, lifting average prices by 8c to 9c on the plain condition classes, and up to 20c/kg on the good heavy cows.

Light weight yearling steers returning to the paddock averaged 218c, with occasional sales to 258.2c/kg. Medium weight yearling steers to feed averaged 263c and made to 278.2c/kg. Heavy weight yearling steers to the trade made to 315.2c, with majority close to 287c/kg. Light weight yearling heifers averaged 186c and made to 199.2c, and the poor quality lines made 132c/kg. Medium weight yearling heifers to the trade averaged 252c and made to 280.2c/kg.

Heavy grown steers to export process made to 302.2c, while an outstanding grown heifer made to 299.2c/kg to return \$2,109/head. A fair sample of poor condition cows sold to restockers at an average of 159c, with sales to 172.2c/kg. Medium weight 2 score cows to processors averaged 177c and made to 187.2c/kg. Good heavy cows made to 235.2c, with most close to 224c/kg. Heavy bulls made to 257.2c/kg.

Category	Sale Weight	Muscle Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
						Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Calves</b>															
80+	PR	D	2	12	132.2	150.0	148.5	N/Q	249	283	280	231	248	246	
	RS	C	2	19	200.0	201.2	200.9	N/Q	-	-	-	370	392	388	
	RS	D	1	1	89.2	89.2	89.2	N/Q	-	-	-	147	147	147	
	RS	D	2	38	116.2	186.2	160.0	N/Q	-	-	-	192	344	284	
				70	89.2	201.2			249	283		147	392		
<b>Vealer Heifer</b>															
200-280	PR	C	2	11	193.2	213.2	205.9	N/Q	358	395	381	454	554	518	
280-330	FD	C	2	5	221.2	221.2	221.2	N/Q	-	-	-	630	630	630	
				16	193.2	221.2			358	395		454	630		
<b>Yearling Steer</b>															
0-200	RS	D	1	15	88.2	130.2	96.6	N/Q	-	-	-	159	176	162	
	RS	E	1	1	80.2	80.2	80.2	N/Q	-	-	-	108	108	108	
200-280	PR	C	2	11	185.0	199.2	197.9	N/Q	336	362	360	453	518	512	
	PR	D	2	4	153.2	163.2	160.7	N/Q	279	297	292	342	364	358	
	RS	C	2	154	185.0	258.2	217.9	-11	-	-	-	413	684	544	
	RS	D	1	2	50.0	50.0	50.0	-88	-	-	-	112	112	112	
	RS	D	2	5	140.0	160.0	150.0	-50	-	-	-	312	357	335	
280-330	FD	C	2	51	190.0	280.0	238.1	N/Q	-	-	-	570	840	708	
	FD	D	2	3	200.0	200.0	200.0	N/Q	-	-	-	570	570	570	
	RS	C	2	56	210.0	253.2	231.3	-3	-	-	-	599	760	672	
330-400	FD	C	2	128	240.0	278.2	262.7	-4	-	-	-	828	1044	921	
	PR	C	2	4	259.2	259.2	259.2	N/Q	471	471	471	894	894	894	
	PR	C	3	7	259.2	275.2	269.2	N/Q	471	500	489	894	1059	992	
	PR	D	2	1	190.2	190.2	190.2	N/Q	346	346	346	647	647	647	
400+	PR	B	3	1	315.2	315.2	315.2	N/Q	543	543	543	1355	1355	1,355	
	PR	C	3	20	275.2	301.2	287.3	-4	500	548	522	1197	1461	1,326	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
	PR	C	4	2	296.2	296.2	296.2	6	539	539	539	1517	1517	1,517
				465	50.0	315.2			279	548		108	1517	
Yearling Heifer														
0-200	RS	D	1	9	78.2	81.2	79.9	N/Q	-			145	150	148
200-280	FD	C	2	6	210.0	210.0	210.0	N/Q	-			525	525	525
	PR	C	2	15	150.0	181.2	168.1	N/Q	278	336	311	376	477	423
	PR	E	2	2	80.0	80.0	80.0	N/Q	148	148	148	212	212	212
	RS	C	2	88	145.2	199.2	186.7	-20	-			356	548	473
	RS	D	1	1	70.0	70.0	70.0	-46	-			156	156	156
	RS	D	2	12	120.0	140.0	132.5	N/Q	-			268	308	293
280-330	FD	C	2	5	203.2	203.2	203.2	N/Q	-			610	610	610
	FD	D	2	22	189.2	190.2	189.3	N/Q	-			568	571	568
	PR	C	2	20	198.2	248.2	213.6	N/Q	367	460	396	595	745	641
	PR	D	2	2	169.2	169.2	169.2	N/Q	313	313	313	508	508	508
	RS	C	2	11	196.2	196.2	196.2	17	-			589	589	589
330-400	FD	C	2	10	200.0	240.0	220.1	N/Q	-			700	804	749
	FD	D	2	6	180.0	199.2	192.8	N/Q	-			667	693	676
	PR	C	2	4	235.2	235.2	235.2	30	436	436	436	788	788	788
	PR	C	3	28	220.2	280.2	252.1	12	408	519	467	820	1065	916
	PR	D	2	1	143.2	143.2	143.2	N/Q	265	265	265	487	487	487
400+	PR	C	3	8	262.2	271.2	268.5	N/Q	486	502	497	1114	1216	1,182
	RS	D	2	2	226.2	226.2	226.2	N/Q	-			961	961	961
				252	70.0	280.2			148	519		145	1216	
Grown Steer														
500-600	PR	C	3	6	265.2	265.2	265.2	N/Q	482	482	482	1498	1498	1,498
	PR	C	4	4	302.2	302.2	302.2	2	540	540	540	1665	1665	1,665
	PR	D	2	9	208.2	208.2	208.2	N/Q	379	379	379	1249	1249	1,249
				19	208.2	302.2			379	540		1249	1665	
Grown Heifer														
0-540	DA	D	2	1	187.2	187.2	187.2	N/Q	-			908	908	908
	FD	C	3	5	254.2	254.2	254.2	N/Q	-			1182	1182	1,182
	FD	D	2	5	156.2	156.2	156.2	N/Q	-			679	679	680
	PR	C	3	2	252.2	258.2	255.2	23	476	487	482	1349	1381	1,365
	PR	C	4	9	260.0	262.2	262.0	N/Q	491	495	494	1391	1403	1,402
	PR	D	1	2	109.2	130.2	119.7	N/Q	237	283	260	399	586	492
	PR	D	2	15	143.2	215.2	181.9	9	298	457	385	623	1001	807
	PR	D	3	39	233.2	248.2	236.4	N/Q	440	468	447	1047	1292	1,130
	RS	D	2	7	165.2	165.2	165.2	12	-			768	768	768
540+	PR	B	3	1	299.2	299.2	299.2	N/Q	516	516	516	2109	2109	2,109
	PR	C	4	4	256.2	264.2	260.2	1	483	498	491	1409	1493	1,451
	PR	D	2	2	228.2	228.2	228.2	N/Q	475	475	475	1289	1289	1,289
	PR	D	3	4	249.2	255.2	252.2	N/Q	470	491	480	1442	1495	1,469
				96	109.2	299.2			237	516		399	2109	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
<b>Manufacturing Steer</b>															
0-540	PR	D	2	1	168.2	- 168.2	168.2	N/Q	306	- 306	306	816	- 816	816	
540+	PR	D	2	2	229.2	- 229.2	229.2	N/Q	417	- 417	417	1375	- 1375	1,375	
				3	168.2	229.2		306	417		816	1375			
<b>Cows</b>															
0-400	PR	D	1	53	100.0	- 140.0	121.9	-10	227	- 318	277	379	- 560	480	
	PR	E	1	12	50.0	- 85.2	71.6	-37	114	- 194	163	183	- 341	280	
400-520	RS	D	1	13	118.2	- 154.2	150.3	8				467	- 594	580	
	RS	E	1	3	60.0	- 69.2	66.1	-37				231	- 253	245	
	PR	D	1	101	110.0	- 169.2	146.2	2	250	- 385	332	495	- 846	663	
	PR	D	2	62	160.0	- 187.2	176.6	9	348	- 407	384	697	- 926	829	
	PR	D	3	16	190.0	- 198.2	195.2	8	388	- 404	398	884	- 991	959	
	PR	D	4	6	218.2	- 218.2	218.2	18	428	- 428	428	1091	- 1091	1,091	
	PR	E	1	4	70.0	- 70.0	70.0	N/Q	159	- 159	159	326	- 326	326	
	RS	D	1	87	134.2	- 172.2	159.5	N/Q				649	- 801	703	
	520+	DA	D	1	5	179.2	- 179.2	179.2	N/Q				1075	- 1075	1,075
		DA	D	2	1	183.2	- 183.2	183.2	21				1099	- 1099	1,099
PR		D	1	1	167.2	- 167.2	167.2	N/Q	380	- 380	380	895	- 895	895	
PR		D	2	25	179.2	- 193.2	185.4	N/Q	390	- 420	403	991	- 1208	1,066	
PR		D	3	68	190.0	- 217.2	203.0	25	388	- 443	414	1074	- 1270	1,202	
PR		D	4	122	208.2	- 235.2	223.7	21	408	- 461	439	1167	- 1623	1,342	
PR		D	5	1	209.2	- 209.2	209.2	N/Q	427	- 427	427	1182	- 1182	1,182	
					580	50.0	235.2		114	461		183	1623		
<b>Bulls</b>															
0-450	FD	C	2	1	219.2	- 219.2	219.2	N/Q				932	- 932	932	
	FD	C	3	6	244.2	- 252.2	249.5	N/Q				1038	- 1135	1,103	
	PR	C	2	1	169.2	- 169.2	169.2	N/Q	308	- 308	308	719	- 719	719	
	PR	C	3	1	270.2	- 270.2	270.2	N/Q	491	- 491	491	1175	- 1175	1,175	
450-600	PR	C	3	5	251.2	- 273.2	268.8	N/Q	457	- 497	489	1193	- 1352	1,321	
	PR	E	2	1	130.2	- 130.2	130.2	N/Q	241	- 241	241	684	- 684	684	
600+	PR	C	2	3	160.0	- 185.2	170.8	-28	291	- 337	311	1040	- 1269	1,132	
	PR	C	3	13	207.2	- 257.2	241.8	N/Q	370	- 459	432	1520	- 2352	1,885	
	PR	D	1	1	100.0	- 100.0	100.0	N/Q	182	- 182	182	650	- 650	650	
	PR	D	2	1	134.2	- 134.2	134.2	N/Q	244	- 244	244	839	- 839	839	
					33	100.0	273.2		182	497		650	2352		

DA - Dairy, FD - Feeder, GF - Grainfed, PR - Processor, LE - Live Export, PC - Pastoral Cattle, PT - PTIC, RS - Restocker

Disclaimer:

© MLA 2019. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.

