

Detailed Saleyard Report - Cattle

Market information provided by MLA's National Livestock Reporting Service

Warwick

report date 27/08/2019

Yarding 1124
 Change -467

comparison date 20/08/2019

Numbers reduced by 467 head to 1124. Mixed quality young cattle made up the sale's largest numbers with a fair sample of very good grown steers and bullocks, along with a reduced number of cows. Buyer attendance was good with the return of some export processors and feeder operators. Light weight yearling steers, returning to the paddock, averaged 9c/kg better. Medium and heavy weight yearling steers, to feed, lifted in price by 2c to 9c/kg. Light weight yearling heifers, to restockers or background, improved by 12c, and medium weight yearling heifers, to feed, averaged 3c to 12c/kg dearer. Heavy weight yearling heifers, to the trade, gained 18c/kg. Heavy steers and bullocks also sold to a dearer trend. Cows experienced a firm to dearer market, with good heavy cows 5c/kg better.

Steer calves, returning to the paddock, made to 268.2c to average 251c, and heifer calves made to 220.2c to average 214c/kg. Light weight yearling steers sold to restockers at an average of 242c, with sales to 265.2c/kg. Medium weight yearling steers, to feed, averaged 273c and made to 302.2c/kg. Heavyweights to feed averaged 295c and made to 307.2c/kg. Light weight yearling heifers mostly sold around 203c, with some to 250.2c/kg. Medium weight yearling heifers, to feed, averaged 233, with the better lines making to 260.2c/kg. Heavy weight yearling heifers, to the trade, reached 298.2c to average 275c/kg.

Heavy grown steers made to 328.2c to average 318c, and the bullock portion made to 325.2c to average 315c, and some full mouth bullocks made to 299.2c/kg. Poor condition cows returned to the paddock at an average of 150c and made to 164.2c/kg. Medium weight 2 score cows averaged 178c and made to 200.2c/kg. Good heavy cows mostly sold around 233c with sales to 243.2c/kg. Heavy bulls made to 266.2c/kg.

| Category Weight | Sale Prefix | Muscle Score | Fat Score | Head | Live Weight c/kg | | | | Estimated Carcase Weight c/kg | | | Estimated \$/Head | | |
|-----------------------|-------------|--------------|-----------|------|------------------|-------|-------|--------|-------------------------------|------|-----|-------------------|------|-------|
| | | | | | Low | High | Avg | Change | Low | High | Avg | Low | High | Avg |
| Calves | | | | | | | | | | | | | | |
| 80+ | PR | D | 2 | 1 | 146.2 | 146.2 | 146.2 | 15 | 271 | 271 | 271 | 124 | 124 | 124 |
| | RS | C | 2 | 32 | 229.2 | 268.2 | 251.1 | 23 | - | - | - | 282 | 469 | 389 |
| | RS | D | 1 | 2 | 168.2 | 168.2 | 168.2 | 33 | - | - | - | 143 | 143 | 143 |
| | RS | D | 2 | 26 | 168.2 | 220.2 | 213.8 | 42 | - | - | - | 227 | 330 | 320 |
| | | | | 61 | 146.2 | 268.2 | | | 271 | 271 | | 124 | 469 | |
| Vealer Heifer | | | | | | | | | | | | | | |
| 200-280 | FD | C | 2 | 5 | 218.2 | 218.2 | 218.2 | -11 | - | - | - | 513 | 513 | 513 |
| | | | | 5 | 218.2 | 218.2 | | | 0 | 0 | | 513 | 513 | |
| Yearling Steer | | | | | | | | | | | | | | |
| 0-200 | RS | D | 1 | 11 | 152.2 | 200.0 | 173.9 | 10 | - | - | - | 270 | 282 | 276 |
| 200-280 | RS | C | 2 | 34 | 227.2 | 259.2 | 241.9 | 9 | - | - | - | 578 | 674 | 623 |
| | RS | D | 2 | 2 | 210.0 | 210.0 | 210.0 | 28 | - | - | - | 494 | 494 | 494 |
| 280-330 | RS | C | 2 | 24 | 223.2 | 265.2 | 234.4 | -51 | - | - | - | 670 | 796 | 703 |
| | RS | D | 2 | 3 | 175.2 | 206.2 | 185.5 | N/Q | - | - | - | 526 | 619 | 557 |
| 330-400 | FD | C | 2 | 84 | 246.2 | 302.2 | 273.5 | 2 | - | - | - | 862 | 1113 | 968 |
| | FD | C | 3 | 2 | 291.2 | 291.2 | 291.2 | N/Q | - | - | - | 1121 | 1121 | 1,121 |
| | FD | D | 2 | 15 | 182.2 | 230.0 | 191.8 | -47 | - | - | - | 619 | 782 | 652 |
| | PR | C | 2 | 2 | 246.2 | 246.2 | 246.2 | N/Q | 448 | 448 | 448 | 899 | 899 | 899 |
| | PR | C | 3 | 4 | 281.2 | 282.2 | 281.7 | 9 | 511 | 513 | 512 | 1012 | 1086 | 1,049 |
| | PR | D | 2 | 2 | 235.2 | 235.2 | 235.2 | N/Q | 428 | 428 | 428 | 906 | 906 | 906 |
| 400+ | FD | C | 2 | 25 | 270.0 | 307.2 | 294.8 | 9 | - | - | - | 1148 | 1490 | 1,287 |
| | FD | D | 2 | 6 | 220.0 | 248.2 | 239.2 | N/Q | - | - | - | 935 | 1055 | 1,017 |
| | | | | 214 | 152.2 | 307.2 | | | 428 | 513 | | 270 | 1490 | |

Yearling Heifer

| Category Weight | Sale Prefix | Muscle Score | Fat Score | Head | Live Weight c/kg | | | | Estimated Carcase Weight c/kg | | | Estimated \$/Head | | |
|-----------------|-------------|--------------|-----------|------|------------------|-------|-------|--------|-------------------------------|------|-----|-------------------|------|-------|
| | | | | | Low | High | Avg | Change | Low | High | Avg | Low | High | Avg |
| 200-280 | PR | C | 2 | 8 | 188.2 | 200.2 | 195.7 | 5 | 349 | 371 | 362 | 442 | 531 | 497 |
| | PR | D | 2 | 2 | 160.0 | 160.0 | 160.0 | N/Q | 296 | 296 | 296 | 416 | 416 | 416 |
| | RS | C | 2 | 45 | 178.2 | 250.2 | 202.7 | 12 | - | - | - | 419 | 651 | 531 |
| | RS | D | 2 | 16 | 132.2 | 159.2 | 151.2 | 8 | - | - | - | 297 | 398 | 361 |
| 280-330 | FD | C | 2 | 11 | 200.0 | 245.2 | 220.9 | 12 | - | - | - | 600 | 785 | 681 |
| | PR | C | 2 | 6 | 219.2 | 219.2 | 219.2 | 10 | 406 | 406 | 406 | 658 | 658 | 658 |
| | PR | C | 3 | 6 | 236.2 | 236.2 | 236.2 | N/Q | 437 | 437 | 437 | 709 | 709 | 709 |
| | RS | C | 2 | 9 | 229.2 | 229.2 | 229.2 | N/Q | - | - | - | 653 | 653 | 653 |
| | RS | D | 1 | 1 | 140.2 | 140.2 | 140.2 | 20 | - | - | - | 421 | 421 | 421 |
| 330-400 | RS | D | 2 | 5 | 173.2 | 183.2 | 177.2 | N/Q | - | - | - | 520 | 550 | 532 |
| | FD | C | 2 | 41 | 226.2 | 246.2 | 233.1 | 12 | - | - | - | 769 | 923 | 800 |
| | FD | C | 3 | 31 | 230.0 | 260.2 | 252.9 | 3 | - | - | - | 835 | 1002 | 944 |
| | FD | D | 2 | 12 | 210.2 | 230.2 | 219.8 | 6 | - | - | - | 745 | 844 | 781 |
| | PR | C | 2 | 4 | 231.2 | 231.2 | 231.2 | N/Q | 428 | 428 | 428 | 798 | 798 | 798 |
| | PR | C | 3 | 8 | 247.2 | 270.0 | 258.3 | -9 | 458 | 500 | 478 | 853 | 1040 | 899 |
| | PR | D | 2 | 3 | 186.2 | 237.2 | 203.2 | 24 | 345 | 439 | 376 | 633 | 818 | 695 |
| 400+ | RS | D | 2 | 3 | 198.2 | 198.2 | 198.2 | 13 | - | - | - | 664 | 664 | 664 |
| | FD | C | 2 | 7 | 239.2 | 247.2 | 241.5 | 1 | - | - | - | 1017 | 1149 | 1,055 |
| | FD | C | 3 | 6 | 244.2 | 252.2 | 248.4 | N/Q | - | - | - | 1038 | 1075 | 1,068 |
| | FD | D | 2 | 5 | 237.2 | 237.2 | 237.2 | N/Q | - | - | - | 1008 | 1008 | 1,008 |
| | PR | C | 3 | 27 | 252.2 | 298.2 | 275.3 | 18 | 467 | 552 | 510 | 1072 | 1500 | 1,242 |
| | PR | D | 2 | 2 | 224.2 | 224.2 | 224.2 | 12 | 415 | 415 | 415 | 975 | 975 | 975 |
| | | | | 258 | 132.2 | 298.2 | | | | | 296 | 552 | 297 | 1500 |
| Grown Steer | | | | | | | | | | | | | | |
| 400-500 | FD | C | 2 | 5 | 263.2 | 263.2 | 263.2 | N/Q | - | - | - | 1277 | 1277 | 1,277 |
| | RS | D | 1 | 4 | 185.2 | 185.2 | 185.2 | N/Q | - | - | - | 787 | 787 | 787 |
| 500-600 | FD | C | 2 | 2 | 262.2 | 262.2 | 262.2 | N/Q | - | - | - | 1403 | 1403 | 1,403 |
| | PR | C | 4 | 35 | 307.2 | 328.2 | 317.7 | 25 | 549 | 586 | 567 | 1702 | 1838 | 1,762 |
| 600-750 | PR | C | 4 | 42 | 300.2 | 325.2 | 315.2 | -5 | 536 | 581 | 563 | 1825 | 2114 | 2,008 |
| | | | | 88 | 185.2 | 328.2 | | | 536 | 586 | | 787 | 2114 | |
| Grown Heifer | | | | | | | | | | | | | | |
| 0-540 | FD | D | 1 | 3 | 184.2 | 184.2 | 184.2 | N/Q | - | - | - | 801 | 801 | 801 |
| | FD | D | 2 | 4 | 211.2 | 211.2 | 211.2 | N/Q | - | - | - | 982 | 982 | 982 |
| | PR | C | 3 | 1 | 245.0 | 245.0 | 245.0 | N/Q | 462 | 462 | 462 | 1139 | 1139 | 1,139 |
| | PR | C | 4 | 2 | 259.2 | 259.2 | 259.2 | -16 | 489 | 489 | 489 | 1296 | 1296 | 1,296 |
| | PR | D | 1 | 1 | 135.2 | 135.2 | 135.2 | 15 | 294 | 294 | 294 | 493 | 493 | 494 |
| | PR | D | 2 | 7 | 134.2 | 210.0 | 166.5 | -27 | 274 | 438 | 344 | 624 | 1050 | 731 |
| | PR | D | 3 | 2 | 236.2 | 236.2 | 236.2 | -6 | 454 | 454 | 454 | 1098 | 1098 | 1,098 |
| | RS | D | 1 | 2 | 160.2 | 160.2 | 160.2 | -4 | - | - | - | 697 | 697 | 697 |
| | RS | D | 2 | 3 | 165.2 | 215.2 | 198.5 | 11 | - | - | - | 719 | 1001 | 907 |
| | RS | D | 3 | 2 | 226.2 | 226.2 | 226.2 | N/Q | - | - | - | 1052 | 1052 | 1,052 |
| 540+ | PR | C | 4 | 3 | 288.2 | 288.2 | 288.2 | 35 | 544 | 544 | 544 | 1715 | 1715 | 1,715 |
| | | | | 30 | 134.2 | 288.2 | | | 274 | 544 | | 493 | 1715 | |

| Category Weight | Sale Prefix | Muscle Score | Fat Score | Head | Live Weight c/kg | | | | Estimated Carcase Weight c/kg | | | Estimated \$/Head | | |
|----------------------------|-------------|--------------|-----------|------|------------------|-------|-------|--------|-------------------------------|------|-----|-------------------|------|-------|
| | | | | | Low | High | Avg | Change | Low | High | Avg | Low | High | Avg |
| Manufacturing Steer | | | | | | | | | | | | | | |
| 0-540 | PR | C | 2 | 1 | 251.2 | 251.2 | 251.2 | N/Q | 457 | 457 | 457 | 1319 | 1319 | 1,319 |
| | PR | D | 2 | 1 | 206.2 | 206.2 | 206.2 | N/Q | 375 | 375 | 375 | 1103 | 1103 | 1,103 |
| 540+ | PR | C | 4 | 8 | 299.2 | 299.2 | 299.2 | N/Q | 534 | 534 | 534 | 1993 | 1993 | 1,993 |
| | PR | D | 1 | 1 | 178.2 | 178.2 | 178.2 | N/Q | 324 | 324 | 324 | 1069 | 1069 | 1,069 |
| | | | | 11 | 178.2 | 299.2 | | | 324 | 534 | | 1069 | 1993 | |
| Cows | | | | | | | | | | | | | | |
| 0-400 | PR | D | 1 | 17 | 110.0 | 149.2 | 134.0 | 17 | 250 | 339 | 304 | 390 | 597 | 516 |
| | PR | E | 1 | 3 | 70.0 | 89.2 | 76.4 | -24 | 159 | 203 | 174 | 256 | 357 | 289 |
| | RS | D | 1 | 2 | 127.2 | 127.2 | 127.2 | 1 | - | - | - | 509 | 509 | 509 |
| | RS | E | 1 | 1 | 70.0 | 70.0 | 70.0 | -20 | - | - | - | 256 | 256 | 256 |
| 400-520 | PR | D | 1 | 25 | 125.2 | 158.2 | 140.6 | -5 | 285 | 360 | 320 | 568 | 736 | 635 |
| | PR | D | 2 | 38 | 160.0 | 200.2 | 177.9 | -2 | 348 | 435 | 387 | 754 | 991 | 844 |
| | PR | D | 3 | 13 | 202.2 | 218.2 | 204.5 | N/Q | 413 | 445 | 417 | 880 | 1091 | 996 |
| | PR | D | 4 | 4 | 215.2 | 219.2 | 217.7 | -1 | 422 | 430 | 427 | 1076 | 1096 | 1,089 |
| | RS | D | 1 | 35 | 135.0 | 164.2 | 150.6 | 5 | - | - | - | 587 | 800 | 684 |
| | RS | D | 2 | 9 | 170.0 | 174.2 | 173.7 | N/Q | - | - | - | 810 | 850 | 815 |
| 520+ | DA | D | 1 | 8 | 155.2 | 165.2 | 163.2 | 12 | - | - | - | 986 | 1036 | 1,007 |
| | PR | D | 2 | 10 | 170.0 | 205.2 | 191.4 | -5 | 370 | 446 | 416 | 961 | 1141 | 1,073 |
| | PR | D | 3 | 26 | 208.0 | 221.2 | 213.6 | 7 | 424 | 451 | 436 | 1114 | 1286 | 1,186 |
| | PR | D | 4 | 41 | 224.2 | 243.2 | 232.8 | 5 | 440 | 477 | 456 | 1199 | 1860 | 1,360 |
| | PR | D | 5 | 3 | 207.2 | 219.2 | 211.2 | N/Q | 423 | 447 | 431 | 1171 | 1765 | 1,369 |
| | RS | D | 1 | 1 | 178.2 | 178.2 | 178.2 | N/Q | - | - | - | 944 | 944 | 945 |
| | | | | 236 | 70.0 | 243.2 | | | 159 | 477 | | 256 | 1860 | |
| Bulls | | | | | | | | | | | | | | |
| 0-450 | FD | D | 2 | 4 | 140.0 | 200.0 | 164.6 | N/Q | - | - | - | 595 | 790 | 685 |
| | PR | C | 3 | 2 | 236.2 | 275.2 | 255.7 | 3 | 429 | 500 | 465 | 1004 | 1060 | 1,032 |
| | RS | C | 2 | 28 | 212.2 | 242.2 | 235.3 | N/Q | - | - | - | 424 | 545 | 497 |
| | RS | D | 2 | 2 | 200.2 | 200.2 | 200.2 | 60 | - | - | - | 460 | 460 | 461 |
| | RS | E | 1 | 1 | 70.0 | 70.0 | 70.0 | N/Q | - | - | - | 130 | 130 | 130 |
| 450-600 | PR | C | 2 | 1 | 210.2 | 210.2 | 210.2 | N/Q | 382 | 382 | 382 | 1261 | 1261 | 1,261 |
| | PR | C | 3 | 2 | 217.2 | 246.2 | 231.7 | -38 | 388 | 440 | 414 | 1227 | 1243 | 1,235 |
| 600+ | PR | C | 2 | 4 | 190.2 | 210.0 | 199.4 | 10 | 346 | 382 | 363 | 1208 | 1365 | 1,308 |
| | PR | C | 3 | 20 | 223.2 | 266.2 | 245.8 | -6 | 399 | 475 | 439 | 1503 | 2769 | 2,016 |
| | PR | D | 1 | 1 | 151.2 | 151.2 | 151.2 | N/Q | 275 | 275 | 275 | 945 | 945 | 945 |
| | | | | 65 | 70.0 | 275.2 | | | 275 | 500 | | 130 | 2769 | |

DA - Dairy, FD - Feeder, GF - Grainfed, PR - Processor, LE - Live Export, PC - Pastoral Cattle, PT - PTIC, RS - Restocker

Disclaimer:

© MLA 2019. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.

